



TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

Crede Petroleum Corporation

26 16s 29w Lane, Ks

1801 Broadway Suite 900
Denver, Co 80202

Marjory 1-26

Job Ticket: 46689

DST#: 1

ATTN: Bruce Ard

Test Start: 2012.04.21 @ 07:07:00

GENERAL INFORMATION:

Formation: **LKC "H,I,J,K"**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 09:08:15

Time Test Ended: 13:57:45

Test Type: Conventional Bottom Hole (Initial)

Tester: Bradely Walter

Unit No: 53

Interval: **4126.00 ft (KB) To 4251.00 ft (KB) (TVD)**

Reference Elevations: 2802.00 ft (KB)

Total Depth: 4251.00 ft (KB) (TVD)

2797.00 ft (CF)

Hole Diameter: 7.88 inches Hole Condition: Good

KB to GR/CF: 5.00 ft

Serial #: 8522

Inside

Press @ Run Depth: 114.89 psig @ 4127.00 ft (KB)

Capacity: 8000.00 psig

Start Date: 2012.04.21

End Date:

2012.04.21

Last Calib.: 2012.04.21

Start Time: 07:07:05

End Time:

13:57:44

Time On Btm: 2012.04.21 @ 09:08:00


Time Off Btm: 2012.04.21 @ 12:09:45

TEST COMMENT: IF: 4 1/2 " blow .

IS: No return.

FF: 3" blow .

FS: No return



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2003.54	111.76	Initial Hydro-static
1	27.70	110.66	Open To Flow (1)
30	86.62	117.61	Shut-In(1)
75	795.55	115.82	End Shut-In(1)
75	92.63	115.43	Open To Flow (2)
120	114.89	118.70	Shut-In(2)
181	732.29	118.07	End Shut-In(2)
182	1957.49	118.41	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
195.00	w cm 25w 75m (oil spots)	0.73

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Credo Petroleum Corporation

26 16s 29w Lane, Ks

1801 Broadway Suite 900
Denver, Co 80202

Marjory 1-26

Job Ticket: 46689

DST#: 1

ATTN: Bruce Ard

Test Start: 2012.04.21 @ 07:07:00

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

0 deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

0 ppm

Viscosity: 48.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 7.60 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 1200.00 ppm

Filter Cake: 1.00 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
195.00	w cm 25w 75m (oil spots)	0.726

Total Length: 195.00 ft

Total Volume: 0.726 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:

Serial #: 8522


Inside

Crede Petroleum Corporation

Marjory 1-26

DST Test Number: 1

Pressure vs. Time



Triobite Testing, Inc

Ref. No: 46689

Printed: 2012.04.21 @ 15:14:05

Serial #: 8678

Outside Credo Petroleum Corporation

Marjory 1-26

DST Test Number: 1

