



Invoice

P.O. Box 1570
Woodward, OK 73802

Phone: (580)254-5400
Fax: (580)254-3242

Date	Invoice #
5/24/2012	1336

Bill To
SandRidge Energy, Inc. Attn: Purchasing Mgr. 123 Robert S. Kerr Avenue Oklahoma City, OK. 73102

Ordered By	Terms	Date of Service	Lease Name/Legal Desc.	Drilling Rig
Jason Harrison	Net 45	5/24/2012	Kelly Danielle 1-23H, Comanche Cnt...	Lariat 45

Item	Quantity	Description
Conductor Hole	105	Drilled 105 ft. conductor hole.
20" Pipe	105	Furnished 105 ft. of 20 inch conductor pipe.
Mouse Hole	80	Drilled 80 ft. mouse hole.
16" Pipe	80	Furnished 80 ft. of 16 inch mouse hole pipe.
Cellar Hole	1	Drilled 6x6 cellar hole.
6' X 6' Tinhorn	1	Furnished and set 6x6 tinhorn.
Mud and Water	1	Furnished mud and water.
Mud, Water, & Trucking	1	Transport mud and water to location.
Grout & Trucking	10	Furnished 10 yards of grout and trucking to location.
Grout Pump	1	Furnished grout pump.
Welder & Materials	1	Furnished welder and materials.
Dirt Removal	1	Labor & Equip. for dirt removal.
Cover Plate	1	Furnished cover plates
Permits	1	Permits

AFE Number: DC 12083
 Well Name: Kelly Danielle 1-23H
 Code: 850-016
 Amount: \$ 24,420.00
 Co. Man: Lawrence Rogers
 Co. Man Sig.: [Signature]
 Notes: [Signature]

Subtotal	\$24,420.00
Sales Tax (0.0%)	\$0.00
Total	\$24,420.00

JOB SUMMARY			PROJECT NUMBER SOK1571	TICKET DATE 06/18/12
COUNTY Comanche	State Kansas	COMPANY Bridge Exploration & Produc	CUSTOMER REP Felix Ortiz/Richard Hill	
LEASE NAME Kelly Danielle	Well No. 1119 1-231	JOB TYPE Surface	EMPLOYEE NAME	

EMP NAME					
0.00					
0.00					
0.00					
0.00					

Form. Name _____ Type: _____
 Packer Type _____ Set At **0**
 Bottom Hole Temp. **80** Pressure _____
 Retainer Depth _____ Total Depth **1000'**

	Called Out	On Location	Job Started	Job Completed
Date	6/23/2012	6/24/2012	6/24/2012	6/24/2012
Time	16:00	04:00	04:20	16:00

Type and Size	Qty	Make
Auto Fill Tube	0	IR
Insert Float Val	0	IR
Centralizers	0	IR
Top Plug	0	IR
HEAD	0	IR
Limit clamp	0	IR
Weld-A	0	IR
Texas Pattern Guide Shoe	0	IR
Cement Basket	0	IR

	New/Used	Weight	Size	Grade	From	To	Max. Allow
Casing		36#	9 5/8"		Surface		1,500
Liner							
Liner							
Tubing			0				
Drill Pipe							
Open Hole			12 1/4"		Surface	1,000'	Shots/Ft.
Perforations							
Perforations							

Materials			
Mud Type	WBM	Density	Lb/Gal
Disp. Fluid	Fresh Water	8.33	Lb/Gal
Spacer type	resh Watc BBL.	10	8.33
Spacer type	BBL.		
Acid Type	Gal.	%	
Acid Type	Gal.	%	
Surfactant	Gal.	In	
NE Agent	Gal.	In	
Fluid Loss	Gal/Lb	In	
Gelling Agent	Gal/Lb	In	
Fric. Red.	Gal/Lb	In	
MISC.	Gal/Lb	In	

Hours On Location		Operating Hours		Description of Job
Date	Hours	Date	Hours	
6/24		6/24		Surface
Total	0.0	Total	0.0	

Perfpac Balls _____ Qty. _____
 Other _____
 Other _____
 Other _____
 Other _____

Pressures	
MAX 1,500 PSI	AVG _____
Average Rates in BPM	
MAX 6 BPM	AVG _____
Cement Left in Pipe	
Feet	Reason SHOE JOINT

Cement Data				W/Rq.	Yield	Lbs/Gal
Stage	Sacks	Cement	Additives			
1	270	EX Lite Premium Plus 65	(6% Gel) 2% Calcium Chloride - 1/4pps Cello-Flake - .5% C-41P	10.88	1.84	12.70
2	150	Premium Plus (Class C)	2% Calcium Chloride-1/4pps Cello-Flake	6.32	1.32	14.80
3	100	Premium Plus (Class C)	2% Calcium Chloride on side to use if necessary	6.32	1.32	14.80

Summary			
Preflush	Type: _____	Preflush: BBI	10.00 Type: Fresh Water
Breakdown	MAXIMUM _____	Load & Bkdn: Gal - BBI	N/A Pad:Bbl -Gal N/A
	Lost Returns-N _____	Excess /Return BBI	Calc. Disp Bbl _____
	Actual TOC _____	Calc. TOC: _____	Actual Disp. _____
Average	Bump Plug PSI: _____	Final Circ. PSI: _____	Disp:Bbl _____
5 Min	10 Min _____	Cement Slurry: BBI	
	15 Min _____	Total Volume BBI	10.00

CUSTOMER REPRESENTATIVE Clark Hill SIGNATURE

JOB SUMMARY			PROJECT NUMBER SOK1601	TICKET DATE 06/29/12
COUNTRY Comanche	State Kansas	COMPANY Sandridge Exploration & Production	CUSTOMER REP Claud	
LEASE NAME Kelly Danielle	Well No. 1119 1-231	JOB TYPE Intermediate	EMPLOYEE NAME	

EMP NAME					
0.00	0				
0.00					
0.00					
0.00					

Form. Name _____ Type: _____

Packer Type _____ Set At **4,295**

Bottom Hole Temp. **155** Pressure _____

Retainer Depth _____ Total Depth **5653**

	Called Out	On Location	Job Started	Job Completed
Date				
Time				

Tools and Accessories		
Type and Size	Qty	Make
Auto Fill Tube	0	IR
Insert Float Va	0	IR
Centralizers	0	IR
Top Plug	0	IR
HEAD	0	IR
Limit clamp	0	IR
Weld-A	0	IR
Texas Pattern Guide Shoe	0	IR
Cement Basket	0	IR

Well Data						
	New/Used	Weight	Size	Grade	From	To
Casing		26#	7"		Surface	
Liner						
Liner						
Tubing			0			
Drill Pipe						
Open Hole			8 3/4"		Surface	5,653
Perforations						Shots/Ft.
Perforations						
Perforations						

Materials			
Mud Type	WBM	Density	9
Disp. Fluid	Fresh Water	Density	8.33
Spacer type	Fresh Water	BBL	20
Spacer type	Caustic	BBL	10
Acid Type		Gal.	%
Acid Type		Gal.	%
Surfactant		Gal.	In
NE Agent		Gal.	In
Fluid Loss		Gal/Lb	In
Gelling Agent		Gal/Lb	In
Fric. Red.		Gal/Lb	In
MISC.		Gal/Lb	In
Perfpac Balls		Qty.	
Other			
Other			
Other			
Other			
Other			

Hours On Location		Operating Hours		Description of Job
Date	Hours	Date	Hours	
				Intermediate
Total	0.0	Total	0.0	

Pressures	
MAX	5,000 PSI
AVG.	
Average Rates in BPM	
MAX	8 BPM
AVG	
Cement Left in Pipe	
Reason	SHOE JOINT

Cement Data						
Stage	Sacks	Cement	Additives	W/Rq.	Yield	Lbs/Gal
1	200	50/50 POZ PREMIUM	4% Gel - 0.4% C-12 - 0.1% C-37 - 0.5% C-41P - 2 lb/sk Phenoseal	6.77	1.44	13.60
2	100	Premium	0.4% C-12 - 0.1% C-37	5.20	1.18	15.60
3	0	0		0	0.00	0.00

Summary			
Preflush Breakdown	10	Type: Caustic	Preflush: BBI
		MAXIMUM 5,000 PSI	Load & Bkdn: Gal - BBI
		Lost Returns: NO/FULL	Excess /Return BBI
		Actual TOC _____	Calc. TOC: _____
Average	Bump Plug PSI: _____	Final Circ. PSI: _____	Cement Slurry BBI
ISIP 5 Min.	10 Min	15 Min	Total Volume BBI
			20.00

CUSTOMER REPRESENTATIVE *Claud Hall* SIGNATURE

JOB SUMMARY			PROJECT NUMBER SOK1619	TICKET DATE 07/07/12
COUNTY Comanche	State Kansas	COMPANY Bridge Exploration & Produc	CUSTOMER REP Claud	
LEASE NAME Kelly Danielle	Well No. 1119 1-231	JOB TYPE Liner	EMPLOYEE NAME Matt Wilson	

EMP NAME					
Matt Wilson		0.00			
Arthur Setzar					
Jared Green					
Robert Stonehocker					

Form. Name _____ Type: _____

Packer Type _____ Set At **5,663**

Bottom Hole Temp. **150** Pressure _____

Retainer Depth _____ Total Depth **9593**

Date	Called Out 7/6/2012	On Location 7/7/2012	Job Started 7/7/2012	Job Completed 7/7/2012
Time	11:00 pm	12:00 pm	2:21 pm	5:00 pm

Type and Size	Qty	Make
Auto Fill Tube	0	Weatherford
Insert Float Val	0	
Centralizers	0	
Top Plug	0	
HEAD	0	
Limit clamp	0	
Weld-A	0	
Texas Pattern Guide Shoe	0	
Cement Basket	0	

Well Data						
	New/Used	Weight	Size	Grade	From	To
Casing		11.6	4	1/2	5,233'	9,543'
Liner Tool					5,215'	5,233'
HWDP					3,836.33'	5,215'
Drill Pipe			3	1/2"	Surface	3,836.33'
Drill Collars						3,500
Open Hole			6	1/8"	Surface	9,593
Perforations						Shots/Ft.

Materials			
Mud Type	WBM	Density	9.1 Lb/Gal
Disp. Fluid	Fresh Water	Density	8.33 Lb/Gal
Spacer type	resh Water BBL.		20 8.33
Spacer type	Caustic BBL.		10 8.40
Acid Type	Gal.		%
Acid Type	Gal.		%
Surfactant	Gal.		ln
NE Agent	Gal.		ln
Fluid Loss	Gal/Lb		ln
Gelling Agent	Gal/Lb		ln
Fric. Red.	Gal/Lb		ln
MISC.	Gal/Lb		ln
Perfpac Balls	Qty.		
Other			
Other			
Other			
Other			

Hours On Location		Operating Hours		Description of Job
Date	Hours	Date	Hours	
7/7	5.0	7/7	4.0	Liner
Total	5.0	Total	4.0	

Pressures		
MAX	3,500 PSI	AVG 150
Average Rates in BPM		
MAX	8	AVG 4
Cement Left in Pipe		
Feet	91	Reason SHOE JOINT

Cement Data						
Stage	Sacks	Cement	Additives	W/Rq.	Yield	Lbs/Gal
1	500	50/50 Premium Poz	(4%Gel) - 0.4% C12 - 0.1% C37 - 0.5% C-41P - 1 Lb/Sk Phenoseal	6.77	1.44	13.60
2	0	0		0	0.00	0.00
3	0	0		0	0.00	0.00

Summary						
Preflush	10-	Type:	Caustic	Preflush:	BBI	20.00
Breakdown		MAXIMUM	3,500 PSI	Load & Bkdn:	Gal - BBI	N/A
		Lost Returns-N	NO/FULL	Excess /Return	BBI	N/A
		Actual TOC	4,697'	Calc. TOC:		4,697'
Average		Bump Plug PSI:		Final Circ.	PSI:	750
ISIP	5 Min.	10 Min	15 Min	Cement Slurry:	BBI	120.5
				Total Volume	BBI	259.54

CUSTOMER REPRESENTATIVE _____ SIGNATURE _____