

Kansas Corporation Commission Oil & Gas Conservation Division

1083326

Form ACO-1

June 2009

Form Must Be Typed

Form must be Signed

All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R
Address 2:	Feet from North / South Line of Section
City:	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	County:
Name:	Lease Name: Well #:
Wellsite Geologist:	Field Name:
Purchaser:	Producing Formation:
Designate Type of Completion:	Elevation: Ground: Kelly Bushing:
New Well Re-Entry Workover	Total Depth: Plug Back Total Depth:
Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):	Amount of Surface Pipe Set and Cemented at: Feet Multiple Stage Cementing Collar Used? Yes No If yes, show depth set: Feet If Alternate II completion, cement circulated from: sx cmt
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth: Deepening Re-perf. Conv. to ENHR Conv. to SWD Conv. to GSW	Chloride content: ppm Fluid volume: bbls Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	Quarter Sec Twp S. R
☐ ENHR Permit #: ☐ GSW Permit #:	County: Permit #:
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Letter of Confidentiality Received
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I I II Approved by: Date:

Side Two



Operator Name:			Lease Na	ame:			_ Well #:	
Sec Twp	S. R	East West	County:					
me tool open and close	ed, flowing and shu if gas to surface te	d base of formations pe t-in pressures, whether st, along with final chart well site report.	shut-in pressu	ure reache	d static level,	hydrostatic pres	sures, bottom h	nole temperature, fl
rill Stem Tests Taken (Attach Additional Sh	eets)	Yes No		Log	Formation	n (Top), Depth ar	nd Datum	Sample
amples Sent to Geolog		Yes No		Name			Тор	Datum
ores Taken lectric Log Run lectric Log Submitted (If no, Submit Copy)		Yes No Yes No						
ist All E. Logs Run:								
		CASINO	G RECORD	New	Used			
		Report all strings set			-		1	I
Purpose of String	Size Hole Drilled	Size Casing We Set (In O.D.) Lbs			Setting Depth	Type of Cement	# Sacks Used	Type and Percer Additives
		ADDITIONA	L CEMENTING	G / SQUEE	ZE RECORD			
Purpose: Perforate Protect Casing Plug Back TD	Depth Top Bottom Type of Cement # Sacks		Jsed	Type and Percent Additives				
Plug Off Zone								
Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated				Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depti			
TUBING RECORD:	Size:	Set At:	Packer At:	L	iner Run:	Yes No	1	
Date of First, Resumed Pr	roduction, SWD or EN	HR. Producing Me	ethod:	Gas	s Lift 0	ther (Explain)		
Estimated Production Per 24 Hours	Oil I	Bbls. Gas	Mcf	Water	Bb		Gas-Oil Ratio	Gravity
DISPOSITION	N OF GAS:		METHOD OF (COMPLETIC	DN:		PRODUCTION	ON INTERVAL:
Vented Sold	Used on Lease	Open Hole	Perf.	Dually Co	mp. Com	nmingled		
(If vented, Subm		Other (Specify)	1	(Submit ACC	1-5) (Subr	nit ACO-4)		

CEMENT FIELD TICKET AND TREATMENT REPORT

Customer	G&J	State, County	Chautauqua, Kansas	Cement Type	CLASS A	
Job Type	Long String	Section	22	Excess (%)	30	
Customer Acct #	3081	TWP	34S	Density	13.7	
Well No.	Sullivan 12-4	RGE	13E	Water Required	10.1	
Mailing Address		Formation		Yeild	1.26	
City & State		Hole Size	5 5/8	Slurry Weight		
Zip Code		Hole Depth	A CONTRACTOR OF THE PARTY OF TH	Slurry Volume		all the second
Contact		Casing Size	2 7/8INCH,	Displacement		4.7
Email	A THE STREET CO. THE STREET CO.	Casing Depth	815	Displacement PSI		300
Cell		Drill Pipe		MIX PSI	-	200
Dispatch Location	BARTLESVILLE	Tubing		Rate	4bpm	200
Code	Cement Pump Charges and Mileage	Quantity	Unit	Price per Unit	Habiti	
5401	CEMENT PUMP (2 HOUR MAX) 398	1	2 HRS MAX			
5406	EQUIPMENT MILEAGE (ONE-WAY) 398	30		\$1,030.00	\$	1,030.00
5407	MIN. BULK DELIVERY (WITHIN 50 MILES) USO	1	PER MILE PER LOAD	\$4.00 \$350.00	\$	120.00
0	3, 480		0	\$0.00	\$	350.00
0	GONG CONTROL OF THE C	and the second	0	\$0.00	\$	
0			0	\$0.00	\$	
0			0	\$0.00	\$	
0	A CONTRACTOR OF THE CONTRACTOR		0	\$0.00	\$	
5402	FOOTAGE 398	815	PER FOOT	0.22	\$	179.30
			The state of the s	EQUIPMENT TOTAL	CONTRACTOR DESIGNATION OF THE PERSON NAMED OF	
	Cement, Chemicals and Water			EQUIFIVIENT TOTAL	\$	1,679.30
1124	50/50 POZMIX CEMENT W/ NO ADDITIVES	110	0	640.05	6	100
1107A	PHENOSEAL PHENOSEAL	40	0	\$10.95	\$	1,204.50
1110A	KOL SEAL (50 # SK)	550	0	\$1.29	\$	51.60
1111	GRANULATED SALT (50#) SELL BY #	200	0	\$0.46	\$	253.00
1118B	PREMIUM GEL/BENTONITE (50#)	350	0	\$0.37	\$	74.00
0	THE MOST OCCUPANT (OUR)	330	0	\$0.21	\$	73.50
0			0	\$0.00	\$	
0			0	\$0.00	\$	•
0			0	\$0.00	\$	
0		Paralitations and	0	\$0.00	\$	7
0			0	\$0.00	\$	
			0	\$0.00	\$	
	Water Transport	INCHES DE SERVICIONES		CHEMICAL TOTAL	\$	1,656.60
0	water Hansport					
0			0	\$0.00	\$	an experience of all
0			0	\$0.00	\$	
			0	\$0.00	\$	
(Allegan Commission of	Cement Floating Equipment (TAXABLE)		1	RANSPORT TOTAL	\$	
	Cement Basket					
0	Cernerit basket					
	Centralizer	STATE OF THE PARTY	0	\$0.00	\$	i dinaka-sa
	Centralizer					editalistic edit
0	Centralizer		0	\$0.00	\$	
0		Edward With B				
0	Centralizer Float Shoe		· 0 - 0	\$0.00 \$0.00	\$	
0 0	Float Shoe		0	\$0.00	\$	
0 0			0 0	\$0.00 \$0.00 \$0.00	\$ \$	20 00 00 2 13 20 00 00 - 20
0 0	Float Shoe Float Collars		· 0 - 0	\$0.00 \$0.00	\$	
0 0	Float Shoe		0 0	\$0.00 \$0.00 \$0.00 \$0.00	\$ \$	
0 0	Float Shoe Float Collars Guide Shoes		0 0	\$0.00 \$0.00 \$0.00	\$ \$	
0 0 0	Float Shoe Float Collars		0 0 0	\$0.00 \$0.00 \$0.00 \$0.00	\$ \$	
0 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates		0 0	\$0.00 \$0.00 \$0.00 \$0.00	\$ \$	
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Float Shoe Float Collars Guide Shoes		0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$	
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes		0 0 0	\$0.00 \$0.00 \$0.00 \$0.00	\$ \$	
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates		0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$	
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Teols		0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$	
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes		0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$	
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Teols		0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
0 0 0 0 0 0 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Teols		0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$	
0 0 0 0 0 0 0 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc.		0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
0 0 0 0 0 0 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc.		0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
0 0 0 0 0 0 0 0 0 0 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 2 1/2 PLUG	2	0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$	
0 0 0 0 0 0 0 0 0 0 0 0 4402	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc.		0 0 0 0 0 0 0 0 0 0 0 0 PER UNIT	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
0 0 0 0 0 0 0 0 0 0 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 2 1/2 PLUG		0 0 0 0 0 0 0 0 0 0 0 0 PER UNIT	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -
0 0 0 0 0 0 0 0 0 0 0 4402	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 2 1/2 PLUG Downhole Tools DRIVER NAME	2	0 0 0 0 0 0 0 0 0 0 0 0 PER UNIT	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - 56.00
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 2 1/2 PLUG Downhole Tools DRIVER NAME Kirk Sanders	2	0 0 0 0 0 0 0 0 0 0 0 0 PER UNIT	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 2 1/2 PLUG Downhole Tools DRIVER NAME Kirk Sanders		0 0 0 0 0 0 0 0 0 0 0 0 PER UNIT 0 CEMENT FLOATING EC	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 2 1/2 PLUG Downhole Tools DRIVER NAME Kirk Sanders		0 0 0 0 0 0 0 0 0 0 0 0 PER UNIT 0 CEMENT FLOATING EC	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 2 1/2 PLUG Downhole Tools DRIVER NAME Kirk Sanders	2 2 2 2 4 9 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 PER UNIT 0 CEMENT FLOATING EC 8.30%	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -

AUTHORIZATION

CEMENT FIELD TICKET AND TREATMENT REPORT

Customer	G&J	State, County	Chautauqua, Kansas	Cement Type	CLASS A
Customer Acct #		Section	22	Excess (%)	30
Well No.	0	TWP	34S	Density	13.7
Mailing Address	Sullivan 12-4	RGE	13E	Water Required	0
City & State	0	Formation	0	Yeild	1.26
Zip Code	0	Hole Size	5 5/8	Slurry Weight	0
Contact	0	Hole Depth	0	Slurry Volume	0
Email	0	Casing Size	2 7/8INCH,	Displacement	4.7
Cell	0	Casing Depth	815	Displacement PSI	300
Office	0	Drill Pipe	0	MIX PSI	200
Dispatch Location	BARTLESVILLE	Tubing	0	Rate	4bpm
REMARKS					

EMARKS EMARKS
n gel and established circulation, ran 110sx of 50/50 POZ w/ 2% gel / 2# salt / 5# kol seal / .40# pheno. Flushed pump and lines, dropped 2 plugs and displaced
set. Shut in and washed up.
culated cement to surface / Plugs held.
*Sdot Minest
/285 JO.
\mathcal{W}