

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1083822

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM

WELL HISTORY - DESCRIPTION OF WELL & LEASE

| OPERATOR: License # | API No. 15 |
|---|---|
| Name: | Spot Description: |
| Address 1: | |
| Address 2: | Feet from North / South Line of Section |
| City: State: Zip:+ | Feet from East / West Line of Section |
| Contact Person: | Footages Calculated from Nearest Outside Section Corner: |
| Phone: () | |
| CONTRACTOR: License # | County: |
| Name: | Lease Name: Well #: |
| | |
| Wellsite Geologist: | Field Name: |
| Purchaser: | Producing Formation: |
| Designate Type of Completion: | Elevation: Ground: Kelly Bushing: |
| New Well Re-Entry Workover | Total Depth: Plug Back Total Depth: |
| | Amount of Surface Pipe Set and Cemented at: Feet |
| Gas D&A ENHR SIGW | Multiple Stage Cementing Collar Used? Yes No |
| ☐ OG | If yes, show depth set: Feet |
| CM (Coal Bed Methane) | If Alternate II completion, cement circulated from: |
| Cathodic Other (Core, Expl., etc.): | feet depth to:w/sx cmt |
| If Workover/Re-entry: Old Well Info as follows: | |
| Operator: | |
| Well Name: | Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) |
| Original Comp. Date: Original Total Depth: | |
| Deepening Re-perf. Conv. to ENHR Conv. to SWD | Chloride content: ppm Fluid volume: bbls |
| | Dewatering method used: |
| Plug Back: Plug Back Total Depth | Location of fluid disposal if hauled offsite: |
| Commingled Permit #: | Operator Name: |
| Dual Completion Permit #: | Operator Name: |
| SWD Permit #: | Lease Name: License #: |
| ENHR Permit #: | Quarter Sec Twp S. R East West |
| GSW Permit #: | County: Permit #: |
| | |
| Spud Date or Recompletion Date Date Reached TD Completion Date or Recompletion Date | |

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

| KCC Office Use ONLY |
|------------------------------------|
| Letter of Confidentiality Received |
| Date: |
| Confidential Release Date: |
| Wireline Log Received |
| Geologist Report Received |
| UIC Distribution |
| ALT I II III Approved by: Date: |

| | Side Two | |
|-----------------------|-------------|---|
| Operator Name: | Lease Name: | Well #: |
| Sec TwpS. R East West | County: | |
| | | |

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

| Drill Stem Tests Taken (Attach Additional She | eets) | Yes | No | | og Formation | n (Top), Depth an | d Datum | Sample |
|---|----------------------|---------------------------|----------------|------------------------|--------------------|-------------------|-----------------|-------------------------------|
| Samples Sent to Geolog | jical Survey | Yes | No | Nam | e | | Тор | Datum |
| Cores Taken Electric Log Run Electric Log Submitted B (If no, Submit Copy) | Electronically | Yes Yes Yes Yes | No No No | | | | | |
| List All E. Logs Run: | | | | | | | | |
| | | | CASING R | | w Used | | | |
| | | Report all str | rings set-co | nductor, surface, inte | rmediate, producti | on, etc. | | |
| Purpose of String | Size Hole Drilled | Size Casin Set (In O.D | | Weight Lbs. / Ft. | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives |
| | | | | | | | | |
| | | | | | | | | |

ADDITIONAL CEMENTING / SQUEEZE RECORD

| Purpose: Perforate | Depth Top Bottom | Type of Cement | # Sacks Used | Type and Percent Additives |
|-----------------------------|---------------------|----------------|--------------|----------------------------|
| Protect Casing Plug Back TD | | | | |
| Plug Off Zone | | | | |

| Shots Per Foot | PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated | | | | Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth | | | | | |
|--------------------------------------|---|-----------------|---------|-----------------|---|---------------------|-----------------|------------------------------|---------------|---------|
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| TUBING RECORD: | Siz | :e: | Set At: | | Packe | r At: | Liner R | un: | No | |
| Date of First, Resumed F | Producti | on, SWD or ENHF | ₹. | Producing N | 1ethod: | ping | Gas Lift | Other (Explain) | | |
| Estimated Production Per 24 Hours | | Oil Bb | ls. | Gas | Mcf | Wate | er | Bbls. | Gas-Oil Ratio | Gravity |
| | | | | 1 | | | | | | |
| DISPOSITIC | N OF G | GAS: | | | METHOD | OF COMPLE | TION: | | PRODUCTION IN | FERVAL: |
| Vented Sold | | Jsed on Lease | | Open Hole | Perf. | Uually (Submit) | Comp. ACO-5) | Commingled (Submit ACO-4) | | |
| (If vented, Sub | mit ACO | -18.) | | Other (Specify) | | | | | | |

| Form | ACO1 - Well Completion |
|-----------|------------------------|
| Operator | Laymon Oil II, LLC |
| Well Name | Shepard 31-12 |
| Doc ID | 1083822 |

Tops

| Name | Тор | Datum |
|---------------------|------|-------|
| Soil | 0 | 5 |
| Lime | 5 | 20 |
| Shale & Lime | 20 | 660 |
| Shale | 660 | 810 |
| Lime | 810 | 850 |
| Shale | 850 | 900 |
| Lime | 900 | 930 |
| Shale | 930 | 935 |
| Lime & Shale | 935 | 986 |
| Shale | 986 | 988 |
| 5' Lime | 988 | 992 |
| Shale | 992 | 995 |
| Upper Squirrel Sand | 995 | 1005 |
| Shale | 1005 | 1032 |
| Cap Rock | 1032 | 1033 |
| Shale | 1033 | 1037 |
| Cap Rock | 1037 | 1039 |
| Lower Squirrel Sand | 1039 | 1042 |
| Shale | 1042 | 1060 |

| CUSTOMER NO. | | PURCHASE ORDER NO. | | REFERENCE | | TERMS | | CLS | | DA | | - Pro- |
|--------------|-----------|--------------------|--|--|----------|----------|----------|-----------|--------------------------------------|--------|----------------|----------------------|
| 3447 | | | יינייני איז אינטער איז אינטער אינטער אינער אייניער אינער אינער אייניער אייניער אייניער אייניער אייניער אייניער | ער אין אין איי איי איי איי איי איי איי איי | 19TH | OF MONTI | 1 | BE | about an investigation and increases | 2/ 1/1 | 1 | 3:59 |
| 1 1 | | | S X - P | | DEL. | DATE: | 2/ 1/18 | · TERMH | torange | | ***** | 50872 |
| 1 | SHO FALLS | KS 66758 | TO | | TAX | 5 | 901 IOL4 | il Tola | | | JRDER ***** | XKXK |


| | | | - | |
|---|---------|-----|-------------------|---------------------------------------|
| SHIPPED | ORDERED | UM | SKU | DESCRIPTION |
| | 300 | EA | PC | PORTLAND CEMENT |
| ra voor uutan | | | | |
| | | | | · · · · · · · · · · · · · · · · · · · |
| RicoL | 4-12 11 | h p | ia les. | Wilson 1-12 |
| ind. | | | 00.000 | Codar Post- |
| Rice | 1-12 | | packs | |
| Rice | 6-12 | 10 | Dacko | Wright B 2 |
| Rice | 5-12 | 10 | Dacker | Usight B C |
| Rice | 8-12 | 10 | packs | Shepard 27 |
| Rice | 9-12 | 10 | Dacks | Sneparal 23 |
| Mrn. Br | errers | 2 | 10 Dack | Cheparol Z |
| mKr | amer | 1 | 10 Dacks | I Sheppind 30 |
| Rice | 1D- | 12 | 10 Dack | 22 Shepard 31 |
| Dave | Kram | | 1-12-104 | - |
| and the second se | | | | ~ |
| | | | | |
| | | | ** ORDER ** ORDER | ** ORDER ** ORDER ** ORDER ** |

** DEPOSIT AMOUNT ** ** BALANCE DUE ** A

RECEIVED BY

X

** PAYMENT RECEIVED **



802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

Payless Concrete Products, L.P.C.

1.9005 LAYMON DIL II, L.L.C. 1998 SQUIRREL RD.

NEOSHO FALLS KS

E to my the Es

| | | that that I had not | | t i t i ton tot | had been I to I have I to The I to I have have | a subard. | | | |
|--|--|--|---|--|--|-------------------------|----------------------------|--|--|
| TIME | FORMULA | LOAD SIZE | YARDS ORDERED | | DRIVER/TRUCK | | PLANT/TRANSACTION # | | |
| | | | | % CAL | JE | % AIR | | | |
| 03:34:00p | WELL | 15.00 yd | 15.00 yd | 0.00 | 35 | 0.00 | WOOCO | | |
| DATE | | LOAD # | YARDS DEL. | BATCH# | WATER TRIM | SLUMP | TICKET NUMBER | | |
| | To Date | 2 5 | 75.00 yd [| | | | | | |
| 04-23-12 | Today | 1. | 15.00 yd (| 50583 | G/yd Ø.Ø | 4.00 in | 31406 | | |
| IRRITATING TO THE SKIN AND EYES Dear Customer- Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY Dear Customer- CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Dear Customer- Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Dear Customer- Attention. KEEP CHILDREN AWAY. CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON Dear Customer- CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON Dear Customer- LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS. Dear Customer- The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed. Dear Customer- | | | (TO BE SIGNED IF DELIVERY T Dear Customer-The driver of this to you for your signature is of the opi truck may possibly cause damage property if it places the material in our wish to help you in every way the driver is requesting that you si this supplier from any responsibility to the premises and/or adjaced driveways, curbs, etc., by the delive also agree to help him remove mu that he will not litter the public stree tion, the undersigned agrees to ind of this truck and this supplier for a | MAGE RELEASE O BE MADE INSIDE CURB LINE) ruck in presenting this RELEASE to nion that the size and weight of his to the premises and/or adjacent this load where you desire it. It is that we can, but in order to do this gn this RELEASE relieving him and y from any damage that may occur in property, buildings, sidewalks, very of this material, and that you d from the wheels of his vehicle so et. Further, as additional considera- emnify and hold harmless the driver ny and all damage to the premises | Excessive Water is Detrimental to Concrete Performance H ₂ 0 Added By Request/Authorized By GAL_X | | | | |
| and the second | ays of delivery will bear interest at the rate Aggregate or Color Quality. No Claim | | arisin out of delivery of this order. SIGNED | ay be claimed by anyone to have | WHEN DELIVERING INSIDE CU LOAD RECEIVED BY: | | | | |
| | oss of the Cash Discount will be collect \$50/HR. | cted on all Returned Checks. | X | | X | 4 | | | |
| QUANTITY | CODE | DESCRIPTION | | | | UNIT PRICE | EXTENDED PRICE | | |
| 15.00 2.00 15.00 | WELL TRUCKING MIX&HAUL | WELL (10 S TRUCKING C MIXING & H | | T) | 15.00 2.00 15.00 | 51.00 50.00 25:00 | 765.00 100.00 375.00 | | |
| | | | | | | | | | |

| | 4 | | | | |
|-------------------|--------------|------------------|--|----------------------------------|--|
| | | | | | |
| RETURNED TO PLANT | LEFT JOB* | FINISH UNLOADING | DELAY EXPLANATION/CYLINDER TEST TAKEN | TIME ALLOWED | |
| | | * | 1. JOB NOT READY6. TRUCK BROKE DOWN2. SLOW POUR OR PUMP7. ACCIDENT3. TRUCK AHEAD ON JOB8. CITATION | Canal Canal Content of the State | abTotal \$ 1240.00 ax % 7.300 90.52 |
| LEFT PLANT | ARRIVED JOB | START UNLOADING | 4. CONTRACTOR BROKE DOWN 9. OTHER 5. ADDED WATER | TIME DUE | otal \$ 1330.52 |
| 155 | 1420 | | | 0 | ADDITIONAL CHARGE 1 |
| TOTAL ROUND TRIP | TOTAL AT JOB | UNLOADING TIME | | DELAY TIME | ADDITIONAL CHARGE 2 |
| | 1 | | | | GRAND TOTAL |

CONDITIONS



Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request. NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

LA1/22 LAYMON DIL/WELL# SHEPARD 31-12 54 W TO QUAIL N TO 160TH W 1/ MI NSD

VATES CENTED VE CE702