

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

| For KCC         | Use:   |  |  |
|-----------------|--------|--|--|
| Effective Date: |        |  |  |
| District #      |        |  |  |
| SGA?            | Yes No |  |  |

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1085268

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

# NOTICE OF INTENT TO DRILL

| Expected Spud Date:  | Spot Description:  |
|--|--|
| month day year   | Sec Twp S. R   |
| DPERATOR: License#   | (0/0/0/0) feet from N / S Line of Section  |
| Name:  | feet from E / W Line of Section  |
| ddress 1:  | Is SECTION: Regular Irregular?   |
| ddress 2:  | (Note: Locate well on the Section Plat on reverse side)  |
| State: Zip: +  | County:  |
| Contact Person:  | Lease Name: Well #:  |
| hone:  | Field Name:  |
| CONTRACTOR: License#   | Is this a Prorated / Spaced Field?   |
| lame:  | Target Formation(s):   |
| Well Drilled For: Well Class: Type Equipment:  | Nearest Lease or unit boundary line (in footage):  |
| Oil Enh Rec Infield Mud Rotary   | Ground Surface Elevation:feet MS   |
| Gas Storage Pool Ext. Air Rotary   | Water well within one-quarter mile:  |
| Disposal Wildcat Cable   | Public water supply well within one mile:  |
| Seismic ; # of Holes Other   | Depth to bottom of fresh water:  |
| Other:   | Depth to bottom of usable water:   |
| If OWWO: old well information as follows:  | Surface Pipe by Alternate: I II  |
|  | Length of Surface Pipe Planned to be set:  Length of Conductor Pipe (if any):  |
| Operator:  | Projected Total Depth:   |
| Well Name: Original Total Depth:   | Formation at Total Depth:  |
| Original Completion Date Original Total Deptil   | Water Source for Drilling Operations:  |
| Directional, Deviated or Horizontal wellbore?  | Well Farm Pond Other:  |
| f Yes, true vertical depth:  | DWR Permit #:  |
| Bottom Hole Location:  | ( <b>Note:</b> Apply for Permit with DWR)  |
| CC DKT #·  |  |
| NOO DINT #   | Will Cores be taken? YesN  |
| OO DINI #  | Will Cores be taken?N  If Yes, proposed zone:  |
|  |  |
| AFF  | If Yes, proposed zone:   |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plu  | If Yes, proposed zone:   |
| The undersigned hereby affirms that the drilling, completion and eventual plu t is agreed that the following minimum requirements will be met:   | If Yes, proposed zone:   |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plu  | If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plu t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to   | If Yes, proposed zone:  IDAVIT  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.   |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  | If Yes, proposed zone:  IDAVIT  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plu t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the districtions.  | If Yes, proposed zone:  IDAVIT  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg  | If Yes, proposed zone:  IDAVIT  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.   |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1  | If Yes, proposed zone:  IDAVIT  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply will be set.  Inging of this well will comply will be set.  Inging of this well will comply will be set.  Inging of this well will comply will be set.  Inging of this well will be set.  Inging of t |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  | If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  In y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  In this office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it of the it of th |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plu t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist: 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1   | If Yes, proposed zone:  IDAVIT  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply will be set.  Inging of this well will comply will be set.  Inging of this well will comply will be set.  Inging of this well will comply will be set.  Inging of this well will be set.  Inging of t |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be   | If Yes, proposed zone:  IDAVIT  Igging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  In y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  In this office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it of the it of th |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be   | If Yes, proposed zone:  IDAVIT  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply will be set.  Inging of this well will comply will be set.  Inging of this well will comply will be set.  Inging of this well will comply will be set.  Inging of this well will be set.  Inging of t |
| The undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> I through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be   | If Yes, proposed zone:  IDAVIT  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply with K.S.A. 55 et. seq.  Inging of this well will comply will be set.  Inging of this well will comply will be set.  Inging of this well will comply will be set.  Inging of this well will comply will be set.  Inging of this well will be set.  Inging of t |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically.  For KCC Use ONLY  | IDAVIT aging of this well will comply with K.S.A. 55 et. seq.  drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification   |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  1. Indicate the provided in the complete of the spud date or the well shall be submitted Electronically.  For KCC Use ONLY  API # 15 - | IDAVIT Indexistry IDAVIT Indexistry IDAVIT Indexistry IDAVIT Indexistry IDAVIT  |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  submitted Electronically  For KCC Use ONLY  API # 15 -   | IDAVIT Indexistry IDAVIT Indexistry IDAVIT Indexistry IDAVIT Indexistry IDAVIT  |
| The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically.  For KCC Use ONLY  | IDAVIT Indexistry IDAVIT Indexistry IDAVIT Indexistry IDAVIT Indexistry IDAVIT  |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required  | IDAVIT Indexistry IDAVIT Indexistry IDAVIT Indexistry IDAVIT Indexistry IDAVIT  |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the description of the district office will be notified before well is either plugg.  5. The appropriate district office will be notified before well is either plugg.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically.  For KCC Use ONLY  API # 15   | IDAVIT Igging of this well will comply with K.S.A. 55 et. seq.  drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);   |
| AFF The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  Ibmitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required  | IDAVIT Indexistry IDAVIT Indexistry IDAVIT Indexistry IDAVIT Indexistry IDAVIT  |



| For KCC Use ONLY |  |
|------------------|--|
| API # 15         |  |

Operator: \_

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Location of Well: County: \_\_

| Lease:    |   |  |                  |  | feet from N /                         | S Line of Section |
|-----------|---|--|------------------|--|---------------------------------------|-------------------|
| Well Numb | oer:                                    |  |                  |  | feet from E /                         | W Line of Section |
| Field:    |   |  |                  | SecT\  | wp S. R                               | E W               |
|           |   | e:   |                  |  | Regular or Irregular                  | or boundary       |
|           |   |  |                  | Section corner us                            |                                       | -                 |
|           |   |  | PLA              |  |                                       |                   |
|           |   | _  |                  |  | line. Show the predicted locations of |                   |
|           | lease roads, tank b                     |  |                  | ed by the Kansas S<br>arate plat if desired. | Surface Owner Notice Act (House Bill  | 2032).            |
|           |   | 2195 ft.                                     | тпау апаста зере | nate plat il desired.                        |                                       |                   |
|           | :                                       | : :  | : :              | :  |                                       |                   |
|           |   |  |                  |  | LEGEND                                |                   |
|           |   | :  |                  |  | O Well Location                       |                   |
|           |   |  |                  |  | Tank Battery Lo                       | cation            |
|           | • | ·  |                  | ••••   | Pipeline Location                     |                   |
|           |   |  |                  |  | Electric Line Lo                      |                   |
|           | :                                       |  |                  | :  | Lease Road Loc                        | cation            |
| 1515 ft   | :                                       | ÷  | : : :            | :  |                                       |                   |
| 101011.   |   |  |                  |  | EXAMPLE : :                           |                   |
|           | :                                       | <u>: :                                  </u> | : :              | :  | E7V WIT EE                            |                   |
|           |   | 34   |                  |  | :                                     |                   |
|           | :                                       | :  | i                |  |                                       |                   |
|           | :                                       | : :  | : :              | :  |                                       |                   |
|           |   |  |                  | :  |                                       |                   |
|           |   |  |                  | :  | 97                                    | 1980' FSL         |
|           |   | i  |                  |  |                                       |                   |
|           |   |  |                  |  |                                       |                   |
|           | :                                       | : :  | : :              | :  | SEWARD CO. 3390' FEL                  |                   |

# In plotting the proposed location of the well, you must show:

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

85268 Form CDP-1

May 2010

Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

| Operator Name:  |                           |   | License Number:   |  |
|---|---------------------------|---|---|--|
| Operator Address:   |                           |   |   |  |
| Contact Person:   |                           |   | Phone Number:   |  |
| Lease Name & Well No.:  |                           |   | Pit Location (QQQQ):  |  |
| Type of Pit:    Emergency Pit   Burn Pit   Proposed     Settling Pit   Drilling Pit   If Existing, date cor |                           | Existing  | SecTwpR East West West South Line of Section                              |  |
| (If WP Supply API No. or Year Drilled)  | Pit capacity:             |   | Feet from East / West Line of Section  County                             |  |
| Is the pit located in a Sensitive Ground Water Area? Yes No   |                           |   | Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only) |  |
| Is the bottom below ground level?  Yes No   | Artificial Liner?  Yes  N | No  | How is the pit lined if a plastic liner is not used?                      |  |
| Pit dimensions (all but working pits):  | Length (fee               | et)   | Width (feet) N/A: Steel Pits  |  |
| Depth fro   | om ground level to dee    | epest point:  | (feet) No Pit   |  |
| material, thickness and installation procedure.   |                           | inter integrity, in                                     | ncluding any special monitoring.  |  |
| Distance to nearest water well within one-mile of   | of pit:                   | Depth to shallor<br>Source of inforr                    | west fresh water feet.<br>mation:   |  |
| feet Depth of water well  | feet                      | measured  | well owner electric log KDWR  |  |
| Emergency, Settling and Burn Pits ONLY:   |                           | Drilling, Worko   | over and Haul-Off Pits ONLY:  |  |
| Producing Formation:  |                           | Type of materia   | ıl utilized in drilling/workover:   |  |
| Number of producing wells on lease:   |                           | Number of working pits to be utilized:                  |   |  |
| Barrels of fluid produced daily:  |                           | Abandonment p   | procedure:  |  |
| Does the slope from the tank battery allow all s flow into the pit? Yes No                                  | pilled fluids to          | Drill pits must be closed within 365 days of spud date. |   |  |
| Submitted Electronically  |                           |   |   |  |
| KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS  |                           |   |   |  |
| Date Received: Permit Numl  | ber:                      | Permi   | it Date: Lease Inspection: Yes No   |  |



#### Kansas Corporation Commission Oil & Gas Conservation Division

1085268

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed: C-1 (Intent) CB-1  | (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)   |  |  |
|---|--|--|--|
| OPERATOR: License #   | Well Location:   |  |  |
|   | County:  |  |  |
| Address 1:  | Lease Name: Well #:  |  |  |
| Address 2:  City: State: Zip: +   |  |  |  |
| Contact Person:   | If filing a Form T-1 for multiple wells on a lease, enter the legal description of<br>the lease below:   |  |  |
| Phone: ( ) Fax: ( )   |  |  |  |
| Email Address:  |  |  |  |
| Surface Owner Information:  |  |  |  |
| Name:   | When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface  |  |  |
| Address 1:  | owner information can be found in the records of the register of deeds for the   |  |  |
| Address 2:  | county, and in the real estate property tax records of the county treasurer.   |  |  |
| City:   |  |  |  |
| the KCC with a plat showing the predicted locations of lease roads, tan are preliminary non-binding estimates. The locations may be entered of Select one of the following:  I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be I CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax, a I have not provided this information to the surface owner(s). I a KCC will be required to send this information to the surface or | Act (House Bill 2032), I have provided the following to the surface located: 1) a copy of the Form C-1, Form CB-1, Form CB-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.  Cacknowledge that, because I have not provided this information, the wner(s). To mitigate the additional cost of the KCC performing this gree, payable to the KCC, which is enclosed with this form. |  |  |
| If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-  | fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.   |  |  |
| Submitted Electronically  |  |  |  |
|   | _  |  |  |

| For KCC Use ONLY |   |
|------------------|---|
| API # 15         | _ |

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

| In all cases, please fully complete this side of the form  | . Include items 1 through 5 at the bottom of this page.  |
|--|--|
| Operator: Noble Petroleum, Inc.  Lease: Doyle Creek #1  Well Number: 1  Field:   | Location of Well: County:  |
| Number of Acres attributable to well:  | Is Section: Regular or Irregular   |
|  | If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW                         |
| PL. Show location of the well. Show footage to the nearest lea lease roads, tank batteries, pipelines and electrical lines, as requ You may attach a sep | ase or unit boundary line. Show the predicted locations of<br>ired by the Kansas Surface Owner Notice Act (House Bill 2032). |
|  | LECEND   |
|  | DEGEND  O Well Location  Tank Battery Location  Pipeline Location  Electric Line Location  Lease Road Location               |
| 34   | EXAMPLE  |
|  |  |
|  | 1980' FSL  |

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

SEWARD CO. 3390' FEL

5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

June 27, 2012

JAY ABLAH Noble Petroleum, Inc. 3101 N ROCK RD STE 125 WICHITA, KS 67226-1300

Re: Drilling Pit Application DOYLE CREEK 1 NW/4 Sec.34-21S-05E Marion County, Kansas

#### Dear JAY ABLAH:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (316) 630-4000.