

#### Kansas Corporation Commission Oil & Gas Conservation Division

1085709

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R
Address 2:	Feet from North / South Line of Section
City:	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	County:
Name:	Lease Name: Well #:
Wellsite Geologist:	Field Name:
Purchaser:	Producing Formation:
Designate Type of Completion:	Elevation: Ground: Kelly Bushing:
New Well Re-Entry Workover	Total Depth: Plug Back Total Depth:
Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd.  CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):	Amount of Surface Pipe Set and Cemented at: Feet  Multiple Stage Cementing Collar Used?
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:  Deepening Re-perf. Conv. to ENHR Conv. to SWD  Conv. to GSW  Plug Back: Plug Back Total Depth  Commingled Permit #:  Dual Completion Permit #:  SWD Permit #:	Chloride content: ppm Fluid volume: bbls  Dewatering method used:  Location of fluid disposal if hauled offsite:  Operator Name:  Lease Name: License #:  Quarter Sec Twp S. R Bast West
ENHR	County: Permit #:
Spud Date or Date Reached TD Completion Date or	
Recompletion Date  Date Reached 1D  Completion Date of Recompletion Date	

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY					
Letter of Confidentiality Received					
Date:					
Confidential Release Date:					
Wireline Log Received					
Geologist Report Received					
UIC Distribution					
ALT I III Approved by: Date:					

Side Two



Operator Name:				Lease N	lame:			Well #:		
Sec Twp	S. R	East	] West	County:						
INSTRUCTIONS: Sh time tool open and clo recovery, and flow rat line Logs surveyed. A	osed, flowing and shu es if gas to surface te	t-in pressures st, along with	s, whether s final chart(s	hut-in press	ure reach	ed static level,	hydrostatic pres	ssures, bottom h	nole temp	erature, fluid
Drill Stem Tests Taker (Attach Additional		Yes	☐ No		Log	g Formation	n (Top), Depth a	nd Datum		Sample
Samples Sent to Geo	logical Survey	Yes	No		Name			Тор		Datum
Cores Taken Electric Log Run Electric Log Submitte (If no, Submit Cop)	d Electronically	☐ Yes ☐ Yes ☐ Yes	No No No							
List All E. Logs Run:										
		Report a		RECORD	New	Used	on, etc.			
Purpose of String	Size Hole Drilled	Size C Set (In	asing	Weig Lbs. /	ht	Setting Depth	Type of Cement	# Sacks Used	, ,,	and Percent additives
		<u> </u> 	DDITIONAL	CEMENTIN	IG / SQUE	EZE RECORD				
Purpose:  Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Type of 0	Cement	# Sacks	Used		Type and	Percent Additives		
Shots Per Foot	PERFORATI Specify	ON RECORD - Footage of Each	Bridge Plug n Interval Peri	s Set/Type forated			cture, Shot, Ceme mount and Kind of N	nt Squeeze Record Material Used)	d 	Depth
TUBING RECORD:	Size:	Set At:		Packer At:		Liner Run:				
							Yes N	0		
Date of First, Resumed	Production, SWD or EN	IHR. Pr	oducing Meth	nod:	g 🗌 G	as Lift C	Other (Explain)			
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Water	BI	ols.	Gas-Oil Ratio		Gravity
DISPOSITI	ON OF GAS:		N	METHOD OF	COMPLET	TION:		PRODUCTIO	ON INTER	VAL:
Vented Solo	Used on Lease		n Hole	Perf.	Dually (		nmingled mit ACO-4)			
(11 verneu, 3u	10./	Othe	r (Specify)				I —			

### **EDWARD E BIRK 302 SOUTH 16TH**

#### SERVICE TICKET WELL CEMENTING

**BURLINGTON, KS 66839** 620-364-1311 - OFFICE, 620-364-6719 - CELL

DATE: 0/20/12

620-364-1311 - OFFICE, 620-364-6719 - CELL		COUNTY 4		CITY	BUTT
CHARGE TO FOUNTY E. BINK					
ADDRESS	_CITY		ST	_ZIP	
LEASE & WELL NO.	CONT	RACTOR		- Process	<u> </u>
KIND OF JOB ment long String DIR. TO LOC.	SEC.	28 TWP 25	2 RG		
DIR. TO LOC.				OLD (N	IEW )

BULK CHARGE  BULK TRK. MILES  PUMP TRK. MILES  PLUGS  TOTAL  T.D. 979	QUANTITY		MATERIAL USED			SERV. CHG
BULK CHARGE  BULK TRK. MILES  PUMP TRK. MILES  PLUGS  TOTAL  T.D. 979	120 SX	Portand	Cement			
BULK CHARGE  BULK TRK. MILES  PUMP TRK. MILES  PLUGS  TOTAL  T.D. 979 CSG. SET AT 960' VOLUME  SIZE HOLE 6/8' TBG SET AT VOLUME  MAX. PRESS. SIZE PIPE 278''  PLUG DEPTH PKER DEPTH PLUG USED  TIME FINISHED:  REMARKS: Angert to pipe, Pump Cemon into well. Good circ.  Surface Too Complete.						
BULK TRK. MILES  PUMP TRK. MILES  PLUGS  TOTAL  T.D. 979						
BULK TRK. MILES  PUMP TRK. MILES  PLUGS  TOTAL  T.D. 979						
BULK TRK. MILES  PUMP TRK. MILES  PLUGS  TOTAL  T.D. 979						
BULK TRK. MILES  PUMP TRK. MILES  PLUGS  TOTAL  T.D. 979		DITT W CHAPCE				
PLUGS  TOTAL  T.D. 979 CSG. SET AT 960' VOLUME  SIZE HOLE 6/8" TBG SET AT VOLUME  MAX. PRESS. SIZE PIPE 278"  PLUG DEPTH PKER DEPTH PLUG USED  TIME FINISHED:  REMARKS: Angel to Diol. Pump Cement into Well. Good Circ.  SULTAGE TOO COMPLETE.						
TOTAL  T.D. 977 CSG. SET AT 960' VOLUME  SIZE HOLE 68" TBG SET AT VOLUME  MAX. PRESS. SIZE PIPE 278"  PLUG DEPTH PKER DEPTH PLUG USED  TIME FINISHED:  REMARKS: Connect to Pipe, Pump Ceman into well. Good circ.  WHACE JOB COMPLETE.						
TOTAL  T.D. 979						
T.D. 979 CSG. SET AT 960' VOLUME  SIZE HOLE 6'8" TBG SET AT VOLUME  MAX. PRESS. SIZE PIPE 278"  PLUG DEPTH PKER DEPTH PLUG USED  TIME FINISHED:  REMARKS: Conject to Dioc. Pump Cemant into well. Good circ.  Lintage Job complete.  NAME  FAWARD BITK		PLUGS				
T.D. 979 CSG. SET AT 960' VOLUME  SIZE HOLE 6'8" TBG SET AT VOLUME  MAX. PRESS. SIZE PIPE 278"  PLUG DEPTH PKER DEPTH PLUG USED  TIME FINISHED:  REMARKS: Conject to Dioc. Pump Cemant into well. Good circ.  Lintage Job complete.  NAME  FAWARD BITK						
SIZE HOLE 6/8"  TBG SET AT VOLUME  MAX. PRESS. SIZE PIPE 278"  PLUG DEPTH PKER DEPTH PLUG USED  TIME FINISHED:  REMARKS: Connect to Diol. Pump Ceman into well. Good Circ.  Whace Job complete.  NAME		TOTAL				
MAX. PRESS.  PLUG DEPTH  PKER DEPTH  PLUG USED  TIME FINISHED:  REMARKS: Connect to Diol. Pump Cement into well. Good Circ.  Surface Tob complete.  NAME  Fdward Birk	T.D. 97	7	CSG. SET AT 960	) · volu	ME	
PLUG DEPTH PKER DEPTH PLUG USED  TIME FINISHED:  REMARKS: Connect to Diple, Pump Cement into well. Good circ.  Surface. Job complete.  NAME  Fdward Birk	SIZE HOLE	5/8"	TBG SET AT	VOLU	ME	
REMARKS: Connect to Dipe. Pump Cement into well. Good circ. Surface. Job complete.  NAME  Faward Birk	MAX. PRESS.		SIZE PIPE 278'	I .		
REMARKS: Connect to Dipe, Pump Cement into well. Good circ. Surface. Job complete.  NAME  Fdward Birk	PLUG DEPTH		PKER DEPTH	PLUG USI	ED	
REMARKS: Connect to Dipe. Pump Cement into well. Good circ. Surface. Job complete.  NAME  Fdward Birk	TIME FINISHED:					
NAME Edward Birk			no Pumo Co	mont into lip/1	Carr	1 circ to
Edulia Birk	Surface.	Job complete	pe, lump so	mos myo wen	· (va)	
Edulia Birk		7 7 7				
	NAME			mad p. L		
Ed Rinks			Fa	00.		
CEMENTER OR TREATER OWNER'S REP.			Ed			

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

# Payless Concrete Products, T.M.C.

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at outcomer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer: This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER

Failure of this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

SHIP TO:

BB001

B & B COOPERATIVE VENTURES 900 S. FOURTH ST.

> BURLINGTON, KS 66839

811/20 B & B COOPERATIVE VENTURES 58 W TD WAYSIDE N 1 MI-TO STH E ON DIRT RD N SD

WEST #8 LEASE #

TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
	I O THING I	12.00 yd	12.00 ýd	0.00	]L 32	% AIR 0.00	corca dista
DATE		LOAD#	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
Ø1-20-12	o Date Foday	1	12.00 yd	19855	6/yd 0.0	4.00 in	30960

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE IS A PERISHABLE COMMODITY AND ECOMES THE PROPERTY OF the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST. BE TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not. Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the onlinon that the size and weight of his truck imay possibly cause damage to the premises and/or adjacent properly if a places the material in this load where you desire it. It is our wish to help you intrelief way that we can, but in order to do this the driver is requesting that you sign his RELEASE relieving him and. his supplier from any responsibility-from any damage that may occur to the premises and/or reducent properly, buildings, sideworks, order to the contraction of the premises and/or reducent properly, buildings, sideworks, order to the contraction of the undersigned agrees to indemnly and hold harmless the other than the value of this truck and this supplier for any and all damage to the premises and/or adjacent properly which may be claimed by anyone to have asis out of delivery of this forder.

**Excessive Water is Detrimental to Concrete Performance** H<sub>2</sub>0 Added By Request/Authorized By

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

Excess Delay Time Charged @ \$50/PH.			THE RESERVE OF THE PROPERTY OF
QUANTITY CODE DESCRIPTION	Y sometimes of the second seco	UNIT PRICE .	EXTENDED PRICE
· · ·	er en en	0.00 25.00 50.00	(0/2,00 300.00 125.00

RETURNED TO PLANT	LEFTJOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKE	N TIME ALLOWED	SubTotal \$ 425.00
LEFT PLANT	ARRIVED JOB	START UNLOADING	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER  6. TRUCK BROKE DO 7. ACCIDENT 7. ACCIDENT 9. OTHER 9. OTHER	TIME DUE	Tax % 6.300 26.78 Total \$ 451.78 Order \$ 451.78 ADDITIONAL CHARGE 1
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 2
		1,7			GRAND TOTAL