

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1085294

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #			API No. 15				
Name:			Spot Description:				
Address 1:			SecTwpS. R				
Address 2:			Feet from North / South Line of Section				
City: St	ate: Ziŗ	D:+	Feet	from East / West Line of Section			
Contact Person:			Footages Calculated from Ne	arest Outside Section Corner:			
Phone: ()			□ NE □ NW	□ SE □ SW			
CONTRACTOR: License #			GPS Location: Lat:	, Long:			
Name:				. xx.xxxxx) (e.gxxx.xxxxx)			
Wellsite Geologist:			Datum: NAD27 NAD27				
Purchaser:			County:				
Designate Type of Completion:			Lease Name:	Well #:			
New Well Re-	·Fntrv	Workover	Field Name:				
	_		Producing Formation:				
☐ Oil ☐ WSW	SWD	SIOW	Elevation: Ground:	Kelly Bushing:			
☐ Gas ☐ D&A ☐ OG	☐ ENHR	☐ SIGW ☐ Temp. Abd.	Total Vertical Depth:	Plug Back Total Depth:			
CM (Coal Bed Methane)	G3W	Temp. Abd.	Amount of Surface Pipe Set a	and Cemented at: Feet			
Cathodic Other (Core	Expl etc.)		Multiple Stage Cementing Collar Used? Yes No				
If Workover/Re-entry: Old Well Inf				Feet			
Operator:				nent circulated from:			
Well Name:			, ,	w/sx cmt.			
Original Comp. Date:			loot doparto.	W,			
	_	NHR Conv. to SWD					
Deepening Re-perf. Plug Back	Conv. to GS		Drilling Fluid Management F (Data must be collected from the				
Commingled	Permit #:		Chloride content:	ppm Fluid volume: bbls			
Dual Completion	Permit #:		Dewatering method used:				
SWD	Permit #:		Location of fluid disposal if ha	uled offsite:			
☐ ENHR	Permit #:		On a water Manage				
GSW Permit #:				L'acces II			
				License #:			
Spud Date or Date Rea	iched TD	Completion Date or		TwpS. R			
Recompletion Date		Recompletion Date	County:	Permit #:			

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY								
Confidentiality Requested								
Date:								
Confidential Release Date:								
Wireline Log Received								
Geologist Report Received								
UIC Distribution								
ALT I II III Approved by: Date:								

Page Two



Operator Name:				Lease N	Name: _			Well #:		
Sec Twp	S. R	East	West	County	:					
INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to	ing and shut-in pressu	ires, whe	ther shut-in pre	ssure reac	hed stati	c level, hydrosta	tic pressures, bott			
Final Radioactivity Log files must be submitte						gs must be ema	iled to kcc-well-lo	gs@kcc.ks.go	v. Digital elec	tronic log
Drill Stem Tests Taken (Attach Additional S		Ye	es No		L		on (Top), Depth an		Samp	
Samples Sent to Geol	ogical Survey	_ Ye	es No		Nam	е		Тор	Datur	n
Cores Taken Electric Log Run		Y€								
List All E. Logs Run:										
				RECORD	☐ Ne					
				conductor, su	rface, inte	ermediate, producti			T	
Purpose of String	Size Hole Drilled		e Casing (In O.D.)	Weig Lbs./		Setting Depth	Type of Cement	# Sacks Used	Type and P Additiv	
			ADDITIONAL	CEMENTIN	NG / SQL	JEEZE RECORD				
Purpose:	Depth Top Bottom	Туре	of Cement	# Sacks Used Type and Percent Additives						
Perforate Protect Casing	Jop Zollow									
Plug Back TD Plug Off Zone										
1 ag on zono										
Did you perform a hydrau	ılic fracturing treatment o	n this well?	•			Yes	No (If No, ski	p questions 2 ar	nd 3)	
	otal base fluid of the hydra		J	,	0		_ , ,	p question 3)	(# 100 t)	
Was the hydraulic fractur	ing treatment information	submitted	to the chemical o	disclosure re	gistry?	Yes	No (If No, fill	out Page Three	of the ACO-1)	
Shots Per Foot			D - Bridge Plug Each Interval Perf				cture, Shot, Cement			Depth
	. ,							,		
TUBING RECORD:	Size:	Set At:		Packer At	t:	Liner Run:				
							Yes No			
Date of First, Resumed	Production, SWD or ENH	IR.	Producing Meth Flowing	nod:	g 🗌	Gas Lift C	Other (Explain)			
Estimated Production Per 24 Hours	Oil B	bls.	Gas	Mcf	Wate	er Bl	ols. G	as-Oil Ratio	Gr	ravity
DISDOSITIO	ON OF GAS:			METHOD OF	COMPLE	TION:		PRODUCTIO	ON INTERVAL:	
Vented Sold			Open Hole	Perf.	Dually	Comp. Con	nmingled	THODOUTIC	ZIV IIV I LTIVAL.	
(If vented, Sub			Other (Specify)		(Submit)	ACO-5) (Subi	mit ACO-4)			



CEMENT FIELD TICKET AND TREATMENT REPORT

Customer	Kansas Energy/JBD	State, County	Chautaugua , Kansas	Cement Type	CLASS	A
Job Type	longstring	Section	^	Excess (%)	30	
Customer Acct #		TWP		Density	13.7	
Well No.	6-6a	RGE		Water Required		
Mailing Address		Formation		Yeild	1.75	
City & State		Hole Size	6 3/4	Slurry Weight		
Zip Code		Hole Depth	1140	Slurry Volume		***************************************
Contact		Casing Size	4 1/2INCH,	Displacement	1	17.5
					 	
Email		Casing Depth	1105	Displacement PSI		
Cell		Drill Pipe		MIX PSI		
Dispatch Location	BARTLESVILLE	Tubing		Rate		
Code	Cement Pump Charges and Mileage	Quantity	Unit	Price per Unit		
5401	CEMENT PUMP (2 HOUR MAX)	1	2 HRS MAX	\$1,030.00	\$	1,030.00
5406	EQUIPMENT MILEAGE (ONE-WAY)	45	PER MILE	\$4.00	\$	180.00
5407	MIN. BULK DELIVERY (WITHIN 50 MILES)	1	PER LOAD	\$350.00	\$	350.00
0			0	\$0.00	\$	•
0			0	\$0.00	\$	
0			0	\$0.00	\$	
0			0	\$0.00	\$	
0			0	\$0.00	\$	_
5402	FOOTAGE	1,105	PER FOOT	0.22	\$	243.10
0,102		1,100		QUIPMENT TOTAL	The second second	1,803.10
	I a second			EQUIPMENT TOTAL	19	1,003.10
	Cement, Chemicals and Water					0.000.00
1126A	THICK SET CEMENT (8LB OWC 4% GEL 2% CAL. CLORIDE		0	\$19.20	\$	2,208.00
1107A	PHENOSEAL	80	0	\$1.29	\$	103.20
1110A	KOL SEAL (50 # SK)	550	0	\$0.46	\$	253.00
1118B	PREMIUM GEL/BENTONITE (50#)	200	0	\$0.21	\$	42.00
1123	CITY WATER (PER 1000 GAL)	4	0	\$16.50	\$	66.00
0			0	\$0.00	\$	
0			0	\$0.00	\$	
0			0	\$0.00	\$	
0			0	\$0.00	\$	The sylvanian species
0			0	\$0.00	\$	-
0			0	\$0.00	\$	
			<u> </u>	CHEMICAL TOTAL		
				CHEMICAL TOTAL	-1 3	2,672.20
	Water Transport				4	
5501C	WATER TRANSPORT (CEMENT)	3	TER TRANSPORT (CEME		\$	336.00
0			0	\$0.00	\$	
0			0	\$0.00	\$	<u> </u>
			Т	RANSPORT TOTAL	_ \$	336.00
	Cement Floating Equipment (TAXABLE)					
	Cement Basket					
0		N-11-11-11-11-11-11-11-11-11-11-11-11-11	0	\$0.00	\$	-
	Centralizer					
0	T		0	\$0.00	\$	
0	1 0 0		0	\$0.00	\$	
	Float Shoe			ψ0:00		
0	T	T	1 0	\$0.00	\$	
V	Floot Callaga		1 0	μ φυ.ου	ΙΨ	
	Float Collars		т	1 00.00	T &	
0			0	\$0.00	\$	-
	Guide Shoes	7		T 22 22 22		
0	<u> </u>		0	\$0.00	\$	_
	Baffle and Flapper Plates			T		
0	<u> </u>		0	\$0.00	\$	-
	Packer Shoes					
0			0	\$0.00	\$	1000 Bark -
	DV Tools					
00			0	\$0.00	\$	-
	Ball Valves, Swedges, Clamps, Misc.					
0			0	\$0.00	\$	
0	*		0	\$0.00	\$	e de la companya de l
0		SAME OF THE PARTY	0	\$0.00	\$	e Star e Sa
	Plugs and Ball Sealers			7 3133	-	
· ·		1 1	PER UNIT	\$45.00	\$	45.00
			1 LICONII	μ ψτυ.υυ	·	45.00
4404	4' 1/2" RUBBER PLUG Downhole Tools				1.	-
4404	Downhole Tools	T	0	\$0.00		
		I .	0 CEMENT EL OATING E	\$0.00	\$	
4404 0	Downhole Tools		0 CEMENT FLOATING E	QUIPMENT TOTAL	\$	45.00
4404 0 TRUCK#	Downhole Tools DRIVER NAME		CEMENT FLOATING E	QUIPMENT TOTAL SUB TOTAL	\$	45.00 4.856.30
4404 0 TRUCK#	Downhole Tools DRIVER NAME Jake			QUIPMENT TOTAL SUB TOTAL SALES TAX TOTAL	\$ \$ X \$	45.00 4,856.30 225.53
4404 0 TRUCK# 492 518	Downhole Tools DRIVER NAME Jake		CEMENT FLOATING E	QUIPMENT TOTAL SUB TOTAL SALES TAX TOTAL	\$ \$ X \$	45.00 4,856.30 225.53 5,081.83
4404 0 TRUCK# 492	Downhole Tools DRIVER NAME Jake		CEMENT FLOATING E 8.30% 15%	QUIPMENT TOTAL SUB TOTAL SALES TAX TOTAL	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	45.00 4,856.30 225.53 5,081.83 762.27 4,319.55
4404 0	Downhole Tools			QUIPMENT TOTAL	\$	

AUTHORIZATION JOHN TOMOSTALIAM TITLE

DATE 7-19-12 FOREMAN

CEMENT FIELD TICKET AND TREATMENT REPORT

Customer	Kansas Energy/JBD	State, County	Chautauqua , Kansas	Cement Type	CLASS A
Customer Acct #	longstring	Section	0	Excess (%)	30
Well No.	0	TWP	0	Density	13.7
Mailing Address	6-6a	RGE	0	Water Required	0
City & State	0	Formation	0	Yeild	1.75
Zip Code	0	Hole Size	6 3/4	Slurry Weight	0
Contact	0	Hole Depth	1140	Slurry Volume	0
Email	0	Casing Size	4 1/2INCH,	Displacement	17.5
Cell	0	Casing Depth	1105	Displacement PSI	0
Office	0	Drill Pipe	0	MIX PSI	0
Dispatch Location	BARTLESVILLE	Tubing	0	Rate	0
REMARKS					

Ran 4 sks of gel established curculation. Ran 115sks class a thick set cement. Shut down washed pump and lines clean.
Dropped plug and displaced to bottom plug land and held. Cement was curculated to surface.

PAGE NO 1

ACKARMAN HARDWARE and LUMBER CO 160 EAST MAIN STREET SEDAN, KS 67361

PHONE: (620) 725-3103

THANKS FOR YOUR BUSINESS!!

Cust No 253636	Job No	Purchase Order	Reference BP	Terms NET 10TH	Clerk GC	Date 4/26/12	Time 3:15
P. 0	S & BUCK D		Ship To:		TERM#553	* INV	214239 ICATE** OICE *
SEDA	N	KS 67361	J	may	אוכאכ פאודכ שאע		

LN#	SHIPPED	ORDERED	UM	SKU	DESCRIPTION	SUGG	UNITS	PRICE/PER	EXTENSION
1	8		EA	RM44816	PORTLAND CEMENT 92.6#		8	10.95 /EA	87.60 *
					24				

** AMOUNT CHARGED TO STORE ACCOUNT ** 87.60 96.18 TAXABLE NON-TAXABLE 0.00 (LEON 87.60

) SUBTOTAL

TAX AMOUNT

8.58 96.18

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

June 21, 2012

P.J. Buck Kansas Energy Company, L.L.C. BOX 68 SEDAN, KS 67361-0068

Re: ACO1 API 15-019-27197-00-00 BP KEC 6-6a SE/4 Sec.06-34S-12E Chautauqua County, Kansas

Dear Production Department:

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully, P.J. Buck