

Confidentiality Requested:

Yes No

Requested: KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1085306

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #			API No. 15				
Name:			Spot Description:				
Address 1:			SecTwpS. R				
Address 2:			Fe	eet from	South Line of Section		
City:	State: Z	ip:+	Fe	eet from East / V	West Line of Section		
Contact Person:			Footages Calculated from N	Nearest Outside Section Co	orner:		
Phone: ()			□ NE □ NW	/ □SE □SW			
CONTRACTOR: License #			GPS Location: Lat:	, Long:			
Name:				(e.g. xx.xxxxx)	(e.gxxx.xxxxx)		
Wellsite Geologist:			Datum: NAD27	NAD83 WGS84			
Purchaser:			County:				
Designate Type of Completion:			Lease Name: Well #:				
	e-Entry	Workover	Field Name:				
			Producing Formation:				
☐ Oil ☐ WSW ☐ D&A	☐ SWD	∐ SIOW ∏ SIGW	Elevation: Ground: Kelly Bushing:				
	GSW	Temp. Abd.	Total Vertical Depth:	Plug Back Total De	epth:		
CM (Coal Bed Methane)	dow	Temp. Abd.	Amount of Surface Pipe Se	et and Cemented at:	Feet		
☐ Cathodic ☐ Other (Co	ore, Expl., etc.):		Multiple Stage Cementing (	Collar Used? Yes	No		
If Workover/Re-entry: Old Well I			If yes, show depth set:		Feet		
Operator:			If Alternate II completion, ce	ement circulated from:			
Well Name:			feet depth to:	w/	sx cmt.		
Original Comp. Date:							
Deepening Re-perf	•	ENHR Conv. to SWD	Drilling Fluid Managemen	nt Dian			
☐ Plug Back	Conv. to G		(Data must be collected from the				
Commingled	Pormit #:		Chloride content:	ppm Fluid volume:	bbls		
Dual Completion			Dewatering method used:_				
SWD			Location of fluid disposal if	hauled offsite:			
☐ ENHR							
GSW Permit #:		Operator Name:					
_ <del>_</del>			Lease Name:	License #:			
Spud Date or Date R	eached TD	Completion Date or	Quarter Sec	TwpS. R	East _ West		
Recompletion Date		Recompletion Date	County:	Permit #:			

### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY					
Confidentiality Requested					
Date:					
Confidential Release Date:					
Wireline Log Received					
Geologist Report Received					
UIC Distribution					
ALT I II III Approved by: Date:					

Page Two



Operator Name:				_ Lease I	Name: _			Well #:	
Sec Twp	S. R	East	West	County	:				
INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to	ring and shut-in press o surface test, along v	ures, whe	ther shut-in pre chart(s). Attach	ssure reac extra shee	hed stati	c level, hydrosta space is neede	tic pressures, b	ottom hole temp	erature, fluid recov
Final Radioactivity Lo files must be submitted						ogs must be ema	liled to kcc-well-	logs@kcc.ks.go	v. Digital electronic
Drill Stem Tests Taker (Attach Additional		Y	es No			J	on (Top), Depth		Sample
Samples Sent to Geo	logical Survey	Y	es No		Nam	е		Тор	Datum
Cores Taken Electric Log Run			es  No						
List All E. Logs Run:									
				RECORD	Ne				
	0: 11.1					ermediate, product		" 0 1	T 15
Purpose of String	Size Hole Drilled		ze Casing t (In O.D.)	Weig Lbs.		Setting Depth	Type of Cement	# Sacks Used	Type and Percer Additives
			ADDITIONAL	CEMENTI	NG / SQL	JEEZE RECORD			
Purpose:	Depth Top Bottom	Туре	of Cement	# Sacks	Used		Type and	Percent Additives	
Perforate Protect Casing	Top Dottern								
Plug Back TD Plug Off Zone									
1 lug 0 li 20 lio									
Did you perform a hydrau	ulic fracturing treatment	on this well	?			Yes	No (If No, s	skip questions 2 a	nd 3)
Does the volume of the t			-		-		_ ` `	skip question 3)	
Was the hydraulic fractur	ing treatment informatio	n submitted	to the chemical of	disclosure re	gistry?	Yes	No (If No, 1	ill out Page Three	of the ACO-1)
Shots Per Foot			RD - Bridge Plug Each Interval Perl				cture, Shot, Ceme	nt Squeeze Recor	rd Depth
						(* *			200
TUBING RECORD:	Size:	Set At:		Packer A	t·	Liner Run:			
		0017111				[	Yes N	o	
Date of First, Resumed	Production, SWD or EN	HR.	Producing Meth	nod:	g 🗌	Gas Lift (	Other (Explain)		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	er B	bls.	Gas-Oil Ratio	Gravity
DIODOCITI	01.05.040			4ETUOD 05	. 00145/	TION:		DDOD! ICT!	
DISPOSITION Solo	ON OF GAS:  Used on Lease		N Open Hole	∥ETHOD OF Perf.			nmingled	PRODUCTION	ON INTERVAL:
	bmit ACO-18.)		Other (Specify)		(Submit		mit ACO-4)		

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

June 21, 2012

P.J. Buck Kansas Energy Company, L.L.C. BOX 68 SEDAN, KS 67361-0068

Re: ACO1 API 15-019-27166-00-00 BP KEC 6-8 SE/4 Sec.06-34S-12E Chautauqua County, Kansas

## **Dear Production Department:**

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully, P.J. Buck



#### CEMENT FIELD TICKET AND TREATMENT REPORT

Customer	JBD	State, County	Chautaugua , Kansas	Cement Type	CLASS A	
Job Type	Long String	Section	Criadiauqua , Rarisas	Excess (%)	30	1
Customer Acct #		TWP		Density	13.8	
Well No.	BP 6-8	RGE		Water Required		
Mailing Address		Formation		Yeild	1.75	
City & State		Hole Size	6 3/4	Slurry Weight		
Zip Code		Hole Depth		Slurry Volume		
Contact		Casing Size	4 1/2INCH,	Displacement		18.1
Email		Casing Depth	1140'	Displacement PSI	<b> </b>	500
Cell		Drill Pipe	1	MIX PSI	<del>                                     </del>	200
Dispatch Location	BARTLESVILLE	Tubing		Rate	4.5bpm	200
Code	Cement Pump Charges and Mileage	Quantity	Unit	Price per Unit	4.50pm	
5401	CEMENT PUMP (2 HOUR MAX)	1	2 HRS MAX	\$1,030.00	\$	1,030.00
5406	EQUIPMENT MILEAGE (ONE-WAY)	50	PER MILE	\$4.00	\$	200.00
5407	MIN. BULK DELIVERY (WITHIN 50 MILES)	1	PER LOAD	\$350.00	\$	350.00
0			0	\$0.00	\$	
0			0	\$0.00	\$	
0			0	\$0.00	\$	100 av 100-
0			0	\$0.00	\$	
0			0	\$0.00	\$	<u>-</u>
5402	FOOTAGE	1,140	PER FOOT	0.22	\$	250.80
				EQUIPMENT TOTAL	. \$	1,830.80
	Cement, Chemicals and Water					
1126A	THICK SET CEMENT (8LB OWC 4% GEL 2% CAL. CLORIDE	115	0	\$19.20	\$	2,208.00
1107A	PHENOSEAL	40	0	\$1.29	\$	51.60
1110A	KOL SEAL (50 # SK)	600	0	\$0.46	\$	276.00
1118B	PREMIUM GEL/BENTONITE (50#)	200	0	\$0.21	\$	42.00
1123	CITY WATER (PER 1000 GAL)	5.500	0	\$16.50	\$	90.75
0			0	\$0.00	\$	-
0			0	\$0.00	\$	
0			0	\$0.00	\$	
0			0	\$0.00	\$	
0			0	\$0.00	\$	-
0			0	\$0.00	\$	
				CHEMICAL TOTAL	\$	2,668.35
	Water Transport					
5501C	WATER TRANSPORT (CEMENT)	3		\$112.00	\$	336.00
0			0	\$0.00	\$	
0			0	\$0.00	\$	
			STATE OF THE STATE	RANSPORT TOTAL	\$	336.00
	Cement Floating Equipment (TAXABLE)	1,000				
	Cement Basket					
0			0	\$0.00	\$	-
	Centralizer	<u>,</u>	A CONTRACTOR OF THE PARTY OF TH	<del>,</del>		
0			0	\$0.00	\$	-
0			0	\$0.00	\$	
	Float Shoe	T	<del></del>	T		
0			0	\$0.00	\$	-
•	Float Collars	T	T	T 60.00	T	
00	Crists Observe	L	0	\$0.00	<u> </u> \$	<del>-</del> (4)
^	Guide Shoes	T	Т о	T 60.00	T <b>\$</b>	
0	Baffle and Flapper Plates		1	\$0.00	Τ-φ	-
0	Danie and Flapper Flates		T 0	\$0.00	\$	<u>-</u>
U	Packer Shoes	1	1	_ ψυ.υυ	ΙΨ	•
0		T TTT	0	\$0.00	\$	
· ·	DV Tools					
0			T 0	\$0.00	\$	-
	Ball Valves, Swedges, Clamps, Misc.					7.75
0			0	\$0.00	\$	
0			0	\$0.00	\$	
0			0	\$0.00	\$	-
	Plugs and Ball Sealers					
4404	4' 1/2" RUBBER PLUG	1	PER UNIT	\$45.00	\$	45.00
	Downhole Tools					
0			0	\$0.00	\$	
			CEMENT FLOATING E		\$	45.00
TRUCK#	DRIVER NAME		9.200/	SUB TOTAL	5	4,880.15
398	Kirk Sanders John Wade	-	8.30%	SALES TAX TOTAL	\$	225.21 5,105.36
538		1	10%	(-DISCOUNT)	\$	510.54
	Nunneley	]		COUNTED TOTAL		4,594.82
		1	Disc	JOHNED TOTAL		7,007102
		4				
		1				

AUTHORIZATION TITLE

DATE FOREMAN LANGUAGE

FOREMAN LANGUAGE

TITLE

## CEMENT FIELD TICKET AND TREATMENT REPORT

Customer	JBD	State, County	Chautauqua , Kansas	Cement Type	CLASS A
Customer Acct #		Section	0	Excess (%)	30
Well No.	0	TWP	0	Density	13.8
Mailing Address	BP 6-8	RGE	0	Water Required	0
City & State	0	Formation	0	Yeild	1.75
Zip Code	0	Hole Size	6 3/4	Slurry Weight	0
Contact	0	Hole Depth	0	Slurry Volume	0
Email	0	Casing Size	4 1/2INCH,	Displacement	18.1
Cell	0	Casing Depth	1140'	Displacement PSI	500
Office	0	Drill Pipe	0	MIX PSI	200
Dispatch Location	BARTLESVILLE	Tubing	0	Rate	4.5bpm
REMARKS					

	[발표 사람이 사람이 사람이 가지 않는데 사람이 되었다. 이 사람이 되었다면 하는데 사람들이 사람이 되었다. 그는데 사람들이 나는데 가지 않는데 사람이 되었다면 이 사람이 되었다면 이 사람이 되었다.
Ran gel / LCM to establish circ., ran 115sx of O	WC w/ 5# Kol Seal / .40# Pheno. Flushed pump and lines, dropped plug and displaced to set. Shut in and washed up.
Landed plug @ 1100# / Plug held	
Circulated cement to surface	
	H Sabet Mingel
9	LKS JO
	MVI