



TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

Falcon Exploration Inc.
 125 N Market Ste. 1252 Wichita Ks. 67202
 ATTN: Tim P.


6/28/30
Van Blaricum 1-6
 Job Ticket: 41244 **DST#: 3**
 Test Start: 2012.02.25 @ 00:30:00

GENERAL INFORMATION:

Formation: **Morrow**
 Deviated: No Whipstock: ft (KB)
 Time Tool Opened: 02:58:00
 Time Test Ended: 08:12:30
 Interval: **5063.00 ft (KB) To 5121.00 ft (KB) (TVD)**
 Total Depth: 5121.00 ft (KB) (TVD)
 Hole Diameter: 7.88 inches Hole Condition: Fair
 Test Type: Conventional Bottom Hole (Initial)
 Tester: Harley Davidson
 Unit No: 58
 Reference Elevations: 2835.00 ft (KB)
 2824.00 ft (CF)
 KB to GR/CF: 11.00 ft

Serial #: 6772 Outside
 Press @ Run Depth: 47.87 psig @ 5066.00 ft (KB) Capacity: 8000.00 psig
 Start Date: 2012.02.25 End Date: 2012.02.25 Last Calib.: 2012.02.25
 Start Time: 00:30:05 End Time: 08:12:29 Time On Btm: 2012.02.25 @ 02:54:15
 Time Off Btm: 2012.02.25 @ 05:41:15

TEST COMMENT: IF- Weak surface blow.
 IS- No blow back.
 FF- Weak surface blow that died after 5min, flushed tool.
 FS- No blow back.



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2497.73	109.36	Initial Hydro-static
4	21.62	108.84	Open To Flow (1)
11	26.18	109.12	Shut-In(1)
98	1090.98	111.64	End Shut-In(1)
99	35.22	111.42	Open To Flow (2)
154	47.87	115.29	Shut-In(2)
165	102.33	115.34	End Shut-In(2)
167	2467.10	116.99	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
70.00	2% oil, 98 % mud w ith a trace of gas	0.98

Gas Rates

	Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Falcon Exploration Inc.
125 N Market Ste. 1252 Wichita Ks. 67202
ATTN: Tim P.


6/28/30
Van Blaricum 1-6
Job Ticket: 41244 **DST#: 3**
Test Start: 2012.02.25 @ 00:30:00

GENERAL INFORMATION:

Formation: Morrow		Test Type: Conventional Bottom Hole (Initial)
Deviated: No Whipstock: ft (KB)		Tester: Harley Davidson
Time Tool Opened: 02:58:00		Unit No: 58
Time Test Ended: 08:12:30		
Interval: 5063.00 ft (KB) To 5121.00 ft (KB) (TVD)		Reference Elevations: 2835.00 ft (KB)
Total Depth: 5121.00 ft (KB) (TVD)		2824.00 ft (CF)
Hole Diameter: 7.88 inches Hole Condition: Fair		KB to GR/CF: 11.00 ft

Serial #: 8355	Inside			Capacity: 8000.00 psig
Press @ Run Depth: psig @ 5066.00 ft (KB)				Last Calib.: 2012.02.25
Start Date: 2012.02.25	End Date: 2012.02.25	Start Time: 00:30:05	End Time: 08:11:44	Time On Btm:
				Time Off Btm:

TEST COMMENT: IF- Weak surface blow.
 IS- No blow back.
 FF- Weak surface blow that died after 5min, flushed tool.
 FS- No blow back.



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation

Recovery

Length (ft)	Description	Volume (bbl)
70.00	2% oil, 98 % mud w ith a trace of gas	0.98

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Falcon Exploration Inc.
125 N Market Ste. 1252 Wichita Ks. 67202
ATTN: Tim P.

6/28/30
Van Blaricum 1-6
Job Ticket: 41244 **DST#: 3**
Test Start: 2012.02.25 @ 00:30:00

Mud and Cushion Information

Mud Type: Gel Chem	Cushion Type:	Oil API:	deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	ppm
Viscosity: 51.00 sec/qt	Cushion Volume: bbl		
Water Loss: 6.00 in ³	Gas Cushion Type:		
Resistivity: ohm.m	Gas Cushion Pressure: psig		
Salinity: 2900.00 ppm			
Filter Cake: inches			

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
70.00	2% oil, 98 % mud w ith a trace of gas	0.982

Total Length: 70.00 ft Total Volume: 0.982 bbl
 Num Fluid Samples: 0 Num Gas Bombs: 0 Serial #:
 Laboratory Name: Laboratory Location:
 Recovery Comments:


Serial #: 6772

Outside Falcon Exploration Inc.

Van Blaricum 1-6

DST Test Number: 3

Pressure vs. Time



Triobite Testing, Inc

Ref. No: 41244

Printed: 2012.02.25 @ 08:01:49

Serial #: 8355

Inside

Falcon Exploration Inc.

Van Blaricum 1-6

DST Test Number: 3

