

ATTACHMENT TO ACO-1

Enyart A-116 – API #15-015-23937-0000
 1980'FEL, 660'FNL
 Sec. 12-26S-04E
 Butler County, KS

DST INFORMATION


DST #1 2348-2470 **Zone: Arbuckle**
Times: 32-44-45-61
1st open: Weak blow bldg to 2"
2nd open: No blow
Rec: 5' CO, 40' OCM(O-4, M-96)
Tool: (O-10, M-90)
IFP: 62-51 **FFP:** 64-48
ISIP: 754 **FSIP:** 764
IHP: 1167 **FHP:** 1127 **TEMP** 100.4 degrees

DST #2 2470 -2481 **Zone: Arbuckle**
Times: 30-45-45-60
1st open: Weak , intermittent blow
2nd open: 45 min no blow
Rec: 1' CO, 7' HOCM(24-O, 76-M)
Tool: OCM(6-O, 94-M)
IFP: 52-46 **FFP:** 51-39
ISIP: 803 **FSIP:** 829
IHP: 1223 **FHP:** 1192 **TEMP** 100.9 degrees

DST #3 2481-2500 **Zone: Arbuckle**
Times: 30-45-45-60
1st open: WEAK BLOW BUILDING TO 7"
2nd open: WEAK BLOW BUILDING TO 7".
Rec: 95' CO (37 gravity) + 60' OCM – 3% OIL, 97% MUD
Tool: 21% OIL, 79% MUD
IFP: 61-73 **FFP:** 82-91
ISIP: 913 **FSIP:** 919
IHP: 1228 **FHP:** 1211 **TEMP** 100.5 degrees

SAMPLE TOPS

OREAD	1395 -4
HEEBNER	1433 -42
LANSING	1685 -294 SSO
K C	1993 -602
STARK	2097 -706
B/KC	2150 -759
CHEC/BD	2228 -837
Altamont	2264 -873
CHEROKEE	2352 -961
ARDMORE	2412 -1021
CONGL CH	2424 -1033
ARBUCKLE	2452 -1061 SO
PTD	2500 -1109



CONSOLIDATED
Oil Well Services, LLC

APR 18 2012

REMIT TO
Consolidated Oil Well Services, LLC
Dept. 970
P.O. Box 4346
Houston, TX 77210-4346

MAIN OFFICE
P.O. Box 884
Chanute, KS 66720
620/431-9210 • 1-800/467-8676
Fax 620/431-0012

INVOICE

Invoice # 248909

=====
Invoice Date: 04/10/2012 Terms: 0/0/30,n/30 Page 1
=====

VESS OIL CORPORATION
1700 WATER FRONT PKWAY BLD 500
WICHITA KS 67226
(316) 682-1537

ENYART A 116
34305
12-26-24E
04-05-12
KS

Part Number	Description	Qty	Unit Price	Total
1104S	CLASS "A" CEMENT (SALE)	150.00	14.9500	2242.50
1102	CALCIUM CHLORIDE (50#)	400.00	.7400	296.00
1107	FLO-SEAL (25#)	50.00	2.3500	117.50

Description	Hours	Unit Price	Total
491 MIN. BULK DELIVERY	1.00	350.00	350.00
603 CEMENT PUMP (SURFACE)	1.00	825.00	825.00
603 EQUIPMENT MILEAGE (ONE WAY)	.00	4.00	.00

=====
Parts: 2656.00 Freight: .00 Tax: 173.97 AR 4004.97
Labor: .00 Misc: .00 Total: 4004.97
Sublt: .00 Supplies: .00 Change: .00
=====

Signed _____ Date _____



CONSOLIDATED
Oil Well Services, LLC

ENTERED

TICKET NUMBER 34305
LOCATION 100 Eldorado
FOREMAN Safety meeting Jacob

PO Box 884, Chanute, KS 66720
620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT
CEMENT

Api 15-015-23937-00-00

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY																
4-5-12	8511	Enyart A 116	12	26	24E	Butler																
CUSTOMER Vess oil			<table border="1"> <thead> <tr> <th>TRUCK #</th> <th>DRIVER</th> <th>TRUCK #</th> <th>DRIVER</th> </tr> </thead> <tbody> <tr> <td>603</td> <td>Jeff</td> <td></td> <td></td> </tr> <tr> <td>491</td> <td>Joe</td> <td></td> <td></td> </tr> <tr> <td>511</td> <td>Jacob</td> <td></td> <td></td> </tr> </tbody> </table>				TRUCK #	DRIVER	TRUCK #	DRIVER	603	Jeff			491	Joe			511	Jacob		
TRUCK #	DRIVER	TRUCK #					DRIVER															
603	Jeff																					
491	Joe																					
511	Jacob																					
MAILING ADDRESS 1700 water front Hwy Bldg 50																						
CITY Wichita	STATE KS	ZIP CODE 67226																				

Safety meeting
J.S.
J.R.

JOB TYPE Surface B HOLE SIZE 12 1/4 HOLE DEPTH 271 CASING SIZE & WEIGHT 85/8
 CASING DEPTH 261 DRILL PIPE N/A TUBING N/A OTHER _____
 SLURRY WEIGHT 14.5 lb SLURRY VOL _____ WATER gal/sk _____ CEMENT LEFT in CASING 16 ft
 DISPLACEMENT 16.31 DISPLACEMENT PSI 100 MIX PSI 200 RATE 3bpm

REMARKS: Safety meeting, Ran casing to 261 ft break circulation pump 10 bbl flush mix 150 SKS class A 3KCC 1/4 lb poly displace with 15.5 bbl water circulating cement to surface

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401S	1	PUMP CHARGE	825.00	825.00
540B	7	MILEAGE	4.00	N/C
5407	1	Bulk delivery	350.00	350.00
1104 S	150	Class A	14.95	2242.50
1102	400	calcium chloride	0.74	296.00
1107	50	poly-flake	2.35	117.50
			Subtotal	3831.00
			SALES TAX	113.91
			ESTIMATED TOTAL	4004.91

Favin 8737


048909

AUTHORIZATION Chris Nelson

TITLE _____

DATE _____

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.



CONSOLIDATED
Oil Well Services, LLC

REMIT TO
Consolidated Oil Well Services, LLC
Dept. 970
P.O. Box 4346
Houston, TX 77210-4346

MAIN OFFICE
P.O. Box 884
Chanute, KS 66720
620/431-9210 • 1-800/467-8676
Fax 620/431-0012

APR 20 2012

INVOICE

Invoice # 249107

Invoice Date: 04/18/2012 Terms: 0/0/30,n/30 Page 1

VESS OIL CORPORATION
1700 WATER FRONT PKWAY BLD 500
WICHITA KS 67226
(316) 682-1537

ENYART 116
34311
12-26S-4E
04-12-12
KS

Part Number	Description	Qty	Unit Price	Total
1126A	THICK SET CEMENT	125.00	19.2000	2400.00
1110A	KOL SEAL (50# BAG)	650.00	.4600	299.00
1144G	MUD FLUSH (SALE)	500.00	1.0500	525.00
4104	CEMENT BASKET 5 1/2"	1.00	229.0000	229.00
4130	CENTRALIZER 5 1/2"	6.00	48.0000	288.00
4253	TYPE A PACKER SHOE 6 1/2 X 6	1.00	1584.0000	1584.00
4454	5 1/2" LATCH DOWN PLUG	1.00	254.0000	254.00

Description	Hours	Unit Price	Total
442 MIN. BULK DELIVERY	1.00	350.00	350.00
603 CEMENT PUMP	1.00	1030.00	1030.00
603 EQUIPMENT MILEAGE (ONE WAY)	.00	4.00	.00
603 CASING FOOTAGE	1000.00	.22	220.00

Parts: 5579.00 Freight: .00 Tax: 365.42 AR 7544.42
Labor: .00 Misc: .00 Total: 7544.42
Sublt: .00 Supplies: .00 Change: .00

Signed _____ Date _____



CONSOLIDATED
Oil Well Services, LLC

ENTERED

TICKET NUMBER 34311
LOCATION #180 Eldorado
FOREMAN Jacob Storm

PO Box 884, Chanute, KS 66720
620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT
CEMENT

15-015-23937-00-00

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
4-12-12	8511	Enyart 116	12	26 S	4E	Butler
CUSTOMER Vess Oil			Softly meaning JS S.D.			
MAILING ADDRESS 1700 waterfront Pkway Bldg 500						
CITY Wichita	STATE KS	ZIP CODE 67226	TRUCK #	DRIVER	TRUCK #	DRIVER
			603	Jeff		
			442	Steve		
			511	Jacob		

JOB TYPE Longstring B HOLE SIZE 7 7/8 HOLE DEPTH 2500 CASING SIZE & WEIGHT 5 1/2 15.5 lb
CASING DEPTH 2486 DRILL PIPE _____ TUBING _____ OTHER _____
SLURRY WEIGHT 15.5 lb SLURRY VOL _____ WATER gal/sk _____ CEMENT LEFT in CASING 42 ft shoe
DISPLACEMENT 58.50 DISPLACEMENT PSI 750 MIX PSI 300 RATE 8 bpm

REMARKS: Run pipe to 2500, pulled up to 2486 circulated for 1 hr, opened packer shoe, mixed 500 gal dv 1100, tailed with 125 sks thickset 5 1/2 col seal displacing with 58.5 bbl water landing plug at 1350 psi, checked float float held

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	1	PUMP CHARGE	1030.00	1030.00
5406	7	MILEAGE	4.00	28.00
5407	1	Bulk delivery	350.00	350.00
5402	1000	footage	.22	220.00
1126 A	125	Thick set	19.20	2400.00
1110 A	650	kol-seal	.46	299.00
11446	500	DV 1100 (mud flush)	1.05	525.00
4104	1	5 1/2 Basket	229.00	229.00
4130	6	5 1/2 centralizer	48.00	288.00
4253	1	5 1/2 Type A packer shoe	1584.00	1584.00
4454	1	5 1/2 latch down plug	254.00	254.00
			Subtotal	7179.00
			SALES TAX	365.42
			ESTIMATED TOTAL	7544.42

Ravin 3737

849107

AUTHORIZATION Casey Bonts TITLE _____ DATE _____

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form



CONSOLIDATED
Oil Well Services, LLC

TICKET NUMBER 34311
LOCATION #12 Elmore
FOREMAN Scott

PO Box 884, Chanute, KS 66720
620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT

CEMENT

15-015 23927-00000

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
4-12-12		Enysat 116	12	26 S	4E	Butte

CUSTOMER Vessol		
MAILING ADDRESS		
CITY	STATE	ZIP CODE

TRUCK #	DRIVER	TRUCK #	DRIVER
603			
442			
511			

JOB TYPE Remedial HOLE SIZE 7 7/8 HOLE DEPTH 2500 CASING SIZE & WEIGHT 5 1/2 15.8 lb
 CASING DEPTH 2400 DRILL PIPE _____ TUBING _____ OTHER _____
 SLURRY WEIGHT 15.8 lb SLURRY VOL _____ WATER gal/sk _____ CEMENT LEFT in CASING 420 lb
 DISPLACEMENT 2750 DISPLACEMENT PSI 200 MIX PSI _____ RATE 8 bbl/hr

REMARKS: Rem pipe to 2500, pulled up to allow cement to be pumped
down to 2400, cemented 2400 to 2500, 420 lb cement
displacement with 5200 bbl water, cement, all good, 2400 to 2500
flow test

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	1	PUMP CHARGE	1038.00	1038.00
5402	7	MILEAGE	184.00	N/A
5407	1	Ball delivery	300.00	300.00
5408	1000	Ball	.21	210.00
1126 A	120	Thick cut	19.00	2280.00
1116 A	650	Ball	.46	2990.00
11440	500	Drill Pipe	1.00	500.00
4104	1	3/4 Ball	229.00	229.00
4105	6	3/4 Ball	48.00	288.00
4203	1	3/4 Ball	1549.00	1549.00
4104	1	3/4 Ball	259.00	259.00
			92.00	713.30
			SALES TAX	
			ESTIMATED TOTAL	

Ravin 3737

AUTHORIZATION _____ TITLE _____ DATE _____

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form