



DRILL STEM TESTS


No.	Interval	IFP/Time	ISIP/Time	FFP/Time	FSP/Time	HH-FHH	RECOVERY

REMARKS AND RECOMMENDATIONS *Run 5 1/2" PRODUCTION PIPE FOR ARABIC 2LKC & FUTURE LKC WATERFLOOD.*

*Ron Nelson*

LEGEND

-  Anhydrite
-  Salt
-  Sandstone
-  Shale
-  Carb sh
-  Limestone
-  Co.L.Lime
-  Chert
-  Dolomite



DEPTH

LITHOLOGY


SAMPLE DESCRIPTIONS

OIL SHOWS

REMARKS



Tip cks  
SOM-ALD  
log - 96.1



50


3100

50

3200

50

50994	LS wh. tan mst th- vfn xylw dus pnp ns	LS aa	two pcs ch 3 sm brn - grey sh slaps	LS wh w/wh sh	LS tan mst sus xylw sm th m/wh ns	DNS grey - tan xylw barrens	LS ans w/pr & ch	DNS mop ans grey & tan f/xylw LS w/fw P-stems but ns	SHARK CORALS	LS wh w/wh sh	chky faves w/wh sh	mostly mop ans tan LS w/wh sh	LS ans grey LS ns	BRN - wh sh dus tan xylw LS	st But coral	50996	small - brn v tan sn Add	LS grey sh	LS brn r tan, vng, gdxylw, vng & fess. stn, food. Pick mst fave	LS tan - brn no xylw ns.	DNS wh fave LS
-------	--	-------	--	------------------	--------------------------------------	--------------------------------	------------------	--	--------------	------------------	-----------------------	----------------------------------	-------------------	--------------------------------	--------------	-------	-----------------------------	---------------	---	-----------------------------	-------------------



SN BUK CABE	DMS AMS	SN gry brow	LS wk to ryles spt w/ setd pp. 55-61, 5102	SN gry BAN	DK gry	LS 4/1 to ryles spt in flight 55-61, 5m to ryles 5/1 in bed in brn setd 3045m	SN gry	Setd LS 9 m/s w/ spt brn smw 115/100 p/s 5	SN gry	LS 1-2 pas tow w/ setd to pp 306 31st most light blue	Blacken	gry sh LS w/ sm pass, in ryl/ p. 5 db 570, 5500	DMS BAN - tracks	LS pas top 10 annu ansus w/ setd 570, 5500, 5/10	SN BUK, BAN	LS 1st not pass to into bed p/s 5 ped. in annu ansus	SN gry	LS 1-2 pas spt spt in flight ryl w/ setd 5102, 5100.	DMS w/ mic ryles	SN gry	LS 1-2 pas setd to pp flight 570, 5102. Setd smw most light brown	SN gry	LS most w/ light the tags w/ rare spt brn smw 2/50	SN gry	Light w/ - gry banners	SN gry
-------------	---------	-------------	---	------------	--------	---	--------	---	--------	--	---------	---	------------------	---	-------------	---	--------	---	------------------	--------	---	--------	---	--------	------------------------	--------

3300


50

3400

50

3500





DRILLING TIME Minutes/Foot  
5" 10" 15" 20" 25"  
Rate of Penetration Decreases



LITHOLOGY

SAMPLE DESCRIPTIONS

OIL SHOWS

REMARKS

OPERATOR Dawkins - Nelson Oil Co. Inc.  
LEASE Cypri Schmeider #1-2 IP AAA-LKC  
ELEVATION 2057' KA RTD 3677'

LOCATION 1980' ENL 4 335' E501  
SEC 2 TWP 13S RNG 17W  
COUNTY ELLIS STATE KANSAS