

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day year	
OPERATOR: License#	(Q/Q/Q/Q) feet from N / S Line of Section
Name:	foot from E / M Line of Continu
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: State: Zip: +	
Contact Person:	Lease Name: Well #:
Phone:	
CONTRACTOR: License#	Field Name: Is this a Prorated / Spaced Field? Yes No
Name:	
vanie.	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile: Yes No
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: I III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	No Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	
	If Yes, proposed zone:
	AFFIDAVIT
The undersigned hereby affirms that the drilling, completion and eventu	
The undersigned hereby affirms that the drilling, completion and eventu	
The undersigned hereby affirms that the drilling, completion and eventu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	al plugging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on	al plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig;
The undersigned hereby affirms that the drilling, completion and eventu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i>	each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that the drilling, completion and eventu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in	each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.
The undersigned hereby affirms that the drilling, completion and eventu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the	each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either	each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either 16. If an ALTERNATE II COMPLETION, production pipe shall be cem	each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either to If an ALTERNATE II COMPLETION, production pipe shall be cempor pursuant to Appendix "B" - Eastern Kansas surface casing ord	each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either to the complete of the co	each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either to If an ALTERNATE II COMPLETION, production pipe shall be cempor pursuant to Appendix "B" - Eastern Kansas surface casing ord	each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 The undersigned hereby affirms that the drilling, completion and eventult is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either of the ALTERNATE II COMPLETION, production pipe shall be certified or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall. 	each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either 16. If an ALTERNATE II COMPLETION, production pipe shall be cem Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall.	each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either of the appropriate district office will be notified before well is either of the appropriate district office will be notified before well is either of the appropriate district office will be notified before well is either of the appropriate district office will be notified before well is either of the appropriate district office will be notified before well is either of the appropriate district office will be notified before and the sum of the appropriate district office will be notified before well is either of the appropriate district office will be notified before and the sum of the appropriate district office will be notified before well is either of the appropriate district office will be notified before well is either of the appropriate district office will be notified before well is either of the appropriate district office will be notified before well is either of the appropriate district office will be notified before well is either of the appropriate district office will be notified before well is either of the appropriate district office will be notified before well is either of the appropriate district office.	each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cem Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be completed. **The image is a specified before a specified before well is either a specified before	each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either of the appropriate district office will be notified before well is either of the appropriate district office will be notified before well is either of the appropriate district office will be notified before and the sufficient of the specific or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well should be completed. **Description** **Descri	each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either of the analyse of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed Electronically For KCC Use ONLY	each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the street of the specified district office will be notified before well is either of the appropriate district office will be notified before well is either of the specified of the specified or properties of the specified of the specified or the well shall be completed within 30 days of the spud date or the well shall be completed. **The appropriate district office will be notified before well is either of the specified or properties of the specified or properties of the spud date or the well shall be completed. **The appropriate district office will be notified before well is either of the specified or properties of the specified or properties of the specified or the well shall be completed. **The appropriate district office will be notified before well is either of the specified or properties of the s	each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the foundation of the specified district office will be notified before well is either of the specified of the specified or properties of the specified or properties of the specified of the specified or the well show the specified of the specified or the well show the specified of the specified or the	each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventult is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either of the appropriate district office will be notified before well is either of the appropriate of the spuddate or the well shall be computed within 30 days of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed. For KCC Use ONLY API # 15	each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the force of the specified district office will be notified before well is either of the appropriate district office will be notified before well is either of the specified of the specified or progressing or the specified of the specified or the well should be completed within 30 days of the spud date or the should be completed within 30 days of	each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventult is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the strength of the specific district office will be notified before well is either of the appropriate district office will be notified before well is either of the specific or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well should be completed. **The appropriate district office will be notified before well is either of the specific or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well should be completed. **Description** **The appropriate district office will be notified before well is either to the specific of the spud date or the well should be completed. **Description** **The appropriate district office will be notified before well is either to the specific of the spud date or the well should be completed. **Description** **The appropriate district office will be notified before well is either to the spud date or the well should be notified before well is either to the spud date or the well should be notified before well is either to the spud date or the well should be notified before well is either to the spud date or the well should be notified before well is either to the spud date or the well should be notified before well is either to the spud date or the well should be notified before well is either to the spud date or the well should be notified before well is either to the spud date or the well should be notified before well is either to the spud date or the spud date or t	each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventu It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either of the appropriate district office will be notified before well is either of the appropriate of the complete of the spuddate or the well shall be computed to the well of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed. Submitted Electronically For KCC Use ONLY API # 15	each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);

Side Two



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Location of Well: County:

Well Number:feet from E / W Line of Section	Operator:	Location of Well: County:
Sec	Lease:	feet from N / S Line of Section
Number of Acres attributable to well:	Well Number:	feet from E / W Line of Section
Number of Acres attributable to well:	Field:	SecTwp S. R E W
At the section of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). **Not may attach a separate plat if desired.** **LEGEND** **LEGEND*		
PLAT Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). **Not may attach a separate plat if desired.** LEGEND 2475 ft. O Well Location — Pipeline Location — Pipeline Location — Lease Road Location EXAMPLE 4		Is Section: Regular or Irregular
PLAT Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. BEGEND 2475 ft. O Well Location —— Pipeline Location —— Electric Line Location —— Lease Road Location EXAMPLE 4	QTR/QTR/QTR of acreage:	
Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). **Not may attach a separate plat if desired.** **EGEND** LEGEND** 2475 ft. O Well Location — Pipeline Location — Pipeline Location — Lease Road Location **Electric Line Location — Lease Road Location — Pipeline Location — Lease Road		If Section is Irregular, locate well from nearest corner boundary.
Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). **You may attach a separate plat if desired.** **BESTIL** **LEGEND** **LEGEND**		Section corner used: NE NW SE SW
Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. 825 ft. LEGEND 2475 ft. O Well Location — Pipeline Location — Pipeline Location — Electric Line Location — Lease Road Location EXAMPLE 4		
Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. 825 ft. LEGEND 2475 ft. O Well Location — Pipeline Location — Pipeline Location — Electric Line Location — Lease Road Location EXAMPLE 4		
lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. LEGEND LEGEND 2475 ft. O Well Location Tank Battery Location Pipeline Location Lease Road Location EXAMPLE 4	PI	LAT
Vou may attach a separate plat if desired. 825 ft. LEGEND 2475 ft. O Well Location Tank Battery Location — Pipeline Location — Electric Line Location — Lease Road Location EXAMPLE 1980' FSL	Show location of the well. Show footage to the nearest le	lease or unit boundary line. Show the predicted locations of
LEGEND 2475 ft. O Well Location Tank Battery Location Pipeline Location — Electric Line Location — Lease Road Location EXAMPLE 1980' FSL		
LEGEND 2475 ft. O Well Location Tank Battery Location Pipeline Location — Electric Line Location — Lease Road Location EXAMPLE 1980' FSL	You may attach a se	eparate plat if desired.
2475 ft. O Well Location Tank Battery Location — Pipeline Location — Electric Line Location — Lease Road Location EXAMPLE 1980' FSL	025 II. 	
2475 ft. O Well Location Tank Battery Location — Pipeline Location — Electric Line Location — Lease Road Location EXAMPLE 1980' FSL		i i
2475 ft. O Well Location Tank Battery Location — Pipeline Location — Electric Line Location — Lease Road Location EXAMPLE 1980' FSL		LEGEND
Tank Battery Location — Pipeline Location — Electric Line Location — Lease Road Location EXAMPLE		
Pipeline Location Electric Line Location Lease Road Location EXAMPLE 1980' FSL		
EXAMPLE 4 1980' FSL		
Lease Road Location EXAMPLE 1980'FSL		Pipeline Location
EXAMPLE 1980' FSL		Electric Line Location
EXAMPLE 1980' FSL		Lease Road Location
4 1980' FSL		
4 1980' FSL		
1980' FSL		EXAMPLE : :
1980' FSL		
1980' FSL	4	
1980' FSL		:
		1980' FSL
SCHWAD CO. 2000/EE		

In plotting the proposed location of the well, you must show:

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

086740

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit:	Pit is:		
Emergency Pit Burn Pit	Proposed Existing		SecTwpR
Settling Pit Drilling Pit If Existing, date cor		nstructed:	Feet from North / South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:		Feet from East / West Line of Section
(If WP Supply API No. or Year Drilled)	п и сарасну.	(bbls)	County
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l
To the processing in a content of country training			(For Emergency Pits and Settling Pits only)
Is the bottom below ground level? Yes No	Artificial Liner? Yes N	No	How is the pit lined if a plastic liner is not used?
			NAC data (force)
Pit dimensions (all but working pits):	Length (fee	,	Width (feet) N/A: Steel Pits No Pit
If the pit is lined give a brief description of the li			dures for periodic maintenance and determining
material, thickness and installation procedure.			cluding any special monitoring.
Distance to nearest water well within one-mile	of pit:	Depth to shallo Source of inforr	west fresh water feet. nation:
feet Depth of water wellfeet		measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	ver and Haul-Off Pits ONLY:
Producing Formation:		Type of materia	l utilized in drilling/workover:
Number of producing wells on lease:		Number of worl	king pits to be utilized:
Barrels of fluid produced daily:		Abandonment p	procedure:
Does the slope from the tank battery allow all spilled fluids to		Drill nite must h	e closed within 365 days of spud date.
flow into the pit? Yes No			
Submitted Electronically			
KCC OFFICE USE ONLY			
	11.00	513 2 332 0 1	Liner Steel Pit RFAC RFAS
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No



Kansas Corporation Commission Oil & Gas Conservation Division

1086740

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1	(Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)	
OPERATOR: License #	Well Location:	
	County:	
Address 1:	Lease Name: Well #:	
Address 2: City: State: Zip: +		
Contact Person:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:	
Phone: () Fax: ()		
Email Address:		
Surface Owner Information:		
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface	
Address 1:	owner information can be found in the records of the register of deeds for the	
Address 2:	county, and in the real estate property tax records of the county treasurer.	
City:		
the KCC with a plat showing the predicted locations of lease roads, tan are preliminary non-binding estimates. The locations may be entered of Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be I CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax, a I have not provided this information to the surface owner(s). I a KCC will be required to send this information to the surface or	Act (House Bill 2032), I have provided the following to the surface located: 1) a copy of the Form C-1, Form CB-1, Form CB-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address. Cacknowledge that, because I have not provided this information, the wner(s). To mitigate the additional cost of the KCC performing this gree, payable to the KCC, which is enclosed with this form.	
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1-1 will be returned.	
Submitted Electronically		
	_	

	- 21 # IAA
	For KCC Use ONLY
owT əbi2	


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Section is Irregular, locate well from nearest corner boundary.	
Section: Kegular or Integular	Mumber of Acres attributable to well: QTR/QTR/QTR/QTR of acreage:
c. 4 Twp. 26 S. R. 17 X E W	
27475 Teet from X E / W Line of Section	Well Number: 2
825 Line of Section X V Z Line of Section	
cation of Well: County: Woodson	Operator: Leis, Steven A.

TAJ9

You may attach a separate plat if desired. lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of



In plotting the proposed location of the well, you must show:

- 4 sections, etc. 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections,
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells;
- CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.