

For KCC	Use:	
Effective	Date:	
District #	:	
SGA?	Yes No	

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

# **NOTICE OF INTENT TO DRILL**

Expected Spud Date:	Spot Description:
month day year	, Sec Twp S. R
OPERATOR: License#	(Q/Q/Q/Q) foot from N / S Line of Section
Vame:	feet from F / W Line of Section
ddress 1:	
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
State: Zip: +	·
Contact Person:	County:
hone:	
ONTRACTOR: License#	Field Name:
ame:	is the arrelated, epassarrela.
uno.	14.get 1 ea.e(e).
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Yes
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate:   I   II
	Length of Surface Pipe Planned to be set:
Operator:	
Well Name:	
Original Completion Date: Original Total Depth:	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?       Yes         f Yes, true vertical depth:	weii Tailii Folid Stilei.
ries, true vertical deptil.	
•	DVVR Permit #.
Bottom Hole Location:	(Note: Apply for Permit with DWR )
Bottom Hole Location:	(Note: Apply for Permit with DWR )  Will Cores be taken? Yes N
Bottom Hole Location:	(Note: Apply for Permit with DWR )
Bottom Hole Location:	(Note: Apply for Permit with DWR )  Will Cores be taken? Yes
Sottom Hole Location: CCC DKT #:	(Note: Apply for Permit with DWR )  Will Cores be taken?   Yes   1  If Yes, proposed zone:
Sottom Hole Location:	Will Cores be taken? Yes Neft Permit with DWR Service Apply for Permit wit
Sottom Hole Location:	(Note: Apply for Permit with DWR )  Will Cores be taken?   Yes   N  If Yes, proposed zone:
Sottom Hole Location:	Will Cores be taken? Yes Nerrit with DWR Yes Nerri with DWR Yes Nerrit with DWR Yes Nerrit with DWR Yes Ne
CCC DKT #:  The undersigned hereby affirms that the drilling, completion and even t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the intent to drill shall be posted o	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq.  In each drilling rig;  the set by circulating cement to the top; in all cases surface pipe shall be set
CCC DKT #:  The undersigned hereby affirms that the drilling, completion and even t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the intent of the prior of the approved notice of intent to drill <i>shall be</i> posted of the intent of the prior of the approved notice of intent to drill <i>shall be</i> posted of a specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  tual plugging of this well will comply with K.S.A. 55 et. seq.  In each drilling rig;  be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation.
CCC DKT #:  The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the intent in the proved notice of intent to drill <i>shall be</i> posted of the intent intent in the proved notice of intent to drill <i>shall be</i> posted of the intent intent intent in the proved notice of intent to drill <i>shall be</i> posted of the intent	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq.  In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation.  The district office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and is 5. The appropriate district office will be notified before well is either	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq.  In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation.  The district office on plug length and placement is necessary prior to plugging; r plugged or production casing is cemented in;
the undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the intention of the approved notice of intent to drill <i>shall be</i> posted of the intention of the int	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq.  In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation.  The district office on plug length and placement is necessary prior to plugging;
CCC DKT #:  The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the intent of the intent in the properties of the intent in the properties of the intent in the properties of the intent intent in the properties of the intent intent intent in the properties of the intent intent intent in the properties of the intent in	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq.  In each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation.  The district office on plug length and placement is necessary prior to plugging; r plugged or production casing is cemented in; mented from below any usable water to surface within 120 DAYS of spud date.
the undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the intention of the approved notice of intent to drill <i>shall be</i> posted of the intention of the int	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq.  In each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation.  The district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; mented from below any usable water to surface within 120 DAYS of spud date.  In each drilling rig;  The plugged or production casing is cemented in;  The plugged o
inche undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet in the well is dry hole, an agreement between the operator and in the surface propriate district office will be notified before well is either in ALTERNATE II COMPLETION, production pipe shall be concerned by the surface casing of the spud date or the well is must be completed within 30 days of the spud date or the well is	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq.  In each drilling rig; be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation.  The district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; mented from below any usable water to surface within 120 DAYS of spud date.  In each drilling rig;  The plugged or production casing is cemented in;  The plugged o
The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be concerned by the completed within 30 days of the spud date or the well is must be completed within 30 days of the spud date or the well is	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq.  In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation.  The district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; the mented from below any usable water to surface within 120 DAYS of spud date.  The remainded from below any usable water to surface within 120 DAYS of spud date.  The remainded from below any usable water to surface within 120 DAYS of spud date.  The remainded from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be concerned by the completed within 30 days of the spud date or the well is must be completed within 30 days of the spud date or the well is	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT tual plugging of this well will comply with K.S.A. 55 et. seq.  In each drilling rig; the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation.  The district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; the mented from below any usable water to surface within 120 DAYS of spud date.  The remainded from below any usable water to surface within 120 DAYS of spud date.  The remainded from below any usable water to surface within 120 DAYS of spud date.  The remainded from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be concerned by the completed within 30 days of the spud date or the well is must be completed within 30 days of the spud date or the well is	(Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  tual plugging of this well will comply with K.S.A. 55 et. seq.  In each drilling rig;  be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation.  The district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; the mented from below any usable water to surface within 120 DAYS of spud date. The right of the right o
he undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and some strength of the spurious filters of the spurious filters are the corresponding to the properties of the spurious filters are the surface casing of the spund date or the well submitted Electronically  For KCC Use ONLY	(Note: Apply for Permit with DWR )  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  tual plugging of this well will comply with K.S.A. 55 et. seq.  In each drilling rig;  the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation.  The district office on plug length and placement is necessary prior to plugging; or plugged or production casing is cemented in; mented from below any usable water to surface within 120 DAYS of spud date. The right of t
he undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be on the complete of the spund date or the well is a completed within 30 days of the spund date or the well is a completed Electronically  For KCC Use ONLY  API # 15 -	Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  tual plugging of this well will comply with K.S.A. 55 et. seq.  In each drilling rig;  the set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation.  The district office on plug length and placement is necessary prior to plugging; in plugged or production casing is cemented in; in mented from below any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district office prior to any cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification
ccc description of the undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the approved notice of intent to drill <i>shall be</i> posted of the intention of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet the well is dry hole, an agreement between the operator and the surface of the intention of the surface will be notified before well is either the appropriate district office will be notified before well is either the surface of the surface casing of the spud date or the well surface.  In a ALTERNATE II COMPLETION, production pipe shall be concompleted within 30 days of the spud date or the well surface.  In the undersigned hereby affirms that the drilling, completed to the intention of the spud date or the well surface.  In the undersigned hereby affirms that the drilling, completion and even in the surface of the spud date or the well surface.  In the undersigned hereby affirms that the drilling, completion and even it is agreed to the spud date or the well surface.  In the undersigned hereby affirms that the drilling, completion and even it is agreed to the spud date or the well surface.  In the undersigned hereby affirms that the drilling, completion and even it is agreed to the spud date or the well surface.  In the undersigned here is agreed to the spud date or the well surface.  In the undersigned here is agreed to the undersigned here is agreed to the undersigned here.  In the undersigned here is agreed to the undersigned here is agreed to the undersigned here.  In the undersigned here is agreed to the undersigned here is agreed to the undersigned here.  In the undersigned here is agreed to the undersigned here is agreed to the undersigned here.  In the undersigned here is agreed to the undersigned here.  In the undersigned here is ag	(Note: Apply for Permit with DWR   )  Will Cores be taken?  If Yes, proposed zone:  AFFIDAVIT  tual plugging of this well will comply with K.S.A. 55 et. seq.  In each drilling rig;  be set by circulating cement to the top; in all cases surface pipe shall be set into the underlying formation.  The district office on plug length and placement is necessary prior to plugging; in plugged or production casing is cemented in; interest of the modern below any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district office prior to any cementing shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted of 3. The minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet 4. If the well is dry hole, an agreement between the operator and its 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be of the or pursuant to Appendix "B" - Eastern Kansas surface casing of must be completed within 30 days of the spud date or the well submitted Electronically  For KCC Use ONLY	(Note: Apply for Permit with DWR )  Will Cores be taken?
Sottom Hole Location:  CCC DKT #:  The undersigned hereby affirms that the drilling, completion and even t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the standard of the prior of the specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet.  4. If the well is dry hole, an agreement between the operator and the specified before well is either the specified before the specified before the specified before the specified before the specified befo	(Note: Apply for Permit with DWR )  Will Cores be taken?   Yes   1  Yes   If Yes, proposed zone:   Yes   1  Will Cores be taken?   Yes   1  Will Cores be taken?   Yes   1  Will Yes, proposed zone:   Yes   1  Will Yes   Yes   1  Will Yes   1  Wes   1  Wes
Bottom Hole Location:  CCC DKT #:  The undersigned hereby affirms that the drilling, completion and even it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted of the minimum amount of surface pipe as specified below <i>shall</i> through all unconsolidated materials plus a minimum of 20 feet through all unconsolidated materials plus a minimum of 20 feet in the well is dry hole, an agreement between the operator and in the surface district office will be notified before well is either in the surface district office will be notified before well is either in the surface of the surface casing of the spud date or the well is submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	(Note: Apply for Permit with DWR )  Will Cores be taken?

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202 please check the box below and return to the address below.

Well will not be drilled or Permit Expired	Date:	
Signature of Operator or Agent:		



For KCC Use ONLY	
API # 15	_

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:							_ Lo	cation of W	/ell: County:
Lease:									feet from N / S Line of Section
Well Numl	ber:								feet from E / W Line of Section
Field:					_ Se	c	Twp S. R		
Number of Acres attributable to well:							– ls :	Section:	Regular or Irregular
QTR/QTR	/QTR/QTR	of acreag	e:					Jootion.	
							Se	Section is	Irregular, locate well from nearest corner boundary. er used: NE NW SE SW
	lease roa				d electrica	l lines, as		y the Kans	dary line. Show the predicted locations of as Surface Owner Notice Act (House Bill 2032). ired.
		:	:	:		:	:	:	LEGEND
500 ft.									O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
		: : :		9		: : : :	<u>:</u> : :		EXAMPLE
		·	•		•••••	· 	·	· 	
			:		•••••		:		1980' FSL
					•••••		·		SEWARD CO. 3390' FEL
		:	:	:		:	:	:	32

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

086832

Form CDP-1 May 2010 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

#### Submit in Duplicate

Operator Name:		License Number:				
Operator Address:						
Contact Person:		Phone Number:				
Lease Name & Well No.:			Pit Location (QQQQ):			
Type of Pit:    Emergency Pit   Burn Pit	Pit is:	Existing	SecTwp R			
Settling Pit Drilling Pit	If Existing, date con		Feet from North / South Line of Section			
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Feet from East / West Line of Section County			
Is the pit located in a Sensitive Ground Water A	rea? Yes N	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?  Yes No	Artificial Liner?	0	How is the pit lined if a plastic liner is not used?			
Pit dimensions (all but working pits):	Length (fee	t)	Width (feet) N/A: Steel Pits			
Depth fro	om ground level to deep	pest point:	(feet) No Pit			
If the pit is lined give a brief description of the line material, thickness and installation procedure.	itei		dures for periodic maintenance and determining ncluding any special monitoring.			
Distance to nearest water well within one-mile of	of pit:	Depth to shallo	west fresh water feet. mation:			
feet Depth of water well	feet	measured	well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	over and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover:				
Number of producing wells on lease:		Number of working pits to be utilized:				
Barrels of fluid produced daily:		Abandonment procedure:				
Does the slope from the tank battery allow all splow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.				
Submitted Electronically						
KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS						
Date Received: Permit Numb	ber:	Permi	t Date: Lease Inspection: Yes No			



### Kansas Corporation Commission Oil & Gas Conservation Division

1086832

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)			
OPERATOR: License #	Well Location:			
Name:	SecTwpS. R East			
Address 1:	County:			
Address 2:	Lease Name: Well #:			
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of			
Contact Person:	the lease below:			
Phone: ( ) Fax: ( )				
Email Address:				
Surface Owner Information:				
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional			
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the			
Address 2:	accepts, and in the week extent property toy records of the accept, trace was			
City: State: Zip:+				
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.			
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this			
task, I acknowledge that I am being charged a \$30.00 handling  If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1			
Submitted Electronically				

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator. BEREXCO LLC	Location of Well: County: Stevens				
Lease: BANE C	feet from N / S Line of Section				
Well Number: 1 - 9	feet from E / X W Line of Section				
Field: UNNAMED	Sec. 9 Twp. 35 S. R. 36 E W				
Number of Acres attributable to well: 10  QTR/QTR/QTR/QTR of acreage: SE SW NW	Is Section: Regular or Irregular				
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW				
PL  Show location of the well. Show footage to the nearest le lease roads, tank batteries, pipelines and electrical lines, as requ	ase or unit boundary line. Show the predicted locations of				
You may attach a se	parate plat if desired.				
1200 ft.	out die plat in decined.				
TANK BATTEPEY FLOWLINE & ECECTRIC	LEGEND O Well Location				
500 #	Tank Battery Location				
500 ft					
LEOSE ROAD	Electric Line Location  Lease Road Location				
	Ecase Noad Eccation				
BANE C #1-9					
	EXAMPLE				
9					
	1980'FSL				
	SEWARD CO. 3390' FEL				
	·				

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

# CORRECTION #1

**Notice:** Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

City: SPRING

State of KANSAS

Phone: (713) 439-1677

LAURA BETH HICKERT

#### Kansas Corporation Commission Oil & Gas Conservation Division

1054350

Form CP-4
March 2009
Type or Print on this Form
Form must be Signed
All blanks must be Filled

\_\_\_\_\_ Zip: <u>77388</u> + <u>4012</u> \_\_\_

Employee of Operator or Operator on above-described well.

# WELL PLUGGING RECORD

OPERATOR: License #: 54	147			API No. 1	<sub>5 -</sub> _15-189-227	´62-00-00	
Name: OXY USA Inc.					Spot Description:		
Address 1: 5 E GREENWAY PLZ					SE_SW_NW_NW Sec. 9 Twp. 35 S. R. 36 East ✓ West		
Address 2: PO BOX 27570					1,200 Feet from V North / South Line of Section		
		Zip: <u>77227</u> + <u>75</u>	70	500 Feet from East / West Line of Section Footages Calculated from Nearest Outside Section Corner:  NE NW SE SW			
Contact Person: LAURA							
Phone: (620 ) 629-425							
Type of Well: (Check one)	il Well Gas Well	OG ✓ D&A Catho	dic	County	Stevens		
Water Supply Well O	ther:	SWD Permit #:			me: BANE C	Well #:1	
ENHR Permit #:	Gas Sto	rage Permit #:			Completed: 03/0		
Is ACO-1 filed?   ✓ Yes	No If not, is well	l log attached? Yes	No				ate)
Producing Formation(s): List A	- II (If needed attach another	sheet)		by: (KCC District Agent's Name)			
Depth to	Top: Botto	m: T.D		'		,	
		m: T.D		Plugging Commenced: 03/09/2011  Plugging Completed: 03/09/2011			
Depth to	Top: Botto	m:T.D		Plugging	Completed: U3/U	0/2011	
Show depth and thickness of a	ll water, oil and gas forma	ations.					
Oil, Gas or Water	Records		Casing Record (Surface, Conductor & Production)				
Formation	Content	Casing	Casing Size		Setting Depth Pulled Out		
		SURFACE	8.625		1746	0	
		JONI ACL	0.02	.5	1740	0	$\dashv$
							_
Describe in detail the manner is cement or other plugs were use SET PLUGS AT 18	ed, state the character of	same depth placed from (be	ottom), to			ods used in introducing it into the hole	). If
700' TO 610' 40 S	X 60/40 POZ						
60' TO SURFACE	20 SX 60/40 PC	OZ					
Plugging Contractor License #: 33784				Trinida	ad Drilling Limite	ed Partnership	
Address 1: 20105 KRA	Address 1: 20105 KRAHN RD						

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.

Submitted Electronically

State: TX

Name of Party Responsible for Plugging Fees: OXY USA, INC. P.O. BO X 2528 LIBERAL, KS 67905

(Print Name)