

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:			
Effective Date:				
District #				
SGA?	Yes No			

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

month day year	Spot Description:
	SecTwpS. RBEW
PERATOR: License#	feet from N / S Line of Section
ame:	
ddress 1:	
ddress 2:	
ity: State: Zip: +	County
ontact Person:hone:	Lease Name: Well #:
none.	Field Name:
ONTRACTOR: License#	Is this a Prorated / Spaced Field? Yes No
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ;# of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: III
II OvvvvO. Old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes \ Yes \ f Yes, true vertical depth:	
Bottom Hole Location:	DWK Pelilii #
KCC DKT #:	(Note: Apply 1617 Chille Wild DVV
	Will Cores be taken? Yes No
	ii ies, proposed zone.
	AFFIDAVIT
The undersigned hereby affirms that the drilling, completion and eventual	al plugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the following minimum requirements will be met:	
1. Notify the appropriate district office <i>prior</i> to spudding of well;	
2. A copy of the approved notice of intent to drill shall be posted on	each drilling rig;
	set by circulating coment to the top; in all cases surface nine shall be set
3. The minimum amount of surface pipe as specified below shall be	
The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int	o the underlying formation.
3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet int4. If the well is dry hole, an agreement between the operator and the	o the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i>
 The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either p 	o the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> blugged or production casing is cemented in;
 The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either p If an ALTERNATE II COMPLETION, production pipe shall be cem 	to the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> slugged or production casing is cemented in; ented from below any usable water to surface within <i>120 DAYS</i> of spud date.
 The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either p If an ALTERNATE II COMPLETION, production pipe shall be cem Or pursuant to Appendix "B" - Eastern Kansas surface casing order 	o the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> slugged or production casing is cemented in;
 The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either p If an ALTERNATE II COMPLETION, production pipe shall be cemor pursuant to Appendix "B" - Eastern Kansas surface casing order 	to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Is blugged or production casing is cemented in; It is ented from below any usable water to surface within 120 DAYS of spud date. It is a specific to the SCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either p If an ALTERNATE II COMPLETION, production pipe shall be cem Or pursuant to Appendix "B" - Eastern Kansas surface casing order 	to the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> solugged or production casing is cemented in; ented from below any usable water to surface within <i>120 DAYS</i> of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either p If an ALTERNATE II COMPLETION, production pipe shall be cem Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed. 	to the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> solugged or production casing is cemented in; ented from below any usable water to surface within <i>120 DAYS</i> of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either p If an ALTERNATE II COMPLETION, production pipe shall be cem Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed. 	to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Isolugged or production casing is cemented in; It ented from below any usable water to surface within <i>120 DAYS</i> of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
 The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either p If an ALTERNATE II COMPLETION, production pipe shall be cem Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed. 	to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either period. If an ALTERNATE II COMPLETION, production pipe shall be cemed or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be mitted Electronically For KCC Use ONLY	o the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing to the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either period. If an ALTERNATE II COMPLETION, production pipe shall be cemed or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be mitted Electronically For KCC Use ONLY API # 15 -	to the underlying formation. It district office on plug length and placement is necessary <i>prior to plugging;</i> Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either personant of the first office will be notified before well is either personant of the first office will be notified before well is either personant of the first office will be notified before well is either personant of the first office will be notified before well is either personant of the first office will be notified before well is either personant of the first office will be notified before well is either personant of the first office will be notified before well is either personant of the first office will be notified before well is either personant office will be notified before well is either personant office will be notified before well is either personant office will be notified before well is either personant office will be notified before well is either personant office will be notified before well is either personant office will be notified before well is either personant office. If an ALTERNATE II COMPLETION, production pipe shall be cemorated by an account of the personant office will be notified before well is either personant of the personant office will be notified before well is either personant of the personant office will be notified before well is either personant of the personant office will be notified before well is either personant office will be notified before well is either personant office will be notified before well is either personant office will be notified before well is either personant office will be notified before well is either personant office will be notified before well is either personant office will be notified before well is either personant office will be notified before well is either personant office will be notified before well as either personant office will be notified before well as e	o the underlying formation. district office on plug length and placement is necessary prior to plugging; slugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either period of the specific property of the spe	o the underlying formation. district office on plug length and placement is necessary prior to plugging; slugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either properties of the specific properties o	contended to the underlying formation. It district office on plug length and placement is necessary prior to plugging; Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p. 6. If an ALTERNATE II COMPLETION, production pipe shall be cem. Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed. **Jubmitted Electronically** For KCC Use ONLY API # 15	contended to the underlying formation. It district office on plug length and placement is necessary prior to plugging; Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet int 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either personant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed. **Description** **Des	contended to the underlying formation. It district office on plug length and placement is necessary prior to plugging; Isolugged or production casing is cemented in; It ented from below any usable water to surface within 120 DAYS of spud date. It er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;

_ Agent: .

Side Two



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

1687 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1088069

Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Address:						
t						
tion						
tion						
nty						
ng/l						
Submitted Electronically						
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS						
No						
tti ti n						



Kansas Corporation Commission Oil & Gas Conservation Division

1088069

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT


This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R 🔲 East 🗌 West
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	the lease helow:
Contact Person:	
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat n the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
Select one of the following:	
owner(s) of the land upon which the subject well is or will be le CP-1 that I am filing in connection with this form; 2) if the form I form; and 3) my operator name, address, phone number, fax, a	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.
Submitted Electronically	_

shown on this to be legally ndowner.

QUEST ENERGY, LLC SIEKER LEASE SE-1/4, SECTION 31, T195, R10W RICE COUNTY, KANSAS



[#] Controlling data is based upon the best maps and phatographs available to us and upon a regular section of land containing 640 agrees.

* Elevations derived from National Gaudatic Vertical Datum.

July 13, 2012

section or load containing eta dards.

Abstrainfield society finds were determined using the normal standard of care of diffield surveyors procificing in the Stale of Karsas. The section carners, which satisfies the precise section finds, word not necessorily loaded, and the exact location of the orthogonal time society is not poorborfedd. Therefore, the coerdiar passuring this service and octopiting this piot and all prints or the carlying thoreon correct a hold central Karsas differs on this is officer, and employees harmless from all lossess costs and expenses and soid entities released from any lightify from incidental accommodate demographs.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

July 20, 2012

Tracy Hynes Quest Energy LLC 2732 N REESE RD BROOKVILLE, KS 67425-9812

Re: Drilling Pit Application API 15-159-22690-00-00 Sieker 31-2 SE/4 Sec.31-19S-10W Rice County, Kansas

Dear Tracy Hynes:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 96 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (316) 630-4000.