Form CP-111 March 2009 Form must be Typed Form must be signed

TEMPORARY ABANDONMENT WELL APPLICATION

All blanks must be complete

OPERATOR: License#				API No. 15- Spot Description:					
Address 1:					Sec				
Address 2:									
						feet from	□ E / □v	V Line of Section	
City: State: Zip: + Contact Person:				GPS Locati	GPS Location: Lat: , Long: (e.g. xx.xxxxx) , Long:				
					County: Well #:				
					Elevation: GL				
				Well Type: (check one) Oil Gas OG WSW Other:					
				SWD Pe	SWD Permit #: ENHR Permit #:				
Field Contact Person Phone: ()				Gas Storage Permit #: Spud Date: Date Shut-In:					
	Conductor	Surface	P	roduction	Intermediate	Liner		Tubing	
Size									
Setting Depth									
Amount of Cement									
Top of Cement									
Bottom of Cement									
Do you have a valid Oil & G Depth and Type:	in Hole at	Tools in Hole at —	epth) w /	sacks	s of cement Port	Collar:(depth)			
Formation Name	Formation	Top Formation Base	ì		Completic	on Information			
1		'		oration Interval	toF		nterval	to Feet	
2.	At:				to F				
	~	Subm	nitted Ele	ectronicall	у				
Do NOT Write in This Space - KCC USE ONLY	Date Tested:		Results:		Date Plugged:	Date Repaired:	Date Put Bac	ck in Service:	
Review Completed by: Comm			ments:	nents: TA Approved: Yes Denied					
		Mail to the A	Appropriate	KCC Conserv	vation Office:				

Street State State State State Lab and State Street, Stated would have been	KCC District Office #1 - 210 E. Frontview, Suite A, Dodge City, KS 67801	Phone 620.225.8888
4	KCC District Office #2 - 3450 N. Rock Road, Building 600, Suite 601, Wichita, KS 67226	Phone 316.630.4000
	KCC District Office #3 - 1500 SW Seventh Steet, Chanute, KS 66720	Phone 620.432.2300
3	KCC District Office #4 - 2301 E. 13th Street, Hays, KS 67601-2651	Phone 785.625.0550
State Street State	Underground Porosity Gas Storage (UPGS) 8200 E. 34th Street Circle N., Suite 1003, Wichita, KS 67226	Phone 316.734.4933

ECHOMETER COMPANY PHONE-940-76

ECHO

WELL Cheatum 1A-10 CASING PRESSURE 53* AP AT PRODUCTION RATE 0 18:59:26 UTC 07/13/2012	JOINTS TO LIQUID. 65 @ 30. DISTANCE TO LIQUID. 19.82.5. PBHP SBHP PROD RATE EFF, % MAX PRODUCTION	5' COLLAR P-P mV 0.201 A: 8.8 LOWER LIQUID P-P mV 0.410 A: 7.0	GENERATE PULSE 12, 2 VOLTS
ECHOMETER COMPANY PHONE-940-767-4334 WELL Cheatum 2A-10	JOINTS TO LIQUID. 65@3	<i>'0,5</i> COLLAR P-P mV 0,150	GENERATE
CASING PRESSURE 53* AP AT PRODUCTION RATE	DISTANCE TO LIQUID 1982.5 PBHP SBHP PROD RATE EFF, %	A: 9, 1 LOWER	PULSE
19:01:46 UTC 07/13/2012	MAX PRODUCTION	LIQUID P-P mV 0.395	12. 2 VOLTS

-940-767-4334

