

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date:		Spot Description:	
month day	year	Sec Twp S. R	
		(Q/Q/Q/Q) feet from N /	
OPERATOR: License#		feet from E /	╡
Name:			W Line of Section
Address 1:		Is SECTION: Regular Irregular?	
Address 2:		(Note: Locate well on the Section Plat on revers	e side)
City: State: Zip:	+	County:	,
Contact Person:		Lease Name:\	۸/مال #·
Phone:		Field Name:	VOII #1.
CONTRACTOR: License#			□Vaa □Na
Name:		io tillo a i Toratou / Opacou i Tora.	Yes No
Name		Target Formation(s):	
Well Drilled For: Well Class: T	ype Equipment:	Nearest Lease or unit boundary line (in footage):	
Oil Enh Rec Infield	Mud Rotary	Ground Surface Elevation:	feet MSL
Gas Storage Pool Ext.	Air Rotary	Water well within one-quarter mile:	Yes No
	≓ ′	Public water supply well within one mile:	Yes No
Disposal Wildcat Seismic : # of Holes Other	Cable	Depth to bottom of fresh water:	
		Depth to bottom of usable water:	
Other:			
If OWWO: old well information as follows:		Surface Pipe by Alternate: II III	
II OVVVO. Old Well Illiottilation as follows.		Length of Surface Pipe Planned to be set:	
Operator:		Length of Conductor Pipe (if any):	
Well Name:			
Original Completion Date: Original To	otal Depth:	Formation at Total Depth:	
		Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Yes No	Well Farm Pond Other:	
If Yes, true vertical depth:		DWR Permit #:	
Bottom Hole Location:		(Note: Apply for Permit with DWR)	
KCC DKT #:		- Will Cores be taken?	Yes No
		If Yes, proposed zone:	
		11 100, proposed 20110.	
	AF	FIDAVIT	
The undersigned hereby affirms that the drilling, com	pletion and eventual p	lugging of this well will comply with K.S.A. 55 et. seq.	
It is agreed that the following minimum requirements	will be met:		
it is agreed that the renewing minimum requirements			
1. Notify the appropriate district office prior to sp		ala dallia a alas	
2. A copy of the approved notice of intent to drill	shall be posted on ea	3 3 .	ll bo oot
2. A copy of the approved notice of intent to drill3. The minimum amount of surface pipe as speci	shall be posted on ear	et by circulating cement to the top; in all cases surface pipe sha	ll be set
 A copy of the approved notice of intent to drill The minimum amount of surface pipe as specithrough all unconsolidated materials plus a mi 	shall be posted on ear fied below shall be se nimum of 20 feet into t	et by circulating cement to the top; in all cases surface pipe sha he underlying formation.	
 A copy of the approved notice of intent to drill The minimum amount of surface pipe as specithrough all unconsolidated materials plus a mi If the well is dry hole, an agreement between the 	shall be posted on ear fied below shall be se nimum of 20 feet into t he operator and the di	et by circulating cement to the top; in all cases surface pipe sha he underlying formation. strict office on plug length and placement is necessary prior to	
 A copy of the approved notice of intent to drill The minimum amount of surface pipe as specithrough all unconsolidated materials plus a mi If the well is dry hole, an agreement between t The appropriate district office will be notified b 	shall be posted on ear fied below shall be se nimum of 20 feet into the operator and the di efore well is either plu	et by circulating cement to the top; in all cases surface pipe sha he underlying formation. strict office on plug length and placement is necessary prior to gged or production casing is cemented in;	plugging;
 A copy of the approved notice of intent to drill The minimum amount of surface pipe as specithrough all unconsolidated materials plus a mi If the well is dry hole, an agreement between t The appropriate district office will be notified b If an ALTERNATE II COMPLETION, production 	shall be posted on ear fied below shall be se nimum of 20 feet into the operator and the di efore well is either plug n pipe shall be cement	et by circulating cement to the top; in all cases surface pipe shathe underlying formation. Strict office on plug length and placement is necessary prior to agged or production casing is cemented in; seed from below any usable water to surface within 120 DAYS of	plugging;
 A copy of the approved notice of intent to drill The minimum amount of surface pipe as specithrough all unconsolidated materials plus a mi If the well is dry hole, an agreement between t The appropriate district office will be notified b If an ALTERNATE II COMPLETION, production Or pursuant to Appendix "B" - Eastern Kansas 	shall be posted on ear fied below shall be se nimum of 20 feet into the operator and the di efore well is either plug n pipe shall be cement surface casing order	It by circulating cement to the top; in all cases surface pipe shathe underlying formation. Strict office on plug length and placement is necessary prior to aged or production casing is cemented in; and the form below any usable water to surface within 120 DAYS of \$\frac{1}{2}\$133,891-C, which applies to the KCC District 3 area, alternate	plugging; spud date. Il cementing
 A copy of the approved notice of intent to drill The minimum amount of surface pipe as specithrough all unconsolidated materials plus a mi If the well is dry hole, an agreement between t The appropriate district office will be notified b If an ALTERNATE II COMPLETION, production Or pursuant to Appendix "B" - Eastern Kansas 	shall be posted on ear fied below shall be se nimum of 20 feet into the operator and the di efore well is either plug n pipe shall be cement surface casing order	et by circulating cement to the top; in all cases surface pipe shathe underlying formation. Strict office on plug length and placement is necessary prior to agged or production casing is cemented in; seed from below any usable water to surface within 120 DAYS of	plugging; spud date. Il cementing
 A copy of the approved notice of intent to drill The minimum amount of surface pipe as specithrough all unconsolidated materials plus a mi If the well is dry hole, an agreement between t The appropriate district office will be notified b If an ALTERNATE II COMPLETION, production Or pursuant to Appendix "B" - Eastern Kansas 	shall be posted on ear fied below shall be se nimum of 20 feet into the operator and the di efore well is either plug n pipe shall be cement surface casing order	It by circulating cement to the top; in all cases surface pipe shathe underlying formation. Strict office on plug length and placement is necessary prior to aged or production casing is cemented in; and the form below any usable water to surface within 120 DAYS of \$\frac{1}{2}\$133,891-C, which applies to the KCC District 3 area, alternate	plugging; spud date. Il cementing
 A copy of the approved notice of intent to drill The minimum amount of surface pipe as specthrough all unconsolidated materials plus a mi If the well is dry hole, an agreement between t The appropriate district office will be notified b If an ALTERNATE II COMPLETION, production or pursuant to Appendix "B" - Eastern Kansas must be completed within 30 days of the spud 	shall be posted on ear fied below shall be se nimum of 20 feet into the operator and the di efore well is either plug n pipe shall be cement surface casing order	It by circulating cement to the top; in all cases surface pipe shathe underlying formation. Strict office on plug length and placement is necessary prior to aged or production casing is cemented in; and the form below any usable water to surface within 120 DAYS of \$\frac{1}{2}\$133,891-C, which applies to the KCC District 3 area, alternate	plugging; spud date. Il cementing
 A copy of the approved notice of intent to drill The minimum amount of surface pipe as specthrough all unconsolidated materials plus a mi If the well is dry hole, an agreement between t The appropriate district office will be notified b If an ALTERNATE II COMPLETION, production or pursuant to Appendix "B" - Eastern Kansas must be completed within 30 days of the spud 	shall be posted on ear fied below shall be se nimum of 20 feet into the operator and the di efore well is either plug n pipe shall be cement surface casing order	It by circulating cement to the top; in all cases surface pipe shathe underlying formation. Strict office on plug length and placement is necessary prior to aged or production casing is cemented in; and the form below any usable water to surface within 120 DAYS of \$\frac{1}{2}\$133,891-C, which applies to the KCC District 3 area, alternate	plugging; spud date. Il cementing
A copy of the approved notice of intent to drill The minimum amount of surface pipe as specithrough all unconsolidated materials plus a mi If the well is dry hole, an agreement between to the appropriate district office will be notified be for an ALTERNATE II COMPLETION, production or pursuant to Appendix "B" - Eastern Kansas must be completed within 30 days of the spud. Submitted Electronically	shall be posted on ear fied below shall be se nimum of 20 feet into the operator and the di efore well is either plug n pipe shall be cement surface casing order	It by circulating cement to the top; in all cases surface pipe shathe underlying formation. Strict office on plug length and placement is necessary prior to aged or production casing is cemented in; and the form below any usable water to surface within 120 DAYS of \$\frac{1}{2}\$133,891-C, which applies to the KCC District 3 area, alternate	plugging; spud date. Il cementing
 A copy of the approved notice of intent to drill The minimum amount of surface pipe as specthrough all unconsolidated materials plus a mi If the well is dry hole, an agreement between t The appropriate district office will be notified b If an ALTERNATE II COMPLETION, production or pursuant to Appendix "B" - Eastern Kansas must be completed within 30 days of the spud 	shall be posted on ear fied below shall be se nimum of 20 feet into the operator and the di efore well is either plug n pipe shall be cement surface casing order	et by circulating cement to the top; in all cases surface pipe sha he underlying formation. strict office on plug length and placement is necessary prior to gged or production casing is cemented in; seed from below any usable water to surface within 120 DAYS of #133,891-C, which applies to the KCC District 3 area, alternate be plugged. In all cases, NOTIFY district office prior to any ce	plugging; spud date. II cementing ementing.
A copy of the approved notice of intent to drill The minimum amount of surface pipe as specithrough all unconsolidated materials plus a mi If the well is dry hole, an agreement between to the appropriate district office will be notified be for an ALTERNATE II COMPLETION, production or pursuant to Appendix "B" - Eastern Kansas must be completed within 30 days of the spud. Submitted Electronically	shall be posted on ear fied below shall be se nimum of 20 feet into the he operator and the di efore well is either plug n pipe shall be cement surface casing order and date or the well shall to	At by circulating cement to the top; in all cases surface pipe shathe underlying formation. Strict office on plug length and placement is necessary prior to agged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of \$\pm\$133,891-C, which applies to the KCC District 3 area, alternate be plugged. In all cases, NOTIFY district office prior to any content of the second	plugging; spud date. II cementing ementing.
A copy of the approved notice of intent to drill The minimum amount of surface pipe as specithrough all unconsolidated materials plus a mi If the well is dry hole, an agreement between to the appropriate district office will be notified be for an ALTERNATE II COMPLETION, production or pursuant to Appendix "B" - Eastern Kansas must be completed within 30 days of the spud Submitted Electronically For KCC Use ONLY API # 15 -	shall be posted on ear fied below shall be se nimum of 20 feet into the operator and the di efore well is either plug n pipe shall be cement surface casing order a date or the well shall be	Remember to: - File Certification of Compliance with the Kansas Surface Own	plugging; spud date. II cementing ementing.
A copy of the approved notice of intent to drill The minimum amount of surface pipe as specithrough all unconsolidated materials plus a mi If the well is dry hole, an agreement between to the appropriate district office will be notified be for an ALTERNATE II COMPLETION, production or pursuant to Appendix "B" - Eastern Kansas must be completed within 30 days of the spud Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	shall be posted on ear fied below shall be se nimum of 20 feet into the operator and the di efore well is either plug n pipe shall be cement surface casing order a date or the well shall be	Remember to: - File Certification of Compliance with the Kansas Surface Own Act (KSONA-1) with Intent to Drill;	plugging; spud date. II cementing ementing.
A copy of the approved notice of intent to drill The minimum amount of surface pipe as specithrough all unconsolidated materials plus a mi If the well is dry hole, an agreement between to the appropriate district office will be notified be for an ALTERNATE II COMPLETION, production or pursuant to Appendix "B" - Eastern Kansas must be completed within 30 days of the spud Submitted Electronically For KCC Use ONLY API # 15 -	shall be posted on ear fied below shall be se nimum of 20 feet into the operator and the di efore well is either plug n pipe shall be cement surface casing order a date or the well shall be	Remember to: - File Certification of Compliance with the Kansas Surface Own Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;	spud date. II cementing ementing.
A copy of the approved notice of intent to drill The minimum amount of surface pipe as specithrough all unconsolidated materials plus a mi If the well is dry hole, an agreement between to the appropriate district office will be notified be for an ALTERNATE II COMPLETION, production or pursuant to Appendix "B" - Eastern Kansas must be completed within 30 days of the spud Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	shall be posted on ear fied below shall be se nimum of 20 feet into the operator and the di efore well is either plue n pipe shall be cement surface casing order a date or the well shall be feet eet per ALT. I	Remember to: File Certification of Compliance with the Kansas Surface Own Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File Completion Form ACO-1 within 120 days of spud date;	spud date. II cementing ementing. The Notification states are seen to be a seen to
2. A copy of the approved notice of intent to drill 3. The minimum amount of surface pipe as specithrough all unconsolidated materials plus a mi 4. If the well is dry hole, an agreement between to the appropriate district office will be notified be for pursuant to Appendix "B" - Eastern Kansas must be completed within 30 days of the spud Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe required find the minimum to drill a minimu	shall be posted on ear fied below shall be se nimum of 20 feet into the operator and the di efore well is either plue n pipe shall be cement surface casing order a date or the well shall be feet eet per ALT. I	Remember to: File Certification of Compliance with the Kansas Surface Own Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration order.	spud date. II cementing ementing. The Notification strength in the Notifi

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

_ Agent: _

Spud date: _

- If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.

Well will not be drilled or Permit Expired	Date:
Signature of Operator or Agent:	

For KCC Use ONLY	
API # 15	_

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:						Lo	cation of W	ell: County:				
ease:									feet from	N /	S Line	of Section
Vell Number:									feet from	E /	W Line	of Section
Field:	eld:				_ Se					W		
Number of Acres	attributable to	well:				– ls:	Section:	Regular or	Irregula	ar		
QTR/QTR/QTR/C	TR of acreac	je:				_	'					
						If S	Section is I	rregular, locate	well from r	nearest co	ner boun	dary.
						Se	ction corne	r used: NE	NW	SE S	SW	
				_		PLAT						
,				_				lary line. Show th				
lease	roads, tank b	atteries, pi	pelines and				y the Kans plat if desi	as Surface Owne	r Notice Ac	t (House Bi	11 2032).	
				100 111	ау анаст с	29 Separate	91 ft.	eu.				
	:	:	:		:	:	:					
			:		:	<u> </u>	:	- 879 ft.	LEC	END		
		:	:		:	:	:		LEG	IEND		
	:	:	:		:	:	:	(O Well	Location		
		:	:		:	:				Battery L		
			•	•••••			·		— Pipe	line Locati	on	
	:	:	:		:	:	:			tric Line Lo		
	:	:	:		:	:	:	_	Leas	e Road Lo	ocation	
•••••				••••								
	:		: :		:	:	:					
	:	:	:		:	:	:	EXAM	PLE			
	:	:	1	1	:	<u>:</u>	:		:			
	:	:	: '	 	: : :		:	•••••		:		
		•	•				•					
	:	:	:		• •	:	:		:	:	:	
	:	:	:		:	:	:	•••••	:	:	:	
	:	:	:		······· :	:	:		Q=3			1980' FSL
		:	:			:			. :] j	:	:	
		:	:		:	:	:		; []		:	
	:	:	:		:	:	:					
		:	:		: :	:		SEWARD (<u>. </u>	•	

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:			
Operator Address:					
Contact Person:		Phone Number:			
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed Existing If Existing, date constructed: Pit capacity:		SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of Section		
		(bbls)	County		
Is the pit located in a Sensitive Ground Water A	Area? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fe	et)	Width (feet) N/A: Steel Pits		
Depth fro	om ground level to dee	epest point:	(feet) No Pit		
If the pit is lined give a brief description of the li material, thickness and installation procedure.			dures for periodic maintenance and determining ncluding any special monitoring.		
Distance to nearest water well within one-mile	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:		
feet Depth of water well	feet	measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover:			
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment procedure:			
Does the slope from the tank battery allow all s flow into the pit? Yes No	spilled fluids to	Drill pits must be closed within 365 days of spud date.			
Submitted Electronically					
	KCC	OFFICE USE O			
Date Received: Permit Num	ber:	Permi	Liner Steel Pit RFAC RFAS it Date: Lease Inspection: Yes No		


KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)			
OPERATOR: License #	Well Location:			
Name:	Sec TwpS. R 🗌 East 🗌 West			
Address 1:	County:			
Address 2:	Lease Name: Well #:			
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of			
Contact Person:	the lease below:			
Phone: () Fax: ()				
Email Address:				
Surface Owner Information:				
Name:	When filing a Form T-1 involving multiple surface owners, attach an additiona			
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the			
Address 2:	county, and in the real estate property tax records of the county treasurer.			
City: State: Zip:+				
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.			
owner(s) of the land upon which the subject well is or will be lo	ct (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.			
	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this fee, payable to the KCC, which is enclosed with this form.			
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.			
Submitted Electronically				



Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

July 23, 2012

Wanda Ledbetter SandRidge Exploration and Production LLC 123 ROBERT S. KERR AVE OKLAHOMA CITY, OK 73102-6406

Re: Drilling Pit Application API 15-057-20829-00-00 Jackson SWD 2721 1-11 NE/4 Sec.11-27S-21W Ford County, Kansas

Dear Wanda Ledbetter:

District staff has inspected the location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined. If a plastic liner is to be used it must have a minimum thickness of 20 mil. Integrity of the liner must be maintained at all times.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

he fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again as soon as practical after drilling operations have ceased. The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill.** If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.

Summary of Changes

Lease Name and Number: Jackson SWD 2721 1-11

API/Permit #: 15-057-20829-00-00

Doc ID: 1088334

Correction Number: 1

Approved By: Rick Hestermann 07/24/2012

Field Name	Previous Value	New Value	
ElevationPDF	2281 Estimated	2282 Estimated	
Feet to Nearest Water Well Within One-Mile of Pit	91	665	
Ground Surface Elevation	2281	2282	
KCC Only - Approved By	Rick Hestermann 07/20/2012	Rick Hestermann 07/24/2012	
KCC Only - Approved Date	07/20/2012	07/24/2012	
KCC Only - Date Received	07/17/2012	07/23/2012	
KCC Only - Regular Section Quarter Calls	NE NE NE NE	NE NW NE NE	
LocationInfoLink	https://solar.kgs.ku.edu/kcc/detail/locationInformation.cfm?section=11&t	https://solar.kgs.ku.edu/kcc/detail/locationInformation.cfm?section=11&t	
Number of Feet East or West From Section Line	250	879	
Number of Feet East or West From Section Line	250	879	

Summary of changes for correction 1 continued

Field Name	Previous Value	New Value
Number of Feet North or South From Section Line	250	291
Number of Feet North or South From Section Line	250	291
Quarter Call 3	NE	NW
Quarter Call 3	NE	NW
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=10 87662	//kcc/detail/operatorE ditDetail.cfm?docID=10 88334

Summary of Attachments

Lease Name and Number: Jackson SWD 2721 1-11

API: 15-057-20829-00-00

Doc ID: 1088334

Correction Number: 1

Approved By: Rick Hestermann 07/24/2012

Attachment Name

Kansas Survey Plat

10MIL