



WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # _____

Name: _____

Address 1: _____

Address 2: _____

City: _____ State: _____ Zip: _____ + _____

Contact Person: _____

Phone: (_____) _____

CONTRACTOR: License # _____

Name: _____

Wellsite Geologist: _____

Purchaser: _____

Designate Type of Completion:

- New Well Re-Entry Workover
- Oil WSW SWD SIOW
- Gas D&A ENHR SIGW
- OG GSW Temp. Abd.
- CM (Coal Bed Methane)
- Cathodic Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____

Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____

- Deepening Re-perf. Conv. to ENHR Conv. to SWD
- Conv. to GSW
- Plug Back: _____ Plug Back Total Depth _____
- Commingled Permit #: _____
- Dual Completion Permit #: _____
- SWD Permit #: _____
- ENHR Permit #: _____
- GSW Permit #: _____

Spud Date or Recompletion Date Date Reached TD Completion Date or Recompletion Date

API No. 15 - _____

Spot Description: _____

_____ - _____ - _____ Sec. _____ Twp. _____ S. R. _____ East West

_____ Feet from North / South Line of Section

_____ Feet from East / West Line of Section

Footages Calculated from Nearest Outside Section Corner:

- NE NW SE SW

County: _____

Lease Name: _____ Well #: _____

Field Name: _____

Producing Formation: _____

Elevation: Ground: _____ Kelly Bushing: _____

Total Depth: _____ Plug Back Total Depth: _____

Amount of Surface Pipe Set and Cemented at: _____ Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set: _____ Feet

If Alternate II completion, cement circulated from: _____

feet depth to: _____ w/ _____ sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: _____ ppm Fluid volume: _____ bbls

Dewatering method used: _____

Location of fluid disposal if hauled offsite: _____

Operator Name: _____

Lease Name: _____ License #: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West

County: _____ Permit #: _____

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

- Letter of Confidentiality Received
Date: _____
- Confidential Release Date: _____
- Wireline Log Received
- Geologist Report Received
- UIC Distribution
- ALT I II III Approved by: _____ Date: _____



1089032

Operator Name: _____ Lease Name: _____ Well #: _____

Sec. _____ Twp. _____ S. R. _____ East West County: _____

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Submitted Electronically <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(If no, Submit Copy)</i> List All E. Logs Run:	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum
---	---

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
_____ Perforate _____ Protect Casing _____ Plug Back TD _____ Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD: Size: _____ Set At: _____ Packer At: _____ Liner Run: Yes No

Date of First, Resumed Production, SWD or ENHR. _____ Producing Method:
 Flowing Pumping Gas Lift Other (Explain) _____

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
-----------------------------------	-----------	---------	-------------	---------------	---------

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <input type="checkbox"/> Other (Specify) _____ <i>(Submit ACO-4)</i>	PRODUCTION INTERVAL: _____ _____
---	---	--

Final LAS.las

 # File generated by DigiDrill LAS Builder #
 #####

~Version Information

VERS. 2.0 : LAS Version 2.0
 WRAP. NO : One line per depth step

#MNEM	UNIT	DATA	INFORMATION

~Well Information			
STRT	. FT	4977.00	: Start Depth
STOP	. FT	10059.00	: Stop Depth
STEP	. FT	0.50	: Step Value
NULL	.	-9999.00	: NULL Value
DATE	.	2/25/2012	: Date
SRVC	.	Pan American	: Service Company
COMP	.	Reeder Energy	: Operating Company
WELL	.	B. W. B of Kansas Inc #1 - 22H	: Well
FLD	.		: Field
LOC	.	Clark County, Kansas	: Location
CNTY	.		: County
STAT	.	Kansas	: State
CTRY	.	Clark County	: Country
UWI	.		: UWI Number
API	.		: API Number

#SURVEYS:

#SVY	DEPTH	INCL	AZM	TVD	VS	N/-S	E/-W

~Other Information							
0	4939.00	0.20	210.20	4937.00	3.76	4.24	41.26
1	4970.00	0.20	108.80	4968.00	4.66	4.18	41.28
2	5001.00	0.80	3.40	4999.00	4.86	4.37	41.35
3	5032.00	2.40	356.90	5029.99	5.72	5.24	41.33
4	5064.00	4.80	359.70	5061.92	7.73	7.25	41.28
5	5094.00	6.80	0.30	5091.77	10.76	10.28	41.29
6	5125.00	9.00	0.60	5122.47	15.02	14.54	41.32
7	5156.00	11.10	1.10	5152.99	20.43	19.95	41.40
8	5187.00	13.20	0.80	5183.30	26.95	26.47	41.51
9	5217.00	15.60	0.30	5212.35	34.41	33.93	41.58
10	5248.00	18.60	359.20	5241.98	43.53	43.04	41.53
11	5281.00	21.90	359.30	5272.93	54.94	54.46	41.38
12	5312.00	25.30	0.00	5301.34	67.35	66.87	41.31
13	5342.00	29.00	0.90	5328.03	81.04	80.56	41.43
14	5373.00	32.60	1.30	5354.65	96.91	96.43	41.73
15	5403.00	36.20	1.80	5379.40	113.85	113.37	42.20
16	5434.00	39.80	1.60	5403.82	132.93	132.44	42.76
17	5465.00	43.90	0.90	5426.91	153.61	153.11	43.21
18	5527.00	49.70	1.60	5469.33	198.78	198.28	44.21
19	5558.00	50.60	1.60	5489.20	222.58	222.07	44.87
20	5591.00	51.40	1.40	5509.97	248.22	247.71	45.54
21	5650.00	52.70	0.70	5546.25	294.74	294.22	46.39
22	5681.00	53.30	1.00	5564.91	319.50	318.97	46.76
23	5712.00	54.50	1.60	5583.17	344.55	344.02	47.33
24	5742.00	57.10	1.80	5600.03	369.35	368.81	48.06
25	5773.00	61.10	2.50	5615.95	395.94	395.39	49.07
26	5805.00	64.20	2.80	5630.65	424.34	423.78	50.38
27	5836.00	65.60	3.00	5643.80	452.39	451.82	51.80
28	5867.00	67.40	2.70	5656.16	480.80	480.21	53.21
29	5899.00	69.30	2.50	5667.96	510.52	509.92	54.56
30	5930.00	71.40	2.10	5678.39	539.70	539.09	55.73
31	5961.00	73.40	1.90	5687.76	569.24	568.62	56.76
32	5991.00	75.70	2.20	5695.75	598.15	597.51	57.80

Final LAS. las

33	6022.00	77.80	2.40	5702.86	628.31	627.66	59.01
34	6053.00	79.60	2.40	5708.93	658.69	658.03	60.28
35	6084.00	81.10	2.30	5714.13	689.24	688.57	61.54
36	6115.00	82.70	1.90	5718.49	719.92	719.24	62.66
37	6147.00	84.90	2.00	5721.95	751.72	751.03	63.74
38	6189.00	87.60	2.00	5724.70	793.62	792.91	65.21
39	6220.00	88.40	1.90	5725.78	824.59	823.87	66.26
40	6251.00	89.80	2.40	5726.27	855.58	854.85	67.42
41	6280.00	91.00	2.70	5726.06	884.56	883.82	68.71
42	6311.00	92.40	3.70	5725.14	915.51	914.75	70.44
43	6370.00	92.20	3.80	5722.78	974.38	973.58	74.30
44	6402.00	93.50	3.80	5721.18	1006.29	1005.47	76.42
45	6433.00	93.60	3.20	5719.27	1037.20	1036.35	78.30
46	6465.00	93.50	3.10	5717.28	1069.10	1068.24	80.06
47	6497.00	93.70	3.40	5715.27	1101.01	1100.13	81.87
48	6528.00	94.50	3.50	5713.06	1131.89	1130.99	83.73
49	6560.00	94.70	3.30	5710.49	1163.75	1162.83	85.62
50	6592.00	94.80	3.00	5707.84	1195.61	1194.67	87.38
51	6623.00	94.70	2.90	5705.27	1226.48	1225.53	88.97
52	6655.00	94.60	2.80	5702.68	1258.35	1257.38	90.55
53	6687.00	94.30	2.80	5700.20	1290.24	1289.25	92.11
54	6718.00	94.00	2.30	5697.95	1321.14	1320.14	93.49
55	6750.00	93.90	2.70	5695.75	1353.05	1352.03	94.88
56	6782.00	94.20	2.70	5693.49	1384.95	1383.91	96.38
57	6814.00	94.40	2.60	5691.09	1416.84	1415.79	97.86
58	6848.00	94.40	2.60	5688.48	1450.72	1449.65	99.39
59	6877.00	93.20	1.70	5686.56	1479.64	1478.57	100.48
60	6909.00	93.20	1.70	5684.77	1511.59	1510.51	101.43
61	6941.00	93.20	2.20	5682.99	1543.53	1542.44	102.51
62	6972.00	92.00	1.00	5681.58	1574.49	1573.39	103.38
63	7004.00	91.40	0.40	5680.63	1606.48	1605.37	103.77
64	7035.00	90.00	359.80	5680.25	1637.47	1636.37	103.82
65	7067.00	89.90	359.60	5680.28	1669.47	1668.37	103.66
66	7099.00	90.30	359.80	5680.23	1701.46	1700.37	103.49
67	7131.00	90.40	359.80	5680.03	1733.46	1732.37	103.38
68	7163.00	90.60	359.80	5679.75	1765.45	1764.37	103.27
69	7194.00	90.80	0.00	5679.37	1796.45	1795.37	103.21
70	7226.00	91.10	0.40	5678.84	1828.44	1827.36	103.32
71	7258.00	91.40	359.70	5678.14	1860.43	1859.35	103.35
72	7289.00	91.30	359.20	5677.41	1891.42	1890.34	103.05
73	7320.00	91.50	359.40	5676.65	1922.40	1921.33	102.68
74	7351.00	91.80	359.10	5675.76	1953.38	1952.32	102.27
75	7383.00	91.70	359.60	5674.79	1985.35	1984.30	101.91
76	7414.00	90.60	359.60	5674.16	2016.34	2015.29	101.69
77	7478.00	90.30	359.10	5673.66	2080.32	2079.28	100.96
78	7510.00	90.60	359.60	5673.41	2112.31	2111.28	100.60
79	7542.00	90.90	359.60	5672.99	2144.31	2143.28	100.38
80	7573.00	90.90	359.50	5672.50	2175.30	2174.27	100.13
81	7605.00	90.70	359.70	5672.06	2207.29	2206.27	99.91
82	7637.00	90.70	359.10	5671.67	2239.28	2238.26	99.58
83	7668.00	90.00	359.30	5671.48	2270.26	2269.26	99.14
84	7700.00	90.20	359.40	5671.42	2302.26	2301.26	98.78
85	7732.00	91.20	0.10	5671.03	2334.25	2333.26	98.64
86	7763.00	91.10	0.70	5670.41	2365.24	2364.25	98.86
87	7795.00	90.90	0.70	5669.85	2397.24	2396.24	99.25
88	7827.00	91.10	0.80	5669.29	2429.23	2428.23	99.67
89	7858.00	92.00	0.80	5668.45	2460.22	2459.22	100.10
90	7888.00	91.90	0.80	5667.43	2490.20	2489.20	100.52
91	7922.00	91.70	1.00	5666.36	2524.19	2523.18	101.05
92	7954.00	91.70	0.60	5665.41	2556.17	2555.16	101.50
93	7985.00	92.40	1.00	5664.30	2587.15	2586.14	101.93
94	8017.00	92.70	1.70	5662.88	2619.12	2618.10	102.68
95	8049.00	93.30	1.90	5661.21	2651.07	2650.04	103.69

Final LAS. las

96	8080.00	93.20	1.80	5659.45	2682.01	2680.97	104.69
97	8112.00	93.30	1.40	5657.63	2713.96	2712.91	105.58
98	8143.00	93.60	1.40	5655.77	2744.90	2743.84	106.33
99	8174.00	92.90	1.10	5654.01	2775.84	2774.78	107.01
100	8237.00	91.60	0.70	5651.54	2838.79	2837.73	108.00
101	8269.00	91.50	1.00	5650.67	2870.78	2869.71	108.47
102	8301.00	90.30	0.90	5650.17	2902.78	2901.70	109.00
103	8332.00	90.20	0.80	5650.04	2933.78	2932.70	109.46
104	8364.00	90.40	1.10	5649.87	2965.78	2964.69	109.99
105	8396.00	90.80	0.60	5649.53	2997.77	2996.69	110.47
106	8428.00	91.10	0.50	5649.00	3029.77	3028.68	110.78
107	8459.00	91.20	0.60	5648.38	3060.76	3059.67	111.07
108	8491.00	91.50	0.70	5647.63	3092.75	3091.66	111.44
109	8524.00	92.10	0.90	5646.59	3125.74	3124.64	111.90
110	8555.00	91.30	0.80	5645.67	3156.72	3155.63	112.36
111	8587.00	91.50	0.50	5644.89	3188.71	3187.61	112.72
112	8618.00	90.80	0.00	5644.27	3219.71	3218.61	112.85
113	8650.00	90.10	359.90	5644.01	3251.70	3250.61	112.83
114	8682.00	90.30	0.20	5643.90	3283.70	3282.61	112.85
115	8714.00	90.40	359.70	5643.71	3315.70	3314.60	112.83
116	8745.00	90.40	359.70	5643.49	3346.69	3345.60	112.66
117	8777.00	90.80	359.70	5643.16	3378.69	3377.60	112.50
118	8809.00	91.10	0.10	5642.63	3410.68	3409.60	112.44
119	8841.00	91.10	359.80	5642.01	3442.67	3441.59	112.41
120	8873.00	90.50	359.50	5641.56	3474.66	3473.59	112.22
121	8904.00	90.30	359.30	5641.35	3505.65	3504.58	111.89
122	8936.00	90.30	359.10	5641.18	3537.64	3536.58	111.45
123	8968.00	90.40	358.80	5640.99	3569.63	3568.57	110.86
124	8999.00	90.80	359.00	5640.66	3600.61	3599.57	110.26
125	9031.00	90.80	359.70	5640.21	3632.60	3631.56	109.90
126	9063.00	91.30	358.90	5639.63	3664.58	3663.55	109.51
127	9094.00	91.30	358.40	5638.92	3695.56	3694.54	108.78
128	9126.00	90.10	358.20	5638.53	3727.53	3726.52	107.83
129	9158.00	89.80	358.60	5638.56	3759.50	3758.51	106.94
130	9190.00	90.30	358.20	5638.53	3791.48	3790.49	106.04
131	9221.00	90.50	357.80	5638.32	3822.44	3821.48	104.96
132	9253.00	90.50	358.10	5638.04	3854.40	3853.45	103.82
133	9285.00	90.80	357.70	5637.67	3886.36	3885.43	102.65
134	9317.00	90.90	357.60	5637.20	3918.32	3917.40	101.33
135	9348.00	90.90	357.40	5636.71	3949.26	3948.37	99.98
136	9380.00	91.10	357.30	5636.15	3981.21	3980.33	98.50
137	9412.00	91.50	357.20	5635.43	4013.14	4012.28	96.97
138	9443.00	91.40	357.00	5634.64	4044.07	4043.23	95.40
139	9475.00	90.70	356.80	5634.06	4076.00	4075.18	93.67
140	9507.00	91.00	356.20	5633.58	4107.91	4107.12	91.72
141	9539.00	91.20	356.00	5632.97	4139.80	4139.04	89.54
142	9570.00	90.00	356.30	5632.64	4170.70	4169.96	87.46
143	9602.00	89.60	356.00	5632.76	4202.60	4201.89	85.31
144	9634.00	89.60	356.20	5632.98	4234.50	4233.82	83.13
145	9665.00	89.90	355.90	5633.11	4265.40	4264.74	81.00
146	9697.00	90.50	355.80	5633.00	4297.28	4296.66	78.68
147	9729.00	91.00	356.20	5632.58	4329.17	4328.58	76.45
148	9761.00	91.20	355.80	5631.97	4361.06	4360.49	74.22
149	9793.00	91.50	355.70	5631.22	4392.94	4392.40	71.85
150	9824.00	90.10	355.60	5630.78	4423.81	4423.30	69.50
151	9856.00	89.40	355.70	5630.92	4455.69	4455.21	67.07
152	9888.00	89.40	355.60	5631.26	4487.56	4487.12	64.64
153	9919.00	89.70	355.30	5631.50	4518.44	4518.02	62.18
154	9951.00	90.10	355.10	5631.56	4550.29	4549.91	59.51
155	9983.00	90.20	355.00	5631.47	4582.14	4581.79	56.74
156	10014.00	90.60	354.60	5631.26	4612.97	4612.66	53.94
157	10047.00	90.60	354.20	5630.91	4645.77	4645.50	50.71
158	10097.00	90.60	354.20	5630.39	4695.45	4695.24	45.66

Final LAS.1 as

Conservation Division
Finney State Office Building
130 S. Market, Rm. 2078
Wichita, KS 67202-3802



Phone: 316-337-6200
Fax: 316-337-6211
<http://kcc.ks.gov/>

Mark Sievers, Chairman
Thomas E. Wright, Commissioner

Sam Brownback, Governor

August 28, 2012

Gary Wente
Reeder Operating LLC
4925 GREENVILLE AVE., STE 1400
DALLAS, TX 75206

Re: ACO1
API 15-025-21537-01-00
B.W.B. OF KANSAS 1-22 H
SE/4 Sec.22-30S-21W
Clark County, Kansas

Dear Production Department:

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully,
Gary Wente

CLARK County, Kansas

200'FSL - 2440'FEL Section 22 Township 30S Range 21W I.M.

Y: 277740.664N
X: 1677677.901E

Y: 277723.975N
X: 1682982.022E

Proposed Terminus of BHL
330' FNL x 2440' FEL
LAT: 37°25'23.92"N Y: 277390.857N
LONG: 99°36'00.91"W X: 1680488.865E

NOTE:
This drawing may not depict
all utilities. Before digging or
excavating please call:
1-316-687-2470

22

SWD
330'FSL - 3060'FEL

Y: 272469.161N
X: 1677643.329E

Y: 272440.875N
X: 1682928.865E

Scale: 1" = 1000'

Date Staked: January 12, 2012

GPS Observation: Latitude 37°24'37.326" N
Longitude 99°36'01.686" W

State Plane NAD27 Y: 272669.463N
Kansas South Zone: X: 1680486.625E

Operator: REEDER OPERATING LLC

Elevation: 2248'

Lease Name: B.W.B. OF KANSAS, INC.

Well No.: 1-22H

Topography & Vegetation: Pasture

Alternate Location Stakes Set: No

Good Drill Site? Yes

Best Accessibility to Location: From the South Line

Distance & Direction

from Hwy Jct or Town: From the Junction of U.S. Highway 160, U.S. Highway 183 &
State Highway 34; Thence north along State Highway 34 approx. 15 1/2 miles; Thence
east approx. 1 mile to the Southwest Corner of Section 22.

SURVEYOR'S CERTIFICATE:

I, D. MIKE DOSSEY, Registered Professional Land Surveyor, No. 1263
do hereby certify that the above described well location was carefully
staked on the ground as shown and that all ties and distances shown
are from existing lines of occupation. No corners were set. This drawing
is not intended to be used as a land or boundary survey.

D. MIKE DOSSEY 1530 S.W. 89th St., C-3, OKC, OK 73159 405-692-7348

JOB NO.:	121416	1	ADDED BHL	1/18/12	RLK
DATE:	01/13/12	1	RE-STAKED	1/16/12	RLK
DRAWN BY:	RLK	NO.	REVISION	DATE	BY

D. MIKE DOSSEY, LS-1263

August 28, 2012

Gary Wente
Reeder Operating LLC
4925 GREENVILLE AVE., STE 1400
DALLAS, TX 75206

Re: ACO-1
API 15-025-21537-01-00
B.W.B. OF KANSAS 1-22 H
SE/4 Sec.22-30S-21W
Clark County, Kansas

Dear Gary Wente:

K.A.R. 82-3-107 provides for all completion information to be filed within 120 days of the spud date. Subsection(e)(2) of that regulation states "All rights to confidentiality shall be lost if the filings are not timely."

The above referenced well was spudded on 2/1/2012 and the ACO-1 was received on August 28, 2012 (not within the 120 days timely requirement).

Therefore, your request for confidential treatment of data contained within the ACO-1 filing cannot be granted at this time.

If you should have any questions, please do not hesitate to contact me at (316)337-6200.

Sincerely,

Production Department