For KCC Use:

Effective	Date:

	~	Dato.	
District	±		

~~ ~ ~		
SGA?	Yes	No

Form

# CORRECTION #4

1089051

KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION** 

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE O	F INTENT	<b>TO DRILL</b>
----------	----------	-----------------

Must be approved by KCC five (5) days prior to commencing well

|--|

Expected Spud Date:				Spot Description:	
	month	day	year		
OPERATOR: License#				feet from N /	S Line of Section
Name:				feet from E /	W Line of Section
Address 1:				Is SECTION: Regular Irregular?	
Address 2:				(Note: Locate well on the Section Plat on reverse	e side)
City:	State:	Zip:	+	County:	
Contact Person:				Lease Name: V	
Phone:				Field Name:	
CONTRACTOR: License#				Is this a Prorated / Spaced Field?	Yes No
Name:				Target Formation(s):	
Well Drilled For:         Oil       Enh R         Gas       Storag         Dispo:         Seismic ;       # o         Other:       Other:         If OWWO: old well         Operator:       Well Name:	ge Pool sal Wildo f Holes Othe	d		Nearest Lease or unit boundary line (in footage):         Ground Surface Elevation:         Water well within one-quarter mile:         Public water supply well within one mile:         Depth to bottom of fresh water:         Depth to bottom of usable water:         Surface Pipe by Alternate:         I         Length of Surface Pipe Planned to be set:         Length of Conductor Pipe (if any):         Projected Total Depth:	feet MSL YesNo YesNo
Original Completion Da				Formation at Total Depth:	
		- · · g. · · · · · · · ·	- • • • • • • • • • • • • • • • • • • •	Water Source for Drilling Operations:	
Directional, Deviated or Hor	izontal wellbore?		Yes No	Well Farm Pond Other:	
If Yes, true vertical depth:				DWR Permit #:	
Bottom Hole Location:				(Note: Apply for Permit with DWR )	
KCC DKT #:				Will Cores be taken?	Yes No
				If Yes, proposed zone:	

### **AFFIDAVIT**

The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.

It is agreed that the following minimum requirements will be met:

- 1. Notify the appropriate district office *prior* to spudding of well;
- 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;
- 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.
- 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;
- 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;
- 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.

For KCC Use ONLY	
API # 15	
Conductor pipe required	feet
Minimum surface pipe required	feet per ALT. IIIII
Approved by:	
This authorization expires:	arted within 12 months of approval date.)
Spud date: Ag	ent:

#### Remember to:

- File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
- File Drill Pit Application (form CDP-1) with Intent to Drill;
- File Completion Form ACO-1 within 120 days of spud date;
- File acreage attribution plat according to field proration orders;
- Notify appropriate district office 48 hours prior to workover or re-entry;
- Submit plugging report (CP-4) after plugging is completed (within 60 days);
- Obtain written approval before disposing or injecting salt water.
- If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.

ш

Well will not be drilled or Permit Expired Date: \_ Signature of Operator or Agent:

Mail to: KCC - Conservation Division,	Sign
130 S. Market - Room 2078, Wichita, Kansas 67202	

For KCC Use ONLY

API # 15 - \_\_\_\_

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


CORRECTION #4

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:	
Lease:	feet from N / S Line of Section	
Well Number:	feet from E / W Line of Section	
Field:	Sec Twp S. R E 🗌 W	
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular	
	If Section is Irregular, locate well from nearest corner boundary.	
	Section corner used: NE NW SE SW	

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

CORRECTION #4

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 1089051

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Operator Name:       Lisense Number:         Operator Address:       Price Number:         Contact Person:       Price Number:         Lesse Name & Well No::       Prit Location (QOOQ):         Type of Pit       Burn Pit         Energency Pit       During Pit         West Workover Pit       Pit Location (QOOQ):         Type of Pit       Pit Location (QOOQ):         Type of Pit       Pit Location (QOOQ):         Workover Pit       Pit Location (QOOQ):         Type Suppy AP Na or Vear Dolling       Pit Location;         Workover Pit       Pit Location;         Workover Pit       Pit Location;         West Suppy AP Na or Vear Dolling       Pit Capacity:         (bite)       County         Is the pit located in a Sensitive Ground Water Area?       Yes         Yes       No       Chloride concentration:         (bite)       Output       Output         Is the pit located in a Sensitive Ground Water Area?       Yes         No       Chloride concentration:       County         Pit dimensions (all but vorking pits):       Longth (feet)       No *         Depth from ground level?       No *       No *         Stance to nearest water well within onermile of pit:       Depth to shallow	Submit in Duplicate				
Contact Person:       Phone Number:         Lease Name & Well No:       Pit Location (QOQO):         Type of Pit:       Pit is:	Operator Name:			License Number:	
Lease Name & Well No:       Pit Location (QQQQ):         Type of Pit:       Pit lis:	Operator Address:				
Pite of Pit:       Pit is:       Peroposed       Existing         Setting Pit       Drilling Pit       Histing, data constructed:       Feet from   North /   South Line of Section         Workswer Pit       Hau-Off Pit       Pit capacity:       Feet from   East /   West Line of Section         Pit capacity:       Feet from   East /   West Line of Section       Feet from   East /   West Line of Section         If WP Suppy API Ma or Near Drilled'       Pit capacity:       Feet from   East /   West Line of Section         Is the pit located in a Sensitive Ground Water Area?       Yes       No         Choride concentration:       Feet from   East /   West Line of Section       mgA         If the pit is lined ground level?       Artificial Liner?       How is the pit lined if a plastic liner is not used?       MAX: Steel Pits         Deth from ground level to deepest point:       (feet)       No Pit       No       No         If the pit is lined give a brief description of the liner material, thickness and installation procedure.       Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.       No NP Rt         Integrity.       Describe procedures fresh water       feet.       Source of Information:       Norther of working pits No NP Rt         Integrity.       Integrity.       Integrity.       Integrity.       Norther of working pits No NP Rt	Contact Person:			Phone Number:	
Energency Pit Burn Pit   Setting Pit Dilling Pit   Workover Pit Haul-Off Pit   (If WP active A billed If Existing, date constructed:   Pit capacity:	Lease Name & Well No.:			Pit Location (QQQQ):	
Setting Pit       Drilling Pit       If Existing, date constructed:       Feet from       North / ] South Line of Section         Workover Pit       Haul-Off Pit       Pit capacity:	Type of Pit:	Pit is:		··	
Vorkover Pit	Emergency Pit Burn Pit	Proposed	Existing	SecTwpR East West	
(I'WP Supply API No. or Year Diffect)       Pit capacity:	Settling Pit Drilling Pit	If Existing, date co	nstructed:	Feet from North / South Line of Section	
		Pit capacity:		Feet from East / West Line of Section	
Image: Control of the product of th			(bbls)	County	
\rightarrow \righta	Is the pit located in a Sensitive Ground Water A	rea? Yes	No		
Pit dimensions (all but working pits):			1-	How is the pit lined if a plastic liner is not used?	
Depth from ground level to deepest point:					
If the pit is lined give a brief description of the liner         material, thickness and installation procedure.         Distance to nearest water well within one-mile of pit:        feetfeetfeetfeet.        feetfeetfeet        feetfeetfeet.        feetfeetfeet.        feetfeetfeet.        feetfeetfeet.        feetfeetfeet.        feetfeetfeet.        feetfeet.        feetfeet.        feetfeet.					
material, thickness and installation procedure. liner integrity, including any special monitoring.   Distance to nearest water well within one-mile of pit: Depth to shallowest fresh water feet.   Source of information: feet  feet Depth of water well feet  feet Depth of water and Haul-Off Pits ONLY:					
Source of information:  feet   Depth of water well   feet   measured   well owner   electric log   KDWR      Producing And Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Number of produced daily: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. KCC OFFICE USE ONLY Liner Steel Pit RFAC	material, thickness and installation procedure.				
Producing Formation: Type of material utilized in drilling/workover:   Number of producing wells on lease: Number of working pits to be utilized:   Barrels of fluid produced daily: Abandonment procedure:   Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No   Drill pits must be closed within 365 days of spud date.   Submitted Electronically   KCC OFFICE USE ONLY					
Number of producing wells on lease:	Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	ver and Haul-Off Pits ONLY:	
Barrels of fluid produced daily:   Does the slope from the tank battery allow all spilled fluids to   flow into the pit?   Yes   No     Drill pits must be closed within 365 days of spud date.     Submitted Electronically     KCC OFFICE USE ONLY     Liner   Steel Pit	Producing Formation: Type of material utilized in drilling/workover:				
Does the slope from the tank battery allow all spilled fluids to flow into the pit?   Yes   No   Drill pits must be closed within 365 days of spud date.    Submitted Electronically   KCC OFFICE USE ONLY     Liner   Steel Pit   RFAS	Number of producing wells on lease: Number of working pits to be utilized:			xing pits to be utilized:	
flow into the pit? Yes   Drill pits must be closed within 365 days of spud date.   Submitted Electronically   KCC OFFICE USE ONLY   Liner Steel Pit   RFAS	Barrels of fluid produced daily: Abandonment prod			procedure:	
Submitted Electronically           KCC OFFICE USE ONLY           Liner         Steel Pit         RFAC         RFAS					
KCC OFFICE USE ONLY         Liner       Steel Pit       RFAC					
Liner Steel Pit RFAC RFAS	Submitted Electronically				
	Date Received: Permit Numl	ber:	Permi		

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

# 

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

JS1 Form I

## CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

Form Must Be Typed Form must be Signed All blanks must be Filled

Form KSONA-1 July 2010

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #	Well Location:		
Name:			
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
Contact Person:	the lease below:		
Phone: ( ) Fax: ( )			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.		
Address 2:			
City: State: Zip:+			

If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic Protection Borehole Intent), you must supply the surface owners and the KCC with a plat showing the predicted locations of lease roads, tank batteries, pipelines, and electrical lines. The locations shown on the plat are preliminary non-binding estimates. The locations may be entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.

#### Select one of the following:


- I certify that, pursuant to the Kansas Surface Owner Notice Act (House Bill 2032), I have provided the following to the surface owner(s) of the land upon which the subject well is or will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing in connection with this form; 2) if the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this form; and 3) my operator name, address, phone number, fax, and email address.
- □ I have not provided this information to the surface owner(s). I acknowledge that, because I have not provided this information, the KCC will be required to send this information to the surface owner(s). To mitigate the additional cost of the KCC performing this task, I acknowledge that I am being charged a \$30.00 handling fee, payable to the KCC, which is enclosed with this form.

If choosing the second option, submit payment of the \$30.00 handling fee with this form. If the fee is not received with this form, the KSONA-1 form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 will be returned.

## Submitted Electronically

I

I



M,, 11, 50.00N				
1/2" Pipe, 0.4' Below Ground in Asphalt NAD 27 Kansas South N: 129071.28 E: 2023293.36	589°32'11"W — 5330.79' (Meas.,	) Spike NAD 27 Kansas South N: 129122.11 E: 2028624.17		
LEGEND:			UINTAH ENGINEERING	& LAND SURVEYING
$ = 90^{\circ} \text{ SYMBOL} $ =  PROPOSED WELL HEAD.			85 SOUTH 200 EAST	– VERNAL, UTAH 84078
= PROPOSED WELL HEAD. $ = SECTION CORNERS LOCATION$	ED.			789–1017
NAD 83 (#4-1H TARGET BOTTOM HOLE) LATITUDE = 37'02'57.86" (37.049406) LONGITUDE = 98'24'52.60" (98.414611) NAD 27 (#4-1H TARGET BOTTOM HOLE) LATITUDE = 37'02'57.77" (37.049381)	NAD         83         (#4-1H         FORMATION         ENTRY)           LATITUDE         =         37'02'15.20"         (37.037556)           LONGITUDE         =         98'24'51.12"         (98.414200)           NAD         27         (#4-1H         FORMATION         ENTRY)           LATITUDE         =         37'02'15.11"         (37.037531)	NAD         83         (#4-1H         SURFACE         LOCATION)           LATITUDE         =         37'02'05.35"         (37.034819)           LONGITUDE         =         98'24'45.42"         (98.412617)           NAD         27         (#4-1H         SURFACE         LOCATION)           LATITUDE         =         37'02'05.26"         (37.034794)	SCALE 1" = 1000' PARTY D.S. K.S. C.C.	DATE SURVEYED: DATE DRAWN: 02-15-12 02-17-12 REFERENCES G.L.O. PLAT
LONGITUDE = 98*24'51.33" (98.414258) STATE PLANE NAD 27 (KANSAS SOUTH) N: 139365.50 E: 2025024.82	LONGITUDE = 98*24'49.85" (98.413847) STATE PLANE NAD 27 (KANSAS SOUTH) N: 135050.53 E: 2025148.64	LONGITUDE = 98'24'44.15" (98.412264) STATE PLANE NAD 27 (KANSAS SOUTH) N: 134055.00 E: 2025611.76	WEATHER COLD	FILE SGOMI

## Summary of Changes

Lease Name and Number: Schupbach 3510 4-1H API/Permit #: 15-007-23853-01-00 Doc ID: 1089051 Correction Number: 4

Approved By: Rick Hestermann 07/31/2012

Field Name	Previous Value	New Value
Bottom Hole Location	330 FNL 2910 FWL Sec. 33 Twp. 35S	330 FNL 1890 FWL Sec. 33 Twp. 35S
KCC Only - Approved By	R10W Rick Hestermann 07/19/2012	R10W Rick Hestermann 07/31/2012
KCC Only - Approved Date	07/19/2012	07/31/2012
KCC Only - Date Received	07/19/2012	07/31/2012
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=10 87700	//kcc/detail/operatorE ditDetail.cfm?docID=10 89051
Surface Owner Address Line 1	407 South 7th Street	405 South 7th Street

## Summary of Attachments

Lease Name and Number: Schupbach 3510 4-1H API: 15-007-23853-01-00 Doc ID: 1089051 Correction Number: 4 Approved By: Rick Hestermann 07/31/2012

Attachment Name

SCHUPBACH 3510 #4-1H BHL CHANGE