

Well will not be drilled or Permit Expired Date: \_\_\_

Signature of Operator or Agent:

For KCC	Use:			
Effective	Date:			
District #				
SGA?	Yes	No		

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1089079

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

## NOTICE OF INTENT TO DRILL

	month	day year	_ Spot Description:
	monar	udy your	Sec Twp S. R E
OPERATOR: License#			feet from N / S Line of Secti
Name:			feet from E / W Line of Secti
Address 1:			s SECTION: Regular Irregular?
City:	State:	Zip: +	County:
			Lease Name: Well #:
Phone:			Field Name:
CONTRACTOR: License#			_ Is this a Prorated / Spaced Field? Yes N
Name:			Target Formation(s):
Mall Duilland Fam	Mall Class	Tuna Fauriamanti	Nearest Lease or unit boundary line (in footage):
Well Drilled For:	Well Class:	Type Equipment:	Ground Surface Elevation:feet MS
Oil Enh F		Mud Rotary	Water well within one-quarter mile:
Gas Stora	· ⊨		Public water supply well within one mile:
Dispo	<u> </u>	t Cable	Depth to bottom of fresh water:
Seismic ;# o			Depth to bottom of usable water:
Other:			Surface Pipe by Alternate: I II
If OWWO: old well	information as follow	ws:	
			Length of Surface Pipe Planned to be set:
•			
			Projected Total Depth:
Original Completion Da	ate: C	Original Total Depth:	
Directional, Deviated or Ho	rizontal wellhore?	Yes No	Water Source for Drilling Operations:
			ven Tami one Guien.
·			DWK Femili #
			(Note: Apply for Fernit with DWK)
			Will Cores be taken? If Yes, proposed zone:
		Α	FFIDAVIT
The undersigned hereby	affirms that the dril	lling, completion and eventual	plugging of this well will comply with K.S.A. 55 et. seq.
The anaereigned hereby	vina minimum reau	irements will be met:	
-	J		
It is agreed that the follow		rior to spudding of well;	
It is agreed that the follow  1. Notify the appropris	ate district office <i>pi</i>	<i>rior</i> to spudding of well; nt to drill <b>shall be</b> posted on ea	ach drilling rig;
It is agreed that the follow  1. Notify the appropri  2. A copy of the appro  3. The minimum amo	ate district office <b>pi</b> oved notice of inten ount of surface pipe	nt to drill <b>shall be</b> posted on ea as specified below <b>shall be s</b>	et by circulating cement to the top; in all cases surface pipe shall be set
It is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amo through all unconse	ate district office <b>pi</b> oved notice of inten ount of surface pipe olidated materials p	nt to drill <b>shall be</b> posted on ea e as specified below <b>shall be s</b> plus a minimum of 20 feet into	et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.
It is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amo through all uncons  4. If the well is dry ho	ate district office <i>pi</i> oved notice of inten- unt of surface pipe olidated materials pile, an agreement b	nt to drill <b>shall be</b> posted on ea e as specified below <b>shall be s</b> plus a minimum of 20 feet into between the operator and the co	et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging;
It is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amo through all uncons  4. If the well is dry ho  5. The appropriate dis	ate district office proved notice of intenunt of surface pipe olidated materials ple, an agreement bestrict office will be r	nt to drill <b>shall be</b> posted on ear as specified below <b>shall be</b> splus a minimum of 20 feet into between the operator and the contified before well is either plu	et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; augged or production casing is cemented in;
1. Notify the appropriate A copy of the appropriation of the appropriate A copy of the appropria	ate district office proved notice of intendent of surface pipe olidated materials pole, an agreement bestrict office will be recompleted.	nt to drill <b>shall be</b> posted on ear as specified below <b>shall be</b> splus a minimum of 20 feet into between the operator and the condified before well is either plus production pipe shall be cemen	the top circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; augged or production casing is cemented in; and the state of the state
It is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amo through all uncons  4. If the well is dry ho  5. The appropriate dis  6. If an ALTERNATE or pursuant to Appropriate to	ate district office proved notice of intendent of surface pipe olidated materials pole, an agreement betrict office will be restrict office will be reported in COMPLETION, poendix "B" - Eastern	nt to drill <b>shall be</b> posted on ear as specified below <b>shall be</b> splus a minimum of 20 feet into between the operator and the condified before well is either plus or oduction pipe shall be cement Kansas surface casing order	et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; augged or production casing is cemented in;
It is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amo through all uncons  4. If the well is dry ho  5. The appropriate dis  6. If an ALTERNATE or pursuant to Appropriate to	ate district office proved notice of intendent of surface pipe olidated materials pole, an agreement betrict office will be restrict office will be reported in COMPLETION, poendix "B" - Eastern	nt to drill <b>shall be</b> posted on ear as specified below <b>shall be</b> splus a minimum of 20 feet into between the operator and the condified before well is either plus or oduction pipe shall be cement Kansas surface casing order	et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; need from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amo through all unconse  4. If the well is dry ho  5. The appropriate dis  6. If an ALTERNATE or pursuant to Appropriate t	ate district office proved notice of intendent of surface pipe olidated materials pole, an agreement betrict office will be restrict office will be reported in COMPLETION, poendix "B" - Eastern	nt to drill <b>shall be</b> posted on ear as specified below <b>shall be</b> splus a minimum of 20 feet into between the operator and the condified before well is either plus or oduction pipe shall be cement Kansas surface casing order	et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; need from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE Or pursuant to Appropriate of the completed	ate district office <i>pi</i> oved notice of intenunt of surface pipe olidated materials pole, an agreement bestrict office will be restrict office will be restrict office will completion, poendix "B" - Eastern within 30 days of the content of the con	nt to drill <b>shall be</b> posted on ear as specified below <b>shall be</b> splus a minimum of 20 feet into between the operator and the condified before well is either plus or oduction pipe shall be cement Kansas surface casing order	et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; need from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE or pursuant to Appropriate of the completed	ate district office <i>pi</i> oved notice of intenunt of surface pipe olidated materials pole, an agreement bestrict office will be restrict office will be restrict office will completion, poendix "B" - Eastern within 30 days of the content of the con	nt to drill <b>shall be</b> posted on ear as specified below <b>shall be</b> splus a minimum of 20 feet into between the operator and the condified before well is either plus or oduction pipe shall be cement Kansas surface casing order	et by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; need from below any usable water to surface within 120 DAYS of spud date. #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE or pursuant to Appropriate of the completed	ate district office <i>pi</i> oved notice of intenunt of surface pipe olidated materials pole, an agreement bestrict office will be restrict office will be restrict office will completion, poendix "B" - Eastern within 30 days of the content of the con	nt to drill <b>shall be</b> posted on ear as specified below <b>shall be</b> splus a minimum of 20 feet into between the operator and the condified before well is either plus or oduction pipe shall be cement Kansas surface casing order	the underlying formation.  district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; need from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:
1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE Or pursuant to Appropriate of the completed of the complet	ate district office proved notice of intendent of surface pipe olidated materials pole, an agreement bestrict office will be represented in COMPLETION, poendix "B" - Eastern within 30 days of the mically	nt to drill <i>shall be</i> posted on ear as specified below <i>shall be</i> is plus a minimum of 20 feet into petween the operator and the condified before well is either plus production pipe shall be cement Kansas surface casing order the spud date or the well shall	the underlying formation.  district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; need from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification
1. Notify the appropria 2. A copy of the appropria 3. The minimum among through all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE of the or pursuant to Appropriate of the completed  when the completed of the complet	ate district office proved notice of inten- unt of surface pipe oblidated materials pole, an agreement bestrict office will be report of the properties of the provided materials and the provided materials of the provided materials and the provided materials within 30 days of the provided materials and the provided ma	nt to drill <i>shall be</i> posted on ear as specified below <i>shall be</i> is plus a minimum of 20 feet into petween the operator and the condified before well is either plus production pipe shall be cement Kansas surface casing order the spud date or the well shall	the underlying formation.  district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; need from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
t is agreed that the follow  1. Notify the appropria  2. A copy of the appropria  3. The minimum amosthrough all unconse  4. If the well is dry ho  5. The appropriate dis  6. If an ALTERNATE or pursuant to Appropriate dis  7. Or pursuant to Appropriate dis  8. Or pursuant to Appropriate dis  9. Or pursuant to Appropriate dis  1. Or pursuant to Appropriate dis  1. Or pursuant to Appropriate districts and the completed districts and the completed districts and the complete dist	ate district office proved notice of intendent of surface pipe olidated materials pole, an agreement bestrict office will be reported within 30 days of the mically	nt to drill <i>shall be</i> posted on ear as specified below <i>shall be</i> is plus a minimum of 20 feet into between the operator and the condified before well is either plus or duction pipe shall be cement Kansas surface casing order the spud date or the well shall	the underlying formation.  district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; need from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification
1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE Or pursuant to Appropriate of the completed  ubmitted Electron  For KCC Use ONLY  API # 15 -	ate district office proved notice of intendent of surface pipe olidated materials pole, an agreement bestrict office will be reported within 30 days of the mically	nt to drill <i>shall be</i> posted on ear as specified below <i>shall be</i> is plus a minimum of 20 feet into between the operator and the condified before well is either plus or duction pipe shall be cement Kansas surface casing order the spud date or the well shall	the underlying formation.  district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; need from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE Or pursuant to Appropriate of the completed  ubmitted Electron  For KCC Use ONLY  API # 15  Conductor pipe required and incompleted in the complete of the com	ate district office proved notice of intendent of surface pipe olidated materials pole, an agreement bestrict office will be reported within 30 days of the mically	nt to drill <i>shall be</i> posted on ear as specified below <i>shall be</i> is plus a minimum of 20 feet into petween the operator and the condified before well is either plus production pipe shall be cement Kansas surface casing order the spud date or the well shall shall feet feet feet per ALT. I I	the underlying formation.  district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; need from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;
It is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE Or pursuant to Approved by:  Conductor pipe required of the minimum surface pipe reconsection.	ate district office proved notice of intendent of surface pipe olidated materials pole, an agreement bestrict office will be result of the completion of the	nt to drill <i>shall be</i> posted on ear as specified below <i>shall be</i> is plus a minimum of 20 feet into petween the operator and the condified before well is either plus production pipe shall be cement Kansas surface casing order the spud date or the well shall shall feet feet feet per ALT. I I	the underlying formation.  district office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; attended from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);
It is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE Or pursuant to Approved by Conductor pipe required Minimum surface pipe received approved by:  This authorization expires	ate district office proved notice of intendent of surface pipe obligated materials pole, an agreement bestrict office will be restrict office will be restrict office will be restrict office will service of the complete of	nt to drill <i>shall be</i> posted on ear as specified below <i>shall be</i> is plus a minimum of 20 feet into petween the operator and the condified before well is either plus production pipe shall be cement Kansas surface casing order the spud date or the well shall shall feet feet feet per ALT. I I	the underlying formation.  district office on plug length and placement is necessary prior to plugging; ugged or production casing is cemented in; nted from below any usable water to surface within 120 DAYS of spud date.  #133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

For KCC Use ONLY	
API # 15	-

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:					_ Loc	cation of W	/ell: County:
Lease:							feet from N / S Line of Section
Well Numb	oer:						feet from E / W Line of Section
Field:			_ Se	Sec Twp S. R			
Number of	f Acres attributable	to well:			— le 9	Section:	Regular or Irregular
QTR/QTR	/QTR/QTR of acrea	age:			_	Section.	Tregular of Tregular
					If S	Section is	Irregular, locate well from nearest corner boundary.
					Se	ction corne	er used: NE NW SE SW
					PLAT		
			_				dary line. Show the predicted locations of
	lease roads, tank	batteries, pipe					as Surface Owner Notice Act (House Bill 2032).
			You	ı may attach	a separate	plat if desi	ired.
						_	1
					:	:	
				:	:	:	LEGEND
		· · · · · · · · · · · · · · · · · · ·			:		O Well Location
							Tank Battery Location
	:	: : : :	,	:	:	:	Pipeline Location
	:	: ;		:	:	:	Electric Line Location
							Lease Road Location
	• • • • • • • • • • • • • • • • • • • •					•	
		: :		:	:	:	
							EXAMPLE : :
	:	· · ·		:	:	:	
			25				
	:	:		:	:	:	
	:	:		:	:	:	
					:		
	·					·	1980' FSL
		: :		:	:	:	
					:		
60 ft.	<u>:</u>				:		
,00 II.	Ψ	: :		÷	:	:	SEWARD CO. 3390' FEL

NOTE: In all cases locate the spot of the proposed drilling locaton.

# 330 ft. In plotting the proposed location of the well, *you must show*:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 089079

Form CDP-1 May 2010 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:		License Number:			
Operator Address:					
Contact Person:		Phone Number:			
Lease Name & Well No.:		Pit Location (QQQQ):			
Type of Pit:  Emergency Pit  Burn Pit  Settling Pit  Drilling Pit  Workover Pit  Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit is:  Proposed Existing  If Existing, date constructed:  Pit capacity: (bbls)		SecTwp R East WestFeet from North / South Line of SectionFeet from East / West Line of Section		
			County		
Is the pit located in a Sensitive Ground Water A	Area? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?			How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fe	et)	Width (feet) N/A: Steel Pits		
Depth fro	om ground level to dee	epest point:	(feet) No Pit		
If the pit is lined give a brief description of the li material, thickness and installation procedure.			dures for periodic maintenance and determining ncluding any special monitoring.		
Distance to nearest water well within one-mile	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:		
feet Depth of water wellfeet		measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover:			
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment procedure:			
Does the slope from the tank battery allow all s flow into the pit? Yes No	spilled fluids to	Drill pits must be closed within 365 days of spud date.			
Submitted Electronically					
KCC OFFICE USE ONLY					
Date Received: Permit Num	ber:	Permi	Liner Steel Pit RFAC RFAS it Date: Lease Inspection: Yes No		

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

### **CERTIFICATION OF COMPLIANCE WITH THE** KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)			
OPERATOR: License #	Well Location:			
Name:	SecTwpS. R 🔲 East 🗌 West			
Address 1:	County:			
Address 2:	Lease Name: Well #:			
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of			
Contact Person:	the lease below:			
Phone: ( ) Fax: ( )				
Email Address:				
Surface Owner Information:				
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional			
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the			
Address 2:	county, and in the real estate property tax records of the county treasurer.			
City:				
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.			
owner(s) of the land upon which the subject well is or will be lo	ct (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.			
	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this fee, payable to the KCC, which is enclosed with this form.			
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.			
Submitted Electronically				

## **Summary of Changes**

Lease Name and Number: KOSTNER GU B 2

API/Permit #: 15-095-22262-00-00

Doc ID: 1089079

Correction Number: 1

Approved By: Rick Hestermann 07/31/2012

Field Name	Previous Value	New Value
KCC Only - Approved By	Steve Bond 07/27/2012	Rick Hestermann 07/31/2012
KCC Only - Approved Date	07/27/2012	07/31/2012
KCC Only - Date Received	07/26/2012	07/31/2012
Lease Name	KOSTNER B	KOSTNER GU B
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=10 81053	//kcc/detail/operatorE ditDetail.cfm?docID=10 89079