Confidentiality Requested: Yes No

KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

1087717

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
	Elevation: Ground: Kelly Bushing:
Gas D&A ENHR SIGW	Total Vertical Depth: Plug Back Total Depth:
GG GSW Temp. Abd.	Amount of Surface Pipe Set and Cemented at: Feet
CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
	If yes, show depth set: Feet
If Workover/Re-entry: Old Well Info as follows:	
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
ENHR Permit #:	
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

	Page Two	1087717
Operator Name:	Lease Name:	Well #:
Sec TwpS. R □ East □ West	County:	
INCTRUCTIONS. Chow important tang of formations panatrated	Dotail all cores Report all final	copies of drill stome tasts giving interval tasted, time tool

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional She		Yes No		og Formatio	on (Top), Depth and	d Datum	Sample
Samples Sent to Geolog		Yes No	Nam	e		Тор	Datum
Cores Taken Electric Log Run		Yes No					
List All E. Logs Run:							
		CASING Report all strings set-c	RECORD Ne		on, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SQL	JEEZE RECORD			
Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used		Type and Pe	ercent Additives	
Protect Casing Plug Back TD							
Plug Off Zone							
Did you perform a hydraulic	fracturing treatment of	on this well?		Yes	No (If No. skip	o questions 2 an	d 3)
	0	raulic fracturing treatment ex	ceed 350,000 gallons			question 3)	

Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?

(If No, fill out Page Three of the ACO-1)

Shots Per Foot		PERFORATION Specify For		RD - Bridge Pl Each Interval F		е			ement Squeeze Record I of Material Used)	Depth
TUBING RECORD:	Siz	ze:	Set At:		Packer	At:	Liner F	lun:	No	
Date of First, Resumed	l Producti	ion, SWD or ENHF	} .	Producing M	ethod:	oing	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bb	ls.	Gas	Mcf	Wate	er	Bbls.	Gas-Oil Ratio	Gravity
		1		1						
DISPOSITI	ON OF G	AS:			METHOD (OF COMPLE	TION:		PRODUCTION INTER	RVAL:
Vented Solo	J 🗌	Jsed on Lease		Open Hole	Perf.	Dually (Submit /		Commingled (Submit ACO-4)		
(If vented, Su	bmit ACO)-18.)		Other (Specify)		(/		(500		

Yes

No

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

McGown Drilling, Inc. Mound City, Kansas

Operator: Enerjex Kansas, Inc. Overland Park, KS

Carter A #BSI-CA 50

Franklin Co, KS 17-18S-21E API # 15-059-25967-00-00

Spud Date:	4/16/2012	Surface Bit:	11"
Surface Casing:	7"	Drill Bit:	5.875"
Surface Length:	22.30'	Longstring:	657.75'
Surface Cement:	6 sx	Longstring Date:	4/17/2012

		Driller	s Log
Тор	Bottom	Formation	Comments
0	3	Soil & Clay	
3	28	Lime	
28	105	Shale	
105	124	Lime	
124	150	Shale	
150	153	Lime	
153	194	Shale	
194	278	Lime	
278	282	Bl. Shale &	Shale
282	294	Lime	
294	457	Big Shale	
457	472	Lime	
472	518	Sand & Sha	le
518	520	Lime	
520	542	Shale	
542	544	Lime	
544	562	Bl. Shale &	Shale
562	571	Lime	
571	587	Shale	
587	591	Lime	
591	597	Shale	
597	608	Sand	Very good oil show
608	661	Shale	
661	665	Sand	Light oil show
665	668	Shale	
668	TD		

G A G	onsolid/	ated			•	TICKET NUM		<u>679</u>
	Qil Well Service	ss, LLC						
		Efe		T 0 TOTA		FOREMAN_	Fred Ma	i den
	hanute, KS 6672 or 800-467-8676				TMENT REF	ORI	· · ·	
DATE	CUSTOMER #	WEL	L NAME & NUM	IBER	SECTION	TOWNSHIP	RANGE	COUNT
4/23/12	2579	Carte	r"A" BSI	· CA-50	500 27	18	22	FR
CUSTOMER Eng	And Pro			· ·	TRUCK#			
MAILING ADDR		au-reas			506	FREMAD	TRUCK#	DRIVE
1097	5 Gran	d VI ew	Dr		. 495	HARBEC	HB	may
CITY	· · · · · · · · · · · · · · · · · · ·	STATE	ZIP CODE		369	DERMAS	DM	·· · .
Overla	nd Aurt	KS	166210		558	RYASIN	R.S.	•
JOB TYPE	The E	HOLE SIZE	518	_ HOLE DEPTH	668	CASING SIZE & V	NEIGHT 27%	EUE
CASING DEPTH				TUBING	•	· · · ·	OTHER	
SLURRY WEIGI		SLURRY VOL		WATER gal/s	K	CEMENT LEFT in		plue
DISPLACEMEN		DISPLACEMEN			0.	RATE 5 BPI		
	stablish sks. 70/2	<u>circu</u>			Pomp 102	* Gel Flu		
Cent	1	SUV face		nunt D	and the second	Salt 12	Phono Se	<u>al/5/5</u>
rub		L T		h permi	2 + 1 mes	tlean.	Displace	zz
			<u>0. 71e5</u>		5 800 1	<u>^\\/_</u>		
			<i>.</i>					
						· · · · · · · · · · · · · · · · · · ·		
			•		· · ·		-	
				<u>_</u>	· · · ·	1.		· · · · ·
Mc G	aun Dri	115				: feel	Male	· · · ·
·.	aun Dri	Ц.	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		: feg	Made	
ACCOUNT CODE	QUANITY	<i>Ф</i>		•	SERVICES or PR		Male	TOTAL
ACCOUNT CODE 、ライロ (<i>Ф</i>	PUMP CHARG	•	SERVICES or PR	: Асц орист 495		·
ACCOUNT CODE 5401 5405	QUANITY	or UNITS	PUMP CHARG	ЭЕ Г	SERVICES or PR			·
ACCOUNT CODE 5401 5402 5402	QUANITY 63	or UNITS	PUMP CHARG	E. Fortag	SERVICES or PR	495		1030 N/C N/C
ACCOUNT CODE 5401 5402 5402 5402	QUANITY 63 ½ Mir	P or UNITS 1 	PUMP CHARG MILEAGE Cas ing Ton M	E For You		495 558		1030 N/C N/C 1250
ACCOUNT CODE 5401 5402 5402	QUANITY 63 ½ Mir	or UNITS	PUMP CHARG	E For You	SERVICES or PR	495		1030 N/C N/C 1250
ACCOUNT CODE 5401 5402 5402 5402	QUANITY 63 ½ Mir	P or UNITS 1 	PUMP CHARG MILEAGE Cas ing Ton M	E For You		495 558		1030 N/C N/C 1250
ACCOUNT CODE 5401 5402 5402 5407 5502C	QUANITY 63 ½ Mity 12	P or UNITS 1 57 2 hr 2 hr	PUMP CHARGE MILEAGE Costing Ton M Go BH	JE Joa Yaa 13 les 32 Vac	truele	495 558		1030 N/C M/C 175 35°
ACCOUNT CODE 5401 5402 5402 5407 5502C	QUANITY 63 1/2 M-1/2 1/2	P or UNITS / ? ? ? ? ? ? ? ? ? ? ? ? ? ? ? ?	PUMP CHARG MILEAGE Cas ing Ton M	E Forton 15 les BL Vac Por M		495 558		1030 N/C N/C 175 135 1231
ACCOUNT CODE 5401 5402 5402 5402 5502 05502 1127 1118-B	QUANITY 63 ½ Mr 12	P or UNITS / 7 2 hv 7 7 5/<5 27/4	PUMP CHARGE MILEAGE Casting Ton M Fo Br Jo/30 Premi	Fratas 15 les 32 Vac Por M un Ge/	truck iz Cennen	495 558		1030 N/C M/C 175 135 135 1231 562
ACCOUNT CODE 5401 5402 5402 5402 5502C 1127 1118-B 1111	QUANITY 63 1/2 M-1/2 1/2	$\frac{p}{p}$ or UNITS $\frac{1}{2}$	PUMP CHARGE MILEAGE Costing Ton M Go BH	For the For the BL Vac Poz M Un be s lated	truck iz Cennen	495 558		1030 N/C N/C 175 135 135 1231 56 72
ACCOUNT CODE 5401 5402 5402 5402 5502C 1127 1118-B 1111 1167A	QUANITY 63 1/2 M-1/2 1/2	P or UNITS / 7 2 hv 7 7 5/<5 27/4	PUMP CHARGE MILEAGE Casting Ton M Fo Br Jo/30 Premi	Fratas 15 les 32 Vac Por M un Ge/	truck iz Cennen	495 558		1231 135° 1231 562 72 63
ACCOUNT CODE 5401 5402 5402 5402 5502C 1127 1118-B 1111	QUANITY 63 1/2 M-1/2 1/2	$\frac{p}{p}$ or UNITS $\frac{1}{2}$	PUMP CHARGE MILEAGE Casting Ton M Fo Br Jo/30 Premi	For the For the BL Vac Poz M Un be s lated	truck iz Cennen	495 558		1030 N/C N/C 175 135 135 1231 56 72 63
ACCOUNT CODE 5401 5402 5402 5402 5502C 1127 1118-B 1111 1167A	QUANITY	$\frac{p}{p}$ or UNITS $\frac{1}{2}$	PUMP CHARGE MILEAGE Casting Ton M Fo Br Jo/30 Premi	For the For the BL Vac Poz M Un be s lated	truck iz Cennen	495 558		1030 N/C N/C 175 135 135 1231 56 72 63
ACCOUNT CODE 5401 5402 5402 5402 5502C 1127 1118-B 1111 1167A	QUANITY	P or UNITS 1 	PUMP CHARGE MILEAGE Casting Ton M Fo Br Jo/30 Premi	For the For the BL Vac Poz M Un be s lated	truck iz Cennen	495 558		1030 N/C N/C 175 135 135 1231 56 72 63
ACCOUNT CODE 5401 5402 5402 5402 5502C 1127 1118-B 1111 1167A	QUANITY	$ \begin{array}{c} $	PUMP CHARGE MILEAGE Casting Ton M Fo Br Jo/30 Premi	For the For the BL Vac Poz M Un be s lated	truck iz Cennen	495 558		1030 N/C N/C 175 135 135 1231 56 72 63
ACCOUNT CODE 5401 5402 5402 5402 5502C 1127 1118-B 1111 1167A	QUANITY	p or UNITS $\frac{1}{2}$ \frac	PUMP CHARGE MILEAGE Casting Ton M Fo Br Jo/30 Premi	For the For the BL Vac Poz M Un be s lated	truck iz Cennen	495 558		1030 N/C N/C 175 135 135 1231 562 72 63 28 63
ACCOUNT CODE 5401 5402 5402 5402 5502C 1127 1118-B 1111 1167A	QUANITY 63 ½ M 14 63	p or UNITS $\frac{1}{2}$ \frac	PUMP CHARGE MILEAGE Casting Ton M Fo Br Jo/30 Premi	For the For the BL Vac Poz M Un be s lated	truck iz Cennen	495 558 269 8		1030 N/C N/C 125 135 135 1231 56 72 63 28 63
ACCOUNT CODE 5401 5402 5402 5402 5502C 1127 1118-B 1111 1167A	QUANITY	p or UNITS $\frac{1}{2}$ \frac	PUMP CHARGE MILEAGE Casting Ton M Fo Br Jo/30 Premi	For the For the BL Vac Poz M Un be s lated	truck iz Cennen	495 558		1030 N/C N/C 125 135 135 1231 56 72 63 28 63

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner Sam Brownback, Governor

July 17, 2012

Marcia Littell Enerjex Kansas, Inc. 27 CORPORATE WOODS, STE 350 10975 GRANDVIEW DR OVERLAND PARK, KS 66210

Re: ACO1 API 15-059-25967-00-00 Carter A BSI-CA50 SW/4 Sec.17-18S-21E Franklin County, Kansas

Dear Production Department:

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully, Marcia Littell