

Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 1088173

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R 🗌 East 🗌 West
Address 2:	Feet from
City: State: Zip:+	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
☐ New Well ☐ Re-Entry ☐ Workover	Field Name:
Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):  If Workover/Re-entry: Old Well Info as follows:	Producing Formation:  Elevation: Ground: Kelly Bushing: Feet  Total Vertical Depth: Plug Back Total Depth: Feet  Multiple Stage Cementing Collar Used? Yes No  If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:  Deepening Re-perf. Conv. to ENHR Conv. to SWD  Plug Back Conv. to GSW Conv. to Producer  Commingled Permit #:  Dual Completion Permit #:  SWD Permit #:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)  Chloride content: ppm Fluid volume: bbls  Dewatering method used:  Location of fluid disposal if hauled offsite:
☐ ENHR         Permit #:           ☐ GSW         Permit #:	Operator Name:
Connection Connection	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	Quarter         Sec.         Twp.         S. R.         East         West           County:         Permit #:

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY					
Confidentiality Requested					
Date:					
Confidential Release Date:					
Wireline Log Received					
Geologist Report Received					
UIC Distribution					
ALT I II Approved by: Date:					

Page Two



Operator Name:			L	ease Name: _			Well #:	
Sec Twp	S. R	East We	est C	County:				
INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to	ring and shut-in pres	sures, whether sh	ut-in pressur	e reached stati	c level, hydrosta	tic pressures, bott		rval tested, time tool erature, fluid recovery,
Final Radioactivity Lo files must be submitted					ogs must be ema	iled to kcc-well-lo	gs@kcc.ks.go	v. Digital electronic log
Drill Stem Tests Taker (Attach Additional		Yes [	No	L	_	on (Top), Depth an		Sample
Samples Sent to Geo	logical Survey	Yes	No	Nam	e		Тор	Datum
Cores Taken Electric Log Run		Yes Yes	No No					
List All E. Logs Run:								
		(	CASING REC	ORD Ne	ew Used			
		· ·		ıctor, surface, inte	ermediate, producti	1		I
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D		Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADD	ITIONAL CEN	MENTING / SQL	JEEZE RECORD			
Purpose:	Depth Top Bottom	Type of Cem	ent #	Sacks Used	Type and Percent Additives			
Perforate Protect Casing	100 20111111							
Plug Back TD Plug Off Zone								
1 lag on zono								
Did you perform a hydrau	ulic fracturing treatment	on this well?			Yes	No (If No, ski	o questions 2 ar	nd 3)
Does the volume of the to		•				_ ` ` '	p question 3)	
Was the hydraulic fractur	ing treatment information	on submitted to the c	hemical disclo	sure registry?	Yes	No (If No, fill	out Page Three	of the ACO-1)
Shots Per Foot		ION RECORD - Bri Footage of Each Into				cture, Shot, Cement		d Depth
	, ,	<u> </u>			,		,	·
TUBING RECORD:	Size:	Set At:	Pa	acker At:	Liner Run:			
						Yes No		
Date of First, Resumed	Production, SWD or Ef		cing Method: owing	Pumping	Gas Lift C	other (Explain)		
Estimated Production Per 24 Hours	Oil	Bbls. G	as Mcf	Wate	er Bi	ols. G	as-Oil Ratio	Gravity
DIODOCITI	ON OF CAS:		N 4 - T - 1		TION:		PPODUOTIO	ON INTERVAL.
Vented Solo	ON OF GAS:  Used on Lease	Open Ho		IOD OF COMPLE $\Box$		nmingled	PRODUCTION	ON INTERVAL:
	bmit ACO-18.)	Other (Si	necify)	(Submit		mit ACO-4)		

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Ward Loyd, Commissioner Thomas E. Wright, Commissioner

July 20, 2012

Scott Applegate Applegate Exploration LLC 330 GATEWAY CT WICHITA, KS 67230

Re: ACO1 API 15-035-24468-00-00 ALLYSON 1 NW/4 Sec.33-30S-05E Cowley County, Kansas

### **Dear Production Department:**

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully, Scott Applegate





LOCATION # 180 EI DOCADO
FOREMAN Jacob Story

APi# 035-24468-00-00

PO Box 884, Chanute, KS 66720 620-431-9210 or 800-467-8676

## FIELD TICKET & TREATMENT REPORT CEMENT 40: # 0

DATE	CUSTOMER#	WELL NAME & NUMBER			SECTION	TOWNSHIP	RANGE	COUNTY
5-30-12	9999	Alyson#1			33	305	5E	cowley
CHETOMED				Softy				
Appleo	gate Ex	ploratio	<b>∽</b>	meeting	TRUCK#	DRIVER	TRUCK#	DRIVER
				2	176	Jerild		
330 G	iouteway	coart		2.0	442	Mark		
CHY		SIAIE	ZIP CODE	Mg	511	Jacob		
Wichita	e e	ks	67230					
JOB TYPE Sc.	stace B	HOLE SIZE 121		HOLE DEPTH	215	CASING SIZE & V	VEIGHT_85/8	
	202	DRILL PIPE					OTHER	
	нт <u>14,5</u>	SLURRY VOL		WATER gal/s	k	CEMENT LEFT in	CASING 16 It	<u> </u>
DICDI ACEMENI	-13 35	DISCI ACEMENT	PSI 300	MIX PSI 20	٥	RATE SOOM		
REMARKS: 54	afte me	ting Bro	ak a	recelation	on . Pump	10 661 4	lush, mix	1255KS
Class	24001	3/26 /416	Poly d	isplaced	2 with	10 bbl f 12.5 bbl	vater ce	voculating
Coment.	to 5% of	co short	in.		· · · · · · · · · · · · · · · · · · ·			7
<u> </u>	7 - 000	4 5 112				-		
							BEOCH	
				- 1000 - 2000			RECEIVED	
							1111 25 1	,
							JUL 2 0 ///	7
						KI	C WICHIT	
						8.17	<del>10 MICHI</del>	-
ACCOUNT	QUANTY	UNITE	DE	SCRIPTION of	SERVICES or PR	ODUCT	UNIT PRICE	TOTAL
CODE	QUANITY	or UNITS		SCRIPTION OF	SERVICES OF FR			
54015			PUMP CHARG	<u> </u>			825.00	825.00
5406	31		MILEAGE				4.00	124.00
5407	1		Min bu	Ik deli	ivery		350.00	350.00
11045	125		class	Д			14.95	1868.75
1102	320		calci	um ch	Moride		.74	236.80
1118 B	300		gel				.21	63.00
1107	50		poly - F	Jak e		CARREST CONTRACTOR OF THE CONT	2.35	117.50
1107	30		poly = F	14100				
								2-2-
							Subtotal	3585.05
							SALES TAX	10040
Ravin 3737				SAM	100		<b>ESTIMATED</b>	

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form



TICKET NUMBER 36133
LOCATION 180
FOREMAN LARRY STORM

PO Box 884, Chanute, KS 66720 620-431-9210 or 800-467-8676

## FIELD TICKET & TREATMENT REPORT

620-431-9210				CEMEN	T APT-	135-2446	68-00-00	2
DATE	CUSTOMER#	WELL	NAME & NUM	BER	SECTION	TOWNSHIP	RANGE	COUNTY
6-3-12		Aluson	, #1		33	305	SE	Cowley
CUSTOMER	t Pin	, //						
MADORE	PAIE UXPI	lor At Pon			TRUCK #	DRIVER	TRUCK#	DRIVER
MAILING ADDRE	BATEWAY	Annt			539	LARRY		
CITY 1 /	SHILWHY		717 0005	miles de la	603	Lett		
11 6/1	ola	1 /	ZIP CODE	Haman S. S.	491	JOE	Transfer to	
Wicht	TH	75	67230		434	TED		
JOB TYPE HED		HOLE SIZE	78	HOLE DEPTH	3370	CASING SIZE & W	EIGHT 55	
CASING DEPTH_	3053	DRILL PIPE		TUBING		State of the same	OTHER	THE THIRD
SLURRY WEIGH		SLURRY VOL		WATER gal/sl	(	CEMENT LEFT in	CASING 42/	That It.
DISPLACEMENT	73,47	DISPLACEMENT	PSI	MIX PSI		RATE	Tan and Con-	
REMARKS:	Paged UD	to 512 (	29					
	11 1		0					
						46		
		The second	ug la hahmi	umost.		ALLES HOLD IN THE PROPERTY.		
	V44 1 1 1 1 3 1		Seale Fra		The second second		555	
					Markey Name	made of the se	RECEN	/ED
	Tilly III			SHE S	HER STATES		1111 20	2010
		THE WALLES					10L 70	2012
A STATE OF BRIDE							1/00	

KCC	WI	CHI	TA
		9111	77

ACCOUNT CODE	QUANITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	I residence a men a factor	PUMP CHARGE	1030.00	1030.00
5406	3/	MILEAGE	4.00	124,00
5402	553	Footage	,22	121,66
See the sites	To total and the second second second		Same Sel	Partie Took
1126A	180	sks Thickset	19,20	3456.00
1110A	900	165 Kol-SCAL	,46	414,00
1107	100	165 Holy FlAKE,	2.35	235.00
	500	gals Mud Mush	1.05	525.00
5502C		180 VAC	98,00	
5407 A	31	Bulk Deliverly x 9.95 tons X	1,34	413.32
			1,01	770.0.0
4159,	1	32 AFU FloAT Shot	344.00	344,00
4454		J3 LATCH DOLEN Plus	254,00	254,00
4104	2	53 Coment BASKets	229.00	458,00
4130	6	52x7/8 Centerlizers	48.00	288,00
		Fig. (1) chapt Yearing at Gills and	an or same	ANGON DEN
		9111		
		Qubtotal	Digital assertion	
Ravin 3737			SALES TAX	103 (27 (10)
	SAlan	0:14	ESTIMATED TOTAL	
AUTHORIZTION	1011 11/16/1	TITLE PIESIDENT	DATE 6-3-	12

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form

7541,32

# RECEIVED JUL 2 6 2012 KCC WICHITA

Applegate Exploration, LC

Allyson WELLIN 1 1302

Wilmot - Floral 1294

Wal was NW 4

33 305 155E

Cowley K5

Cowley K5

Gulick Drilling 36/3/12

3370 3368

1700' TD

Stalnaker 1900 (-598)
KC 2252 (-950)
BIKC 2500 (-1198)
Marmaton 2570 (-1268)
Ft Scott 2670 (-1368)
Cherokee 2710 (-1408)
Miss Chert 2914 (-1612)
Miss Dolo 2929 (-1627)
Kind 3272 (-1970)
Arbuckle 3368 (-2066)

Dual Induction Dual Compensated Porosity