

Confidentiality Requested:

Yes No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1088632

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15					
Name:	Spot Description:					
Address 1:						
Address 2:						
City: State: Zip:+	Feet from _ East / _ West Line of Section					
Contact Person:	Footages Calculated from Nearest Outside Section Corner:					
Phone: ()	□NE □NW □SE □SW					
CONTRACTOR: License #	GPS Location: Lat:, Long:					
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)					
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84					
Purchaser:	County:					
Designate Type of Completion:	Lease Name: Well #:					
☐ New Well ☐ Re-Entry ☐ Workover	Field Name:					
Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):  If Workover/Re-entry: Old Well Info as follows:	Producing Formation: Kelly Bushing: Total Vertical Depth: Plug Back Total Depth: Feet Multiple Stage Cementing Collar Used? Yes No					
Operator:	If Alternate II completion, cement circulated from:					
Well Name:	feet depth to:w/sx cmt.					
Original Comp. Date: Original Total Depth:  Deepening Re-perf. Conv. to ENHR Conv. to SWD  Plug Back Conv. to GSW Conv. to Producer  Commingled Permit #:  Dual Completion Permit #:  SWD Permit #:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)  Chloride content: ppm Fluid volume: bbls  Dewatering method used:  Location of fluid disposal if hauled offsite:					
☐ ENHR         Permit #:           ☐ GSW         Permit #:	Operator Name:					
Connection Connection	Lease Name: License #:					
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	Quarter         Sec.         Twp.         S. R.         East         West           County:         Permit #:					

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II Approved by: Date:

Page Two



Operator Name:				_ Lease N	lame: _			Well #:		
Sec Twp	S. R	East	West	County:						
<b>INSTRUCTIONS:</b> Shopen and closed, flow and flow rates if gas to	ing and shut-in pressu	ires, whe	ther shut-in pre	ssure reach	ned stati	c level, hydrostat	tic pressures, bott			
Final Radioactivity Log files must be submitte						gs must be ema	iled to kcc-well-lo	gs@kcc.ks.go	v. Digital el	ectronic log
Drill Stem Tests Taken (Attach Additional S		Ye	es No		L		n (Top), Depth an			mple
Samples Sent to Geol	ogical Survey	_ Ye	es No		Nam	е		Тор	Da	tum
Cores Taken Electric Log Run		Y€								
List All E. Logs Run:										
			CASING		Ne					
				onductor, su	rface, inte	rmediate, producti			T	
Purpose of String	Size Hole Drilled		e Casing (In O.D.)	Weig Lbs./		Setting Depth	Type of Cement	# Sacks Used		d Percent itives
			ADDITIONAL	CEMENTIN	IG / SQL	EEZE RECORD				
Purpose:	Depth Top Bottom	Туре	of Cement	# Sacks	Used		Type and P	ercent Additives		
Perforate Protect Casing	Jop Zollow									
Plug Back TD Plug Off Zone										
1 ag on zono										
Did you perform a hydrau	ılic fracturing treatment o	n this well?	•			Yes	No (If No, ski	o questions 2 ar	nd 3)	
	otal base fluid of the hydra		J	,	0		_ , , ,	p question 3)		
Was the hydraulic fractur	ing treatment information	submitted	to the chemical o	disclosure reç	gistry?	Yes	No (If No, fill	out Page Three	of the ACO-1	<i>)</i>
Shots Per Foot			D - Bridge Plug Each Interval Perf				cture, Shot, Cement		d	Depth
	. ,					,		,		
TUBING RECORD:	Size:	Set At:		Packer At	:	Liner Run:				
							Yes No			
Date of First, Resumed	Production, SWD or ENH	IR.	Producing Meth Flowing	od: Pumping	e 🗆	Gas Lift O	ther <i>(Explain)</i>			
Estimated Production Per 24 Hours	Oil B	bls.	Gas	Mcf	Wate	er Bl	ols. G	as-Oil Ratio		Gravity
DISDOSITIO	ON OF GAS:			1ETHOD OF	COMPLE	TION		PRODUCTIO	N INTEDVA	
Vented Sold			Open Hole	Perf.	Dually	Comp. Com	nmingled	THODOGHC	ZIA IIA I ELIAN	
(If vented, Sub			Other (Specify)		(Submit )	ACO-5) (Subr	mit ACO-4)			

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Mark Sievers, Chairman Thomas E. Wright, Commissioner Sam Brownback, Governor

July 25, 2012

Todd Miller Miller, Todd dba Speedy Well Service 402 W ELM ST SEDAN, KS 67361-1219

Re: ACO1 API 15-019-27202-00-00 JB and JS Huffman 500 NE/4 Sec.25-34S-11E Chautauqua County, Kansas

## **Dear Production Department:**

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully, Todd Miller

## CEMENT FIELD TICKET AND TREATMENT REPORT

Todd Miller	State, County	Chautauqua , Kansas	Cement Type	CLASS	A
	Section		Excess (%)	30	
Long String	TWP	34	Density	14.5	
Huffman #500					
Tidililian #000	POST CONTRACTOR CONTRA		Yeild	1.58	
		6.3/4	Slurry Weight		
					18.
A CONTRACTOR OF THE CONTRACTOR					50
		1153			
					20
BARTLESVILLE	Tubing	2 3/8			
Cement Pump Charges and Mileage	Quantity	Unit			
CEMENT PUMP (2 HOUR MAX)	1	2 HRS MAX			1,030.0
EQUIPMENT MILEAGE (ONE-WAY)	45	PER MILE			180.0
MIN. BULK DELIVERY (WITHIN 50 MILES)	1	PER LOAD			350.0
		0			-
					<u> </u>
					-
The state of the s					<u>-</u>
		State of the state			-
FOOTAGE	1,153				253.6
			EQUIPMENT TOTAL	\$	1,813.6
Cement, Chemicals and Water					
	GE 120	0	\$18.80	\$	2,256.0
	80	0	\$1.29	\$	103.2
	750	0	\$0.46	\$	345.0
GRANULATED SALT (50#) SELL BY #	650	0	\$0.37	\$	240.5
	150	0	\$0.21	\$	31.5
		0		\$	82.5
		0	\$0.00	\$	70124 H 1 1 1 2 2
		0	\$0.00	\$	-
		0	\$0.00	\$	
		0	\$0.00	\$	-
And the second section will be second to the		0	\$0.00	\$	_
			CHEMICAL TOTAL	\$	3,058.7
Water Transport					
	4	TER TRANSPORT (CEME	\$112.00	S	448.0
WATER TRAINER STREET					-
					448.0
Compant Floating Favings ant (TAYADI F)		1	TRANSFORT TOTAL	- Ψ	440.0
Cement Basket		T 6	Τ φορο	1.0	
Controllings		U U	1 \$0.00	\$	-
Centralizer		Т о	T 60.00	1 6	
					<u>-</u>
Float Shoo		U U	φυ.υυ	Φ	<del>-</del>
Float Shoe		1 0	T 60.00	•	
Float Collars			Ι Φυ.υυ	Ι Ψ	
Titoat Collars		T 0	\$0.00	T &	
Guide Shoos		1 0	Φυ.υυ	_   Φ	<del>-</del>
Guide Offices			<b>60.00</b>	T e	
Raffle and Flanner Plates		L U	Φυ.υυ	_ Φ	-
ранне апи гларрет Plates			T #0.00	1.0	
Packer Shees		I U	J \$0.00	Φ	-
Facker Shoes			T 00.00	1.6	
		0	\$0.00	\$	-
DV 100IS		T .	T		
L D-UVCL C - L - O		0	\$0.00	\$	-
Bail Valves, Swedges, Clamps, Misc.					
		···			-
L Division de la Contraction d		0	\$0.00	\$	-
			T		
4' 1/2" RUBBER PLUG	1 1	PER UNIT	\$45.00	\$	45.0
Downnoie Loois			T		
			\$0.00	\$	-
UDRIVER NAME		CEMENT FLOATING E			45.0
		400/	OUR TOTAL	1 0	5,622.9
		10%	9Δ1 EQ TΛ1	\$	562.3 257.6
		ii n	ISCOUNTED TOTAL		
		D		\$	5,060.67
TOTAL	Long String  Huffman #500  BARTLESVILLE  Cement Pump Charges and Mileage	Long String	Long Stiring	Long Stimp	Long String

FOREMAN\_

## CEMENT FIELD TICKET AND TREATMENT REPORT

Todd Miller	State, County	Chautauqua , Kansas	Cement Type	CLASS A
Long String	Section	25	Excess (%)	30
0	TWP	34	Density	14.5
Huffman #500	RGE	11	Water Required	0
0	Formation	0	Yeild	1.58
0	Hole Size	6 3/4	Slurry Weight	0
0	Hole Depth	1163	Slurry Volume	0
0	Casing Size	4 1/2INCH, J-55 (10.5 LBS	Displacement	18.5
0	Casing Depth	1153	Displacement PSI	500
0	Drill Pipe	0	MIX PSI	200
BARTLESVILLE	Tubing	2 3/8	Rate	4
	Long String  0  Huffman #500  0  0  0  0  0  0  0	Long String   Section     0	Long String         Section         25           0         TWP         34           Huffman #500         RGE         11           0         Formation         0           0         Hole Size         6 3/4           0         Hole Depth         1163           0         Casing Size         1 1/2INCH, J-55 (10.5 LBS)           0         Casing Depth         1153           0         Drill Pipe         0	Long String         Section         25         Excess (%)           0         TWP         34         Density           Huffman #500         RGE         11         Water Required           0         Formation         0         Yeild           0         Hole Size         6 3/4         Slurry Weight           0         Hole Depth         1163         Slurry Volume           0         Casing Size         1 1/2INCH, J-55 (10.5 LBS)         Displacement           0         Casing Depth         1153         Displacement PSI           0         Drill Pipe         0         MIX PSI

Pumped 3 sks gel ahead, est. circulation, pumped 120 sks cement flushed pump and lines, displaced plug to bottom
set shoe, shut in. Circulated cement to surface.