



**BASIC**<sup>SM</sup>  
ENERGY SERVICES  
PRESSURE PUMPING & WIRELINE

1700 S. Country Estates Rd.  
P.O. Box 129  
Liberal, Kansas 67905  
Phone 620-624-2277

FIELD SERVICE TICKET  
1717 02775 A

DATE \_\_\_\_\_ TICKET NO. \_\_\_\_\_

DATE OF JOB <b>3-31-12</b>	DISTRICT <b>1717</b>	NEW WELL <input checked="" type="checkbox"/>	OLD WELL <input type="checkbox"/>	PROD <input type="checkbox"/>	INJ <input type="checkbox"/>	WDW <input type="checkbox"/>	CUSTOMER ORDER NO.:		
CUSTOMER <b>Oxy USA</b>	LEASE <b>KU B #1</b>						WELL NO.		
ADDRESS		COUNTY <b>Stanton</b>	STATE <b>KS</b>						
CITY		SERVICE CREW <b>E. Mendoza &amp; Chavez</b>							
AUTHORIZED BY <b>J. Bennett</b>		JOB TYPE: <b>242 - 5/8" Production</b>							
EQUIPMENT#	HRS	EQUIPMENT#	HRS	EQUIPMENT#	HRS	TRUCK CALLED	DATE <b>3-31-12</b>	AM <b>10:00</b>	TIME
<b>34726</b>	<b>8</b>					ARRIVED AT JOB		<b>PM</b>	<b>1:30</b>
<b>27808</b>	<b>4</b>					START OPERATION		<b>PM</b>	<b>4:00</b>
<b>19553</b>	<b>4</b>					FINISH OPERATION		<b>PM</b>	<b>5:00</b>
<b>30463</b>	<b>4</b>					RELEASED		<b>PM</b>	<b>6:00</b>
<b>37724</b>	<b>4</b>					MILES FROM STATION TO WELL	<b>90</b>		<b>mi</b>

CONTRACT CONDITIONS: (This contract must be signed before the job is commenced or merchandise is delivered).

The undersigned is authorized to execute this contract as an agent of the customer. As such, the undersigned agrees and acknowledges that this contract for services, materials, products, and/or supplies includes all of and only those terms and conditions appearing on the front and back of this document. No additional or substitute terms and/or conditions shall become a part of this contract without the written consent of an officer of Basic Energy Services LP.

SIGNED: \_\_\_\_\_  
(WELL OWNER, OPERATOR, CONTRACTOR OR AGENT)

ITEM/PRICE REF. NO.	MATERIAL, EQUIPMENT AND SERVICES USED	UNIT	QUANTITY	UNIT PRICE	\$ AMOUNT
CL04	50/50 Poz	SK	390	8 25	3217 50
CL13	Gypsum	LB	1640	56	918 40
CL11	Salt	LB	2396	38	910 48
CL03	C-15	↓	197	9 38	1847 86
CL05	C-41P	↓	82	3 00	246 00
CL201	Gilsonite	↓	1952	50	976 00
CF251	5/2" Regular Guide Shoe	ea	1		187 50
CF1451	Flopper Type Insert	↓	1		161 25
CF4452	Turbolizer	↓	25	56 25	1406 25
CF3000	Thread Lock	↓	1		25 50
CF103	Top Rubber Plug	↓	1		78 75
CF4105	Stop Collar	↓	1		63 00

AP LOCATION/DEPT. Libecap D02  NON D02   
 LEASE/WELL/FAC KU B-1  
 MAXIMO / WSM # \_\_\_\_\_  
 TASK 0102 ELEMENT 3023  
 PROJECT # 1136288 CAPEX  OPEX  - Circle one  
 SPO / BPA Circle Doc Type UNSUPPORTED

SUB TOTAL \$ **17,142.54**

PRINTED NAME Kevin Proccadi  
 SIGNATURE: [Signature]  
 SERVICE & EQUIPMENT %TAX ON \$  
 MATERIALS %TAX ON \$

CHEMICAL / ACID DATA:			

SERVICE REPRESENTATIVE <u>Paul Owen</u>	THE ABOVE MATERIAL AND SERVICE ORDERED BY CUSTOMER AND RECEIVED BY:  (WELL OWNER OPERATOR CONTRACTOR OR AGENT)
--	--

FIELD SERVICE ORDER NO. \_\_\_\_\_





**BASIC**  
ENERGY SERVICES  
Liberal, Kansas

**Cement Report**

Customer <u>Oxy USA</u>		Lease No.		Date <u>3-31-10</u>	
Lease <u>K00 B</u>		Well # <u>1</u>		Service Receipt <u>02775</u>	
Casing <u>5 1/2" 17#</u> Depth <u>5654</u>		County <u>Stanton</u>		State <u>KS</u>	
Job Type <u>242 5 1/2" Production</u>		Formation		Legal Description <u>17-29-41</u>	
<b>Pipe Data</b>			<b>Perforating Data</b>		<b>Cement Data</b>
Casing size <u>5 1/2" 17#</u>	Tubing Size		<b>Shots/Ft</b>		<b>Lead</b>
Depth <u>5654'</u>	Depth		From	To	<b>Tail in 390 sk</b> <b>50/50 Poz</b>
Volume <u>130 bbl</u>	Volume		From	To	
Max Press <u>2500#</u>	Max Press		From	To	
Well Connection <u>D-5659'</u>	Annulus Vol.		From	To	
Plug Depth <u>55-42'</u>	Packer Depth		From	To	
Time	Casing Pressure	Tubing Pressure	Bbls. Pumped	Rate	Service Log
1:30					on loc-site assessment (on istm)
1:45					spot trucks - ris up
2:30					safety meeting / SSA
3:25					pressure test @ 3000#
3:30	200		5	4	5 bbl H <sub>2</sub> O spacer
3:35	200		12	4	pump 12 bbl Superflush
3:40	200		5	4	5 bbl H <sub>2</sub> O spacer
3:45	50		8	3	plug merge hole w/ 30 sk
4:10	200		102.7	5	mix + pump 360 sk 50/50 Poz w/ 5% W/O, 10% Salt, 6% C15, 1 1/2" Deformer, 5" Gilsomite, @ 13.5 ppg - 158 #/sk - 7.36 gal/sk
4:30					wash pump lines
4:35	0		0	6	drop plug, disp csg
4:55	1300		120	2	slow rate last 10 bbl of disp
5:00	1800		130	0	land plug, float held
5:00	2500		.25	5	psi test csg @ 2500# 30 min
5:30					job complete
Service Units <u>34726</u>		<u>27808-19853</u>		<u>340463-3704</u>	
Driver Names <u>A Ouer</u>		<u>E Mueller</u>		<u>S Chavez</u>	

Kevin  
Customer Representative

J. Bennett  
Station Manager

A Ouer  
Cementer  
Taylor Printing, Inc.