



#1 Smith 25A
 338' FNL & 2150' FEL
 8' S & 160' E of NW NW NE Section 25-17S-35W
 Wichita County, Kansas
 API# 15-203-20174-0000
 Elevation: 3156' GL, 3166' KB

Sample Tops			Ref. Well
Anhydrite	2463'	+703	-14
B/Anhydrite	2481'	+685	-14
Stotler	3642'	-476	-11
Heebner	4022'	-856	-6
Toronto	4036'	-870	-5
Lansing	4070'	-904	-8
Muncie Shale	4250'	-1084	-4
Stark Shale	4359'	-1193	-12
BKC	4448'	-1282	-7
Marmaton	4480'	-1314	-10
Altamont	4506'	-1340	-11
Altamont B	4533'	-1367	-4
Pawnee	4594'	-1428	-18
Myrick Station	4629'	-1463	-16
Fort Scott	4648'	-1482	-18
Cherokee Shale	4673'	-1507	-16
Johnson	4785'	-1619	-18
Morrow	4818'	-1652	-21
Erosional Miss.	4907'	-1741	N/A
Mississippian	4970'	-1804	-83
RTD	4985'	-1819	

ALLIED CEMENTING CO., LLC. 035948

REMIT TO P.O. BOX 31
 RUSSELL, KANSAS 67665

Federal Tax ID # 20-5975804

SERVICE POINT:
 OKMEX

DATE	5/14/14	TIME	12:50 PM	LOCATION	3507 CTRY 1220-500-00-0010	JOB START	1/30/14	JOB FINISH	2/02/14
WELL #	257	WELL #	1	LOCATION	3507 CTRY 1220-500-00-0010	COMP	OKMEX	STATE	KS
OLD OR NEW (Circle one) CONTRACTOR <u>MANAGED ALLIANCE # 14</u> OWNER <u>SHANE</u>									

CONTRACTOR	MANAGED ALLIANCE # 14	OWNER	SHANE
TYPE OF JOB	REPAIR	TD	257'
HOLE SIZE	12 1/4"	DEPTH	382'
CASING SIZE	8 1/2"	DEPTH	382'
TUBING SIZE		DEPTH	
DRILL PIPE		DEPTH	
TOOL		MINIMUM	
RRS MAX		SHOP JOINT	
CEMENT LEFT IN CSG.	15		
PERFS.			
DISPLACEMENT	15 H BBLs		

PUMP TRUCK	CENTERER	7500V
#	HELPER	TYLER
BULK TRUCK	DRIVER	CHRIS
#	DRIVER	

REMARKS:
 MIX 185 SCS COM 3/8 CS 2600L
 Displace 15H BBLs water

CEMENT OKMEX

CHANGE TO: Richard E. Madhavan

STREET _____ CITY _____ STATE _____ ZIP _____

DEPTH OF JOB _____

PUMP TRUCK CHARGE _____

EXTRA FOOTAGE _____

MILEAGE _____

MANFOLD _____

TOTAL _____

PRINTED NAME Chris Madhavan

SIGNATURE Chris Madhavan

IF PAID IN 30 DAYS