

# Mid-Continent Conductor, LLC

## Invoice

P.O. Box 1570  
Woodward, OK 73802

Phone: (580)254-5400  
Fax: (580)254-3242

| Date      | Invoice # |
|-----------|-----------|
| 6/27/2012 | 1381      |

|  |
|--|
| <b>Bill To</b>   |
| SandRidge Energy, Inc.<br>Attn: Purchasing Mgr.<br>123 Robert S. Kerr Avenue<br>Oklahoma City, OK. 73102 |

| Ordered By | Terms  | Date of Service | Lease Name/Legal Desc.              | Drilling Rig |
|------------|--------|-----------------|-------------------------------------|--------------|
| Joe Turner | Net 45 | 6/27/2012       | Lillian 3206 1-32H, Harper Cnty, KS | Lariat 39    |

| Item                   | Quantity | Description   |
|------------------------|----------|---|
| Conductor Hole         | 100      | Drilled 100 ft. conductor hole.                       |
| 20" Pipe               | 100      | Furnished 100 ft. of 20 inch conductor pipe.          |
| Mouse Hole             | 80       | Drilled 80 ft. mouse hole.                            |
| 16" Pipe               | 80       | Furnished 80 ft. of 16 inch mouse hole pipe.          |
| Cellar Hole            | 1        | Drilled 6x6 cellar hole.                              |
| 6' X 6' Tinhorn        | 1        | Furnished and set 6x6 tinhorn.                        |
| Mud and Water          | 1        | Furnished mud and water.                              |
| Mud, Water, & Trucking | 1        | Transport mud and water to location.                  |
| Grout & Trucking       | 10       | Furnished 10 yards of grout and trucking to location. |
| Grout Pump             | 1        | Furnished grout pump.                                 |
| Welder & Materials     | 1        | Furnished welder and materials.                       |
| Dirt Removal           | 1        | Labor & Equip. for dirt removal.                      |
| Cover Plate            | 1        | Furnished cover plates.                               |
| Permits                | 1        | Permits.  |

DC 12153

Well Name: Lillian 3206 1-32 H

Code: 850-010

Amount: \$22,650.00

Co. Man: Harold Roller

Co. Man Sig: Harold Roller

|                         |                    |
|-------------------------|--------------------|
| <b>Subtotal</b>         | \$22,650.00        |
| <b>Sales Tax (0.0%)</b> | \$0.00             |
| <b>Total</b>            | <b>\$22,650.00</b> |

# JOB SUMMARY

|                                      |                        |   |
|--------------------------------------|------------------------|---|
| <b>PROJECT NUMBER</b><br>SOK 1623    |                        | <b>TICKET DATE</b><br>07/09/12                    |
| COUNTY<br><b>Harper</b>              | State<br><b>Kansas</b> | COMPANY<br><b>Bridge Exploration &amp; Produc</b> |
| LEASE NAME<br><b>Lillian</b>         |                        | Well No.<br><b>1206 1-32</b>                      |
| JOB TYPE<br><b>Surface</b>           |                        | EMPLOYEE NAME<br><b>LOUIS ARNEY</b>               |
| CUSTOMER REP<br><b>David Montoya</b> |                        |   |

|          |                  |   |  |  |  |
|----------|------------------|---|--|--|--|
| EMP NAME | LOUIS ARNEY      | 0 |  |  |  |
|          | JASON JONES      |   |  |  |  |
|          | BILLY TAFF       |   |  |  |  |
|          | DAVID SETTLEMIER |   |  |  |  |

Form. Name \_\_\_\_\_ Type: \_\_\_\_\_

Packer Type \_\_\_\_\_ Set At **0**

Bottom Hole Temp. **80** Pressure \_\_\_\_\_

Retainer Depth \_\_\_\_\_ Total Depth **750**

| Date | Called Out | On Location | Job Started | Job Completed |
|------|------------|-------------|-------------|---------------|
|      | 7/9/2012   | 7/9/2012    | 7/9/2012    | 7/9/2012      |
| Time | 7:00       | 11:00       | 16:56       | 17:47         |

**Tools and Accessories**

| Type and Size            | Qty | Make |
|--------------------------|-----|------|
| Auto Fill Tube           | 0   | IR   |
| Insert Float Val         | 0   | IR   |
| Centralizers             | 0   | IR   |
| Top Plug                 | 0   | IR   |
| HEAD                     | 0   | IR   |
| Limit clamp              | 0   | IR   |
| Weld-A                   | 0   | IR   |
| Texas Pattern Guide Shoe | 0   | IR   |
| Cement Basket            | 0   | IR   |

**Well Data**

| New/Used     | Weight | Size    | Grade | From    | To  | Max. Allow |
|--------------|--------|---------|-------|---------|-----|------------|
| Casing       | 36#    | 9 5/8"  |       | Surface |     | 1,500      |
| Liner        |        |         |       |         |     |            |
| Liner        |        |         |       |         |     |            |
| Tubing       |        | 0       |       |         |     |            |
| Drill Pipe   |        |         |       |         |     |            |
| Open Hole    |        | 12 1/4" |       | Surface | 750 | Shots/Ft.  |
| Perforations |        |         |       |         |     |            |
| Perforations |        |         |       |         |     |            |
| Perforations |        |         |       |         |     |            |

**Materials**

| Mud Type      | WBM         | Density | 9    | Lb/Gal |
|---------------|-------------|---------|------|--------|
| Disp. Fluid   | Fresh Water | Density | 8.33 | Lb/Gal |
| Spacer type   | resh Water  | BBL.    | 10   | 8.33   |
| Spacer type   |             | BBL.    |      |        |
| Acid Type     |             | Gal.    |      | %      |
| Acid Type     |             | Gal.    |      | %      |
| Surfactant    |             | Gal.    |      | In     |
| NE Agent      |             | Gal.    |      | In     |
| Fluid Loss    |             | Gal/Lb  |      | In     |
| Gelling Agent |             | Gal/Lb  |      | In     |
| Fric. Red.    |             | Gal/Lb  |      | In     |
| MISC.         |             | Gal/Lb  |      | In     |

**Hours On Location**

| Date         | Hours      | Date         | Hours      | Description of Job |
|--------------|------------|--------------|------------|--------------------|
| 7/9          | 7.5        | 7/9          | 0.8        | Surface            |
|              |            |              |            |                    |
|              |            |              |            |                    |
|              |            |              |            |                    |
|              |            |              |            |                    |
|              |            |              |            |                    |
|              |            |              |            |                    |
|              |            |              |            |                    |
|              |            |              |            |                    |
| <b>Total</b> | <b>7.5</b> | <b>Total</b> | <b>0.8</b> |                    |

Perfpac Balls \_\_\_\_\_ Qty. \_\_\_\_\_

Other \_\_\_\_\_

Other \_\_\_\_\_

Other \_\_\_\_\_

Other \_\_\_\_\_

**Pressures**

|                      |           |        |            |
|----------------------|-----------|--------|------------|
| MAX                  | 1,500 PSI | AVG.   | 200        |
| Average Rates in BPM |           |        |            |
| MAX                  | 6 BPM     | AVG    | 5          |
| Cement Left in Pipe  |           |        |            |
| Feet                 | 43.5'     | Reason | SHOE JOINT |

**Cement Data**

| Stage | Sacks | Cement                   | Additives   | W/Rq. | Yield | Lbs/Gal |
|-------|-------|--------------------------|---|-------|-------|---------|
| 1     | 260   | TEX Lite Premium Plus 66 | (6% Gel) 2% Calcium Chloride - 1/4pps Cello-Flake - .5% C-41P | 10.88 | 1.84  | 12.70   |
| 2     | 120   | Premium Plus (Class C)   | 1% Calcium Chloride - 1/4pps Cello-Flake                      | 6.32  | 1.32  | 14.80   |
| 3     | 100   | Premium Plus (Class C)   | 2% Calcium Chloride on side to use if necessary               | 6.32  | 1.32  | 14.80   |

**Summary**

|                    |                      |               |               |                              |         |                     |
|--------------------|----------------------|---------------|---------------|------------------------------|---------|---------------------|
| Preflush Breakdown | Type: _____          | MAXIMUM _____ | 1,500 PSI     | Preflush: BBI _____          | 10.00   | Type: Fresh Water   |
|                    | Lost Returns-N _____ | NO/FULL _____ |               | Load & Bkdn: Gal - BBI _____ | N/A     | Pad:Bbl -Gal _____  |
|                    | Actual TOC _____     | SURFACE _____ |               | Excess /Return BBI _____     | 27      | Calc.Disp Bbl _____ |
| Average            | Bump Plug PSI: _____ | 1,500         |               | Calc. TOC: _____             | SURFACE | Actual Disp. _____  |
| ISP _____          | 5 Min. _____         | 10 Min. _____ | 15 Min. _____ | Final Circ. PSI: _____       | 250     | Disp:Bbl _____      |
|                    |                      |               |               | Cement Slurry: BBI _____     | 113.4   |                     |
|                    |                      |               |               | Total Volume BBI _____       | 176.90  |                     |

CUSTOMER REPRESENTATIVE Harold Rallu SIGNATURE



|                              |                               |  |                                      |                                |
|------------------------------|-------------------------------|--|--------------------------------------|--------------------------------|
| <b>JOB SUMMARY</b>           |                               |  | PROJECT NUMBER<br><b>SOK1648</b>     | TICKET DATE<br><b>07/14/12</b> |
| COUNTY<br><b>HARPER</b>      | State<br><b>OKLAHOMA</b>      | COMPANY<br><b>Sandridge Exploration &amp; Production</b> | CUSTOMER REP<br><b>DAVID MONTOYA</b> |                                |
| LEASE NAME<br><b>LILLIAN</b> | Well No.<br><b>I206 1-321</b> | JOB TYPE<br><b>Intermediate</b>                          | EMPLOYEE NAME<br><b>Derek Lewis</b>  |                                |

|                                |          |  |  |  |  |  |  |
|--------------------------------|----------|--|--|--|--|--|--|
| EMP NAME<br><b>Derek Lewis</b> | <b>0</b> |  |  |  |  |  |  |
| <b>Arthur Setzar</b>           |          |  |  |  |  |  |  |
| <b>Chris Fry</b>               |          |  |  |  |  |  |  |
| <b>0.00</b>                    |          |  |  |  |  |  |  |

Form. Name \_\_\_\_\_ Type: \_\_\_\_\_  
 Packer Type \_\_\_\_\_ Set At \_\_\_\_\_  
 Bottom Hole Temp. **155** Pressure \_\_\_\_\_  
 Retainer Depth \_\_\_\_\_ Total Depth **4951**

| Date | Called Out | On Location | Job Started | Job Completed |
|------|------------|-------------|-------------|---------------|
| Time |            |             |             |               |

**Tools and Accessories**

| Type and Size            | Qty | Make |
|--------------------------|-----|------|
| Auto Fill Tube           | 0   | IR   |
| Insert Float Val         | 0   | IR   |
| Centralizers             | 0   | IR   |
| Top Plug                 | 0   | IR   |
| HEAD                     | 0   | IR   |
| Limit clamp              | 0   | IR   |
| Weld-A                   | 0   | IR   |
| Texas Pattern Guide Shoe | 0   | IR   |
| Cement Basket            | 0   | IR   |

**Well Data**

|              | New/Used | Weight | Size   | Grade | From    | To    | Max. Allow |
|--------------|----------|--------|--------|-------|---------|-------|------------|
| Casing       | NEW      | 26#    | 7"     |       | Surface | 4,952 | 5,000      |
| Liner        |          |        |        |       |         |       |            |
| Liner        |          |        |        |       |         |       |            |
| Tubing       |          |        | 0      |       |         |       |            |
| Drill Pipe   |          |        |        |       |         |       |            |
| Open Hole    |          |        | 8 3/4" |       | Surface | 4,951 | Shots/Ft.  |
| Perforations |          |        |        |       |         |       |            |
| Perforations |          |        |        |       |         |       |            |
| Perforations |          |        |        |       |         |       |            |

**Materials**

| Mud Type      | WBM         | Density | 9    | Lb/Gal |
|---------------|-------------|---------|------|--------|
| Disp. Fluid   | Fresh Water | Density | 8.33 | Lb/Gal |
| Spacer type   | resh Water  | BBL.    | 20   | 8.33   |
| Spacer type   | Caustic     | BBL.    | 10   | 8.40   |
| Acid Type     | Gal.        | %       |      |        |
| Acid Type     | Gal.        | %       |      |        |
| Surfactant    | Gal.        | In      |      |        |
| NE Agent      | Gal.        | In      |      |        |
| Fluid Loss    | Gal/Lb      | In      |      |        |
| Gelling Agent | Gal/Lb      | In      |      |        |
| Fric. Red.    | Gal/Lb      | In      |      |        |
| MISC.         | Gal/Lb      | In      |      |        |

Perfpac Balls \_\_\_\_\_ Qty. \_\_\_\_\_  
 Other \_\_\_\_\_  
 Other \_\_\_\_\_  
 Other \_\_\_\_\_  
 Other \_\_\_\_\_

| Hours On Location |       | Operating Hours |       | Description of Job |
|-------------------|-------|-----------------|-------|--------------------|
| Date              | Hours | Date            | Hours |                    |
|                   |       |                 |       | Intermediate       |
|                   |       |                 |       |                    |
|                   |       |                 |       |                    |
|                   |       |                 |       |                    |
|                   |       |                 |       |                    |
|                   |       |                 |       |                    |
|                   |       |                 |       |                    |
|                   |       |                 |       |                    |
|                   |       |                 |       |                    |
| Total             | 0.0   | Total           | 0.0   |                    |

**Pressures**


|                      |           |        |            |
|----------------------|-----------|--------|------------|
| MAX                  | 3,000 PSI | AVG    |            |
| Average Rates in BPM |           |        |            |
| MAX                  | 6 BPM     | AVG    |            |
| Cement Left in Pipe  |           |        |            |
| Feet                 | 92        | Reason | SHOE JOINT |

**Cement Data**

| Stage | Sacks | Cement            | Additives   | W/Rq. | Yield | Lbs/Gal |
|-------|-------|-------------------|---|-------|-------|---------|
| 1     | 200   | 60/50 POZ PREMIUM | 4% Gel - 0.4% C-12 - 0.1% C-37 - 0.5% C-41P - 2 lb/sk Phenoseal | 6.77  | 1.44  | 13.60   |
| 2     | 100   | Premium           | 0.4% C-12 - 0.1% C-37   | 6.20  | 1.18  | 15.60   |
| 3     | 0     | 0                 |   | 0     | 0.00  | 0.00    |

**Summary**

|           |           |                |           |                |           |              |               |              |
|-----------|-----------|----------------|-----------|----------------|-----------|--------------|---------------|--------------|
| Preflush  | <b>30</b> | Type:          | Caustic   | Preflush:      | BBI       | <b>20.00</b> | Type:         | WEIGHTED SP. |
| Breakdown |           | MAXIMUM        | 5,000 PSI | Load & Bkdn:   | Gal - BBI | N/A          | Pad:Bbl -Gal  | N/A          |
|           |           | Lost Returns-N | NO/FULL   | Excess /Return | BBI       | N/A          | Calc.Disp Bbl | 186          |
| Average   |           | Actual TOC     |           | Calc. TOC:     |           | 3667         | Actual Disp.  | 186.00       |
|           |           | Bump Plug PSI: |           | Final Circ.    | PSI:      |              | Disp:Bbl      |              |
|           | 5 min.    | 10 min.        | 15 min.   | Cement Slurry: | BBI       | 73.0         |               |              |
|           |           |                |           | Total Volume   | BBI       | 279.00       |               |              |

CUSTOMER REPRESENTATIVE  SIGNATURE

|                              |                               |   |                                       |                                |
|------------------------------|-------------------------------|---|---------------------------------------|--------------------------------|
| <b>JOB SUMMARY</b>           |                               |   | PROJECT NUMBER<br><b>SOK1678</b>      | TICKET DATE<br><b>07/23/12</b> |
| COUNTY<br><b>Harper</b>      | State<br><b>Kansas</b>        | COMPANY<br><b>Bridge Exploration &amp; Produc</b> | CUSTOMER REP<br><b>David Montoya</b>  |                                |
| LEASE NAME<br><b>Lillian</b> | Well No.<br><b>1206 1-321</b> | JOB TYPE<br><b>Liner</b>                          | EMPLOYEE NAME<br><b>Robert Burris</b> |                                |

|                |  |      |  |  |  |  |  |
|----------------|--|------|--|--|--|--|--|
| EMP NAME       |  |      |  |  |  |  |  |
| Robert Burris  |  | 0.00 |  |  |  |  |  |
| Bryan Douglas  |  |      |  |  |  |  |  |
| Emmit Brock    |  |      |  |  |  |  |  |
| Jessie McClain |  |      |  |  |  |  |  |

Form. Name \_\_\_\_\_ Type: \_\_\_\_\_  
Packer Type \_\_\_\_\_ Set At **4,951**  
Bottom Hole Temp. **150** Pressure \_\_\_\_\_  
Retainer Depth \_\_\_\_\_ Total Depth **8865**

| Date | Called Out       | On Location      | Job Started      | Job Completed    |
|------|------------------|------------------|------------------|------------------|
|      | <b>7/23/2012</b> | <b>7/23/2012</b> | <b>7/23/2012</b> | <b>7/23/2012</b> |
| Time | <b>16:00</b>     | <b>20:00</b>     | <b>19:21</b>     | <b>20:36</b>     |

| Tools and Accessories    |     |                    |
|--------------------------|-----|--------------------|
| Type and Size            | Qty | Make               |
| Auto Fill Tube           | 0   | <b>Weatherford</b> |
| Insert Float Val         | 0   |                    |
| Centralizers             | 0   |                    |
| Top Plug                 | 0   |                    |
| HEAD                     | 0   |                    |
| Limit clamp              | 0   |                    |
| Weld-A                   | 0   |                    |
| Texas Pattern Guide Shoe | 0   |                    |
| Cement Basket            | 0   |                    |

| Well Data     |          |             |               |               |              |              |              |
|---------------|----------|-------------|---------------|---------------|--------------|--------------|--------------|
|               | New/Used | Weight      | Size          | Grade         | From         | To           | Max. Allow   |
| Casing        |          | <b>11.6</b> | <b>4 1/2</b>  |               | <b>4608</b>  | <b>8,864</b> | <b>3,500</b> |
| Liner Tool    |          |             |               |               | <b>4,593</b> | <b>4,608</b> | <b>3,500</b> |
| HWDP          |          |             |               |               | <b>2,945</b> | <b>4,593</b> | <b>3,500</b> |
| Drill Pipe    |          |             | <b>3 1/2"</b> |               | Surface      | <b>2,945</b> | <b>3,500</b> |
| Drill Collars |          |             |               |               |              |              | <b>3,500</b> |
| Open Hole     |          |             |               | <b>6 1/8"</b> | Surface      | <b>8,865</b> | Shots/Ft.    |
| Perforations  |          |             |               |               |              |              |              |
| Perforations  |          |             |               |               |              |              |              |
| Perforations  |          |             |               |               |              |              |              |

| Materials     |             |         |             |             |
|---------------|-------------|---------|-------------|-------------|
| Mud Type      | WBM         | Density | <b>9.1</b>  | Lb/Gal      |
| Disp. Fluid   | Fresh Water | Density | <b>8.33</b> | Lb/Gal      |
| Spacer type   | Gel         | BBL.    | <b>30</b>   | <b>8.59</b> |
| Spacer type   | BBL.        |         |             |             |
| Acid Type     | Gal.        |         | %           |             |
| Acid Type     | Gal.        |         | %           |             |
| Surfactant    | Gal.        |         | In          |             |
| NE Agent      | Gal.        |         | In          |             |
| Fluid Loss    | Gal/Lb      |         | In          |             |
| Gelling Agent | Gal/Lb      |         | In          |             |
| Fric. Red.    | Gal/Lb      |         | In          |             |
| MISC.         | Gal/Lb      |         | In          |             |
| Perfpac Balls |             | Qty.    |             |             |
| Other         |             |         |             |             |
| Other         |             |         |             |             |
| Other         |             |         |             |             |
| Other         |             |         |             |             |

| Hours On Location |            | Operating Hours |            | Description of Job |
|-------------------|------------|-----------------|------------|--------------------|
| Date              | Hours      | Date            | Hours      |                    |
| <b>7/23</b>       | <b>3.5</b> | <b>7/23</b>     | <b>1.3</b> | Liner              |
|                   |            |                 |            |                    |
|                   |            |                 |            |                    |
|                   |            |                 |            |                    |
|                   |            |                 |            |                    |
|                   |            |                 |            |                    |
|                   |            |                 |            |                    |
|                   |            |                 |            |                    |
| Total             | <b>3.5</b> | Total           | <b>1.3</b> |                    |

| Pressures            |                 |        |                   |
|----------------------|-----------------|--------|-------------------|
| MAX                  | <b>5000 PSI</b> | AVG.   | <b>800</b>        |
| Average Rates in BPM |                 |        |                   |
| MAX                  | <b>6 BPM</b>    | AVG    | <b>4.5</b>        |
| Cement Left in Pipe  |                 |        |                   |
| Feet                 | <b>92</b>       | Reason | <b>SHOE JOINT</b> |

| Cement Data |            |                          |   |          |             |             |             |
|-------------|------------|--------------------------|---|----------|-------------|-------------|-------------|
| Stage       | Sacks      | Cement                   | Additives   | W/Rq.    | Yield       | Lbs/Gal     |             |
| <b>1</b>    | <b>475</b> | <b>50/50 Premium Poz</b> | <b>(4%Gel) - .4% C12 - .1% C37 - 0.5% C-41P - 1 Lb/Sk Phenoseal</b> |          |             |             |             |
| <b>2</b>    | <b>0</b>   | <b>0</b>                 |   | <b>0</b> | <b>0.00</b> | <b>0.00</b> | <b>0.00</b> |
| <b>3</b>    | <b>0</b>   | <b>0</b>                 |   | <b>0</b> | <b>0.00</b> | <b>0.00</b> | <b>0.00</b> |

| Summary            |                      |               |                |                              |              |                         |             |
|--------------------|----------------------|---------------|----------------|------------------------------|--------------|-------------------------|-------------|
| Preflush Breakdown | Type: _____          | MAXIMUM _____ | 5000 psi _____ | Preflush: BBI _____          | 30.00 _____  | Type: 8.59#SPACER _____ |             |
|                    | Lost Returns-N _____ | NO/FULL _____ |                | Load & Bkdn: Gal - BBI _____ | N/A _____    | Pad:Bbl -Gal _____      | N/A _____   |
|                    | Actual TOC _____     | 3.679 _____   |                | Excess /Return BBI _____     | N/A _____    | Calc.Disp Bbl _____     | 95 _____    |
| Average            | Bump Plug PSI: _____ | 1,900 _____   |                | Calc. TOC: _____             | 3.679 _____  | Actual Disp. _____      | 95.00 _____ |
| ISIP _____         | 5 Min. _____         | 10 Min _____  | 15 Min _____   | Final Circ. PSI: _____       | 975 _____    | Disp:Bbl _____          |             |
|                    |                      |               |                | Cement Slurry: BBI _____     | 122.0 _____  |                         |             |
|                    |                      |               |                | Total Volume BBI _____       | 247.00 _____ |                         |             |

CUSTOMER REPRESENTATIVE \_\_\_\_\_ SIGNATURE \_\_\_\_\_