

For KCC	Use:	
Effective	Date:	
District #	=	
SGA?	Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1089200

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

month day year	Spot Description:
	Sec Twp S. R [E [] \
DPERATOR: License#	feet from N / S Line of Section
Name:	feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
address 2:	(Note: Locate well on the Section Plat on reverse side)
City: State: Zip: +	County:
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
	Ground Surface Elevation:feet MS
Oil Enh Rec Infield Mud Rotary Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: I I II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
f Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
(CC DKT #:	Will Cores be taken? Yes Yes
	If Yes, proposed zone:
AF	FIDAVIT
The undersigned hereby affirms that the drilling, completion and eventual pl	ugging of this well will comply with K.S.A. 55 et. seq.
aas.oighoa horosy aminio that the arming, completion and eventual pr	
t is agreed that the following minimum requirements will be met:	
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	n drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the distriction. 4. If the well is dry hole, an agreement between the operator and the distriction.	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging ;
 t is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug 	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging;
 t is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # 	In drilling rig; It by circulating cement to the top; in all cases surface pipe <i>shall be set</i> It is enderlying formation. It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on production casing is cemented in; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and plug length a
 t is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # 	In drilling rig; It by circulating cement to the top; in all cases surface pipe <i>shall be set</i> It is enderlying formation. It ict office on plug length and placement is necessary <i>prior to plugging</i> ; It is ged or production casing is cemented in; It is defined below any usable water to surface within 120 DAYS of spud date.
 t is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # 	In drilling rig; It by circulating cement to the top; in all cases surface pipe <i>shall be set</i> It is enderlying formation. It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on production casing is cemented in; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and placement is necessary <i>prior to plugging</i> ; It is office on plug length and plug length a
 is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the distinct office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set It is enderlying formation. It ict office on plug length and placement is necessary prior to plugging ; It is ged or production casing is cemented in; It is defined below any usable water to surface within 120 DAYS of spud date. It is a surface within 120 DAYS of spud date. It is a surface within 120 DAYS of spud date. It is a surface within 120 DAYS of spud date. It is a surface within 120 DAYS of spud date. It is a surface within 120 DAYS of spud date.
 is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the distinct office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set be underlying formation. It ict office on plug length and placement is necessary prior to plugging; It ged or production casing is cemented in; It is defined below any usable water to surface within 120 DAYS of spud date. It is a surface within 120 DAYS of spud date. It is a surface within 120 DAYS of spud date. It is a surface within 120 DAYS of spud date. It is a surface within 120 DAYS of spud date.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically	In drilling rig; It by circulating cement to the top; in all cases surface pipe <i>shall be set</i> It is enderlying formation. It ict office on plug length and placement is necessary <i>prior to plugging</i> ; It is ged or production casing is cemented in; It is defined below any usable water to surface within <i>120 DAYS</i> of spud date. It is a surface within <i>120 DAYS</i> of spud date. It is a surface within <i>120 DAYS</i> of spud date. It is a surface within <i>120 DAYS</i> of spud date. It is a surface within <i>120 DAYS</i> of spud date.
 is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be se</i>: through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dis The appropriate district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be 	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set It is enderlying formation. It ict office on plug length and placement is necessary prior to plugging ; It is ged or production casing is cemented in; It is defined below any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district office prior to any cementing explugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the disesting of the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15 -	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be se</i> : through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be shall be supported to the well shall be shall be completed within 30 days of the spud date or the well shall be supported to the well shall be supported to the spud date or the well shall be supported to the spud date or the well shall be supported to the spud date or the well shall be supported to the spud date or the well shall be supported to the spud date or the well shall be supported to the supported to the spud date or the well shall be supported to the spud date or the well shall be supported to the spud date or the well shall be supported to the supported to the spud date or the well shall be supported to the supported to the spud date or the spud date or the well shall be supported to the supported to the spud date or the supported to the supported to the spud date or the supported to the supported to the spud date or the supported to the supported to the spud date or the supported to the supported to the spud date or the supported to the	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all the set through all the set of the set into the set of the set into the set of th	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall b UDMITTED Electronically For KCC Use ONLY API # 15 - Conductor pipe required	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Well will not be drilled or Permit Expired	Date:
Signature of Operator or Agent:	

For KCC Use ONLY
API # 15

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: _					Location of W	'ell: County:
Lease:						feet from N / S Line of Sect
Well Numb	er:					feet from E / W Line of Sect
Field:				SecTwp S. R 🗌 E 📗 W		
	Acres attributable QTR/QTR of acre				Is Section:	Regular or Irregular
					If Section is I Section corne	Irregular, locate well from nearest corner boundary. er used: NE NW SE SW
			ines and electric	o the nearest le al lines, as req		dary line. Show the predicted locations of as Surface Owner Notice Act (House Bill 2032).
	·	: :		: :	:	
						LEGEND
	:	: :		: :	:	LEGEND
	:				:	O Well Location
	:				:	Tank Battery Location
	•					Pipeline Location
	:	: :		: :	:	Electric Line Location
						Lease Road Location
	:	: :		: :	:	Edde Road Eddallon
	:			: : :	:	
					:	
						EXAMPLE
	:	: :	 16	: :	:	
				•		
	:			: :	:	
	:				:	
						1980' F
					•	
	:			: :	:	

NOTE: In all cases locate the spot of the proposed drilling locaton.

310 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 1089200

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed Existing If Existing, date constructed: Pit capacity: (bbls)		SecTwp R East West Feet from North / South Line of Section Feet from East / West Line of Section County	
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?			How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits	
Depth fro	om ground level to dee	epest point:	(feet) No Pit	
material, thickness and installation procedure. liner integrity, including any special monitoring.				
Distance to nearest water well within one-mile of pit:		Source of infor	west fresh water feet. nation:	
feet Depth of water wellfeet		measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily:		Type of materia	ver and Haul-Off Pits ONLY: I utilized in drilling/workover: king pits to be utilized: procedure:	
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.		
Submitted Electronically				
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS				
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection: Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)			
OPERATOR: License #	Well Location:			
Name:	SecTwpS. R East West			
Address 1:	County:			
Address 2:	Lease Name: Well #:			
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of			
Contact Person:	the lease helow:			
Phone: () Fax: ()				
Email Address:				
Surface Owner Information:				
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional			
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the			
Address 2:	county, and in the real estate property tax records of the county treasurer.			
City: State: Zip:+				
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered or Select one of the following: \[\] I certify that, pursuant to the Kansas Surface Owner Notice A	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. act (House Bill 2032), I have provided the following to the surface pocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form			
	peing filed is a Form C-1 or Form CB-1, the plat(s) required by this			
	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this fee, payable to the KCC, which is enclosed with this form.			
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.			
Submitted Electronically				

SGOMI T35S, R10W, 6th P.M. Well location, SCHUPBACH 3510 #16-1H, located as shown in Lot 1 of Section 16, T35S, R10W, 6th P.M., Barber County, Kansas. BASIS OF ELEVATION SPOT ELEVATION LOCATED AT THE SOUTHWEST CORNER OF SECTION 12, T35S, R10W, 6th P.M. TAKEN FROM THE CORWIN QUADRANGLE, KANSAS, 7.5 MINUTE QUAD (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 1274 FEET. BASIS OF BEARINGS BASIS OF BEARINGS IS A G.P.S. OBSERVATION. 1/2" Pipe, 0.4' Below Ground in Asphalt Spike 0.1' Below Ground NAD 27 Kansas South N: 129122.10 NAD 27 Kansas South N: 129071.28 E: 2028624.17 E: 2023293.36 N89°32'11"E - 5330.79' (Meas.) SCALE (Meas. 33, 2640. 5269.61' (Meas. 5/8" Rebar W/YPC Flush W/ Ground NAD 27 Kansas South N: 126430.85 E: 2023306.50 Target **Bottom** Hole 2142' 9 3200' 330' SETBACK BOUNDARY 500.27,21 (Meas. ,90 2661. 2640, `₹ UNIT 38 **BOUNDARY-**5/8" Rebar W/Broken YPC Per Report 0.1' Below Ground NAD 27 Kansas South N: 123769.83 5/8" Rebar E: 2023337.86 W/ Alum.Cap N89*11'44"E - 5336.13' (Meas.) NAD 27 Kansas South N: 123852.44 E: 2028673.64 310, LINE TABLE (Meas., (Meas., <u>Detail "A"</u> No Scale LINE | DIRECTION | LENGTH N34*41'26"E 638.13' 2978.37′ 16 SCHUPBACH 3510 #16-1H Elev. Ungraded Ground = 1330' **Formation** NO0.33'13"W Entry 2129' 3200' See Detail "A' $\widetilde{\Omega}$ $\widetilde{\lambda}^{\epsilon}$ THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM
FIELD NOTES OF ACTUAL SURVEYS MADE BY ME ON CORRECT TO THE
SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE
BEST OF MY KNOWLEDGE AND BELLET 2496 2832' LOT 2 *KANSAS* LOT 1 N89°56'44"W - 5326.89' (Meas.) **OKLAHOMA** CC 5/8" Rebar W/BPC Spike 1.0 Flush W/Ground NAD 27 Kansas South N: 120791.47 E: 2023370.90 Spike 1.0 Below Ground NAD 27 Kansas South N: 120794.10 E: 2028698.09 REGISTERED LAND SURVEYOR REGISTRATION NO. N. STATE OF ANSAS REGISTRATION NO. N.S.A. SURVEYOR

STATE OF MANSAS

LAND SURVEYING

VERNAL LITTATE LEGEND: REV: 07-30-12 C.A.G. = 90° SYMBOL Uintah ENGINEERING & = PROPOSED WELL HEAD. 85 SOUTH 200 EAST = SECTION CORNERS LOCATED. (435) 789-1017 SCALE DATE SURVEYED: DATE DRAWN: NAD 83 (#16-1H FORMATION ENTRY) NAD 83 (#16-1H TARGET BOTTOM HOLE) NAD 83 (#16-1H SURFACE LOCATION) NAD 83 (#16-1H TARGET BOTTOM HOLE)
LATITUDE = 37'00'50.25" (37.013958)
LONGITUDE = 98'24'34.48" (98.409578)

NAD 27 (#16-1H TARGET BOTTOM HOLE)
LATITUDE = 37'00'50.15" (37.013931)
LONGITUDE = 98'24'33.21" (98.409225)

STATE PLANE NAD 27 (KANSAS SOUTH)
N: 126459.35 E: 2026506.56 NAD 83 (#16-11H SURFACE LOCATION)
LATITUDE = 36'59'57.29" (36.999247)
LONGITUDE = 98'24'38.32" (98.410644)
NAD 27 (#16-11H SURFACE LOCATION)
LATITUDE = 36'59'57.19" (36.999219)
LONGITUDE = 98'24'37.06" (98.410294)
STATE PLANE NAD 27 (KANSAS SOUTH)
N: 121102.84 E: 2026199.53 NAD 83 (#16-IH FORMATION ENTRY)
LATITUDE = 37'00'02.48" (37.000689)
LONGITUDE = 98'24'33.85" (98.409403)

NAD 27 (#16-IH FORMATION ENTRY)
LATITUDE = 37'00'02.38" (37.000661)
LONGITUDE = 98'24'32.59" (98.409053)

STATE PLANE NAD 27 (KANSAS SOUTH)
N: 121628.09 E: 2026561.99 = 1000'02-18-12 07-10-12 REFERENCES PARTY J.P B.L. C.A.G. G.L.O. PLAT WEATHER FILE HOT SGOMI

Summary of Changes

Lease Name and Number: Schupbach 3510 16-1H

API/Permit #: 15-007-23927-01-00

Doc ID: 1089200

Correction Number: 1

Approved By: Rick Hestermann 08/01/2012

Field Name	Previous Value	New Value
Bottom Hole Location	330' FNL 3300' FWL 9- 35S-10W	2640' FSL 3200' FWL 9-35S-10W
KCC Only - Approved By	Rick Hestermann 07/31/2012	Rick Hestermann 08/01/2012
KCC Only - Approved Date	07/31/2012	08/01/2012
KCC Only - Date Received	07/25/2012	08/01/2012
KCC Only - Lease Inspection	Yes	No
Projected Total Depth	11723	9410
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=10 88600	//kcc/detail/operatorE ditDetail.cfm?docID=10 89200

Summary of Attachments

Lease Name and Number: Schupbach 3510 16-1H

API: 15-007-23927-01-00

Doc ID: 1089200

Correction Number: 1

Approved By: Rick Hestermann 08/01/2012

Attachment Name

SCHUPBACH 3510 #16-1H LEGAL PLAT revised