

Kansas Corporation Commission Oil & Gas Conservation Division

1089714

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15				
Name:	Spot Description:				
Address 1:	SecTwpS. R				
Address 2:	Feet from North / South Line of Section				
City: State: Zip:+	Feet from _ East / _ West Line of Section				
Contact Person:	Footages Calculated from Nearest Outside Section Corner:				
Phone: ()	□NE □NW □SE □SW				
CONTRACTOR: License #	County:				
Name:	Lease Name: Well #:				
Wellsite Geologist:	Field Name:				
Purchaser:	Producing Formation:				
Designate Type of Completion:	Elevation: Ground: Kelly Bushing:				
New Well Re-Entry Workover	Total Depth: Plug Back Total Depth:				
☐ Oil ☐ WSW ☐ SWD ☐ SIOW ☐ Gas ☐ D&A ☐ ENHR ☐ SIGW	Amount of Surface Pipe Set and Cemented at: Feet Multiple Stage Cementing Collar Used?				
☐ OG ☐ GSW ☐ Temp. Abd.	If yes, show depth set: Feet				
CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):	If Alternate II completion, cement circulated from:				
If Workover/Re-entry: Old Well Info as follows:	feet depth to: w/ sx cmt.				
Operator:					
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)				
Original Comp. Date: Original Total Depth:	Chloride content:ppm Fluid volume:bbls				
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD ☐ Conv. to GSW	Dewatering method used:				
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:				
Commingled Permit #:	Operator Name:				
Dual Completion Permit #:	Lease Name: License #:				
SWD Permit #:	QuarterSecTwpS. R East West				
ENHR Permit #:	County: Permit #:				
GSW Permit #:	County Fermit #				
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date					

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Letter of Confidentiality Received
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

Side Two



Operator Name: _ Lease Name: _ _ Well #: _ County: _ INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wireline Logs surveyed. Attach final geological well site report. **Drill Stem Tests Taken** Yes No Log Formation (Top), Depth and Datum Sample (Attach Additional Sheets) Name Top Datum Samples Sent to Geological Survey ☐ Yes □ No Cores Taken Yes No Electric Log Run Electric Log Submitted Electronically Yes No (If no, Submit Copy) List All E. Logs Run: CASING RECORD Used New Report all strings set-conductor, surface, intermediate, production, etc. Size Hole Size Casing Weight # Sacks Type and Percent Type of Purpose of String Drilled Set (In O.D.) Lbs. / Ft. Additives Depth Cement Used ADDITIONAL CEMENTING / SQUEEZE RECORD Purpose: Depth Type of Cement # Sacks Used Type and Percent Additives Top Bottom Perforate **Protect Casing** Plug Back TD Plug Off Zone PERFORATION RECORD - Bridge Plugs Set/Type Acid, Fracture, Shot, Cement Squeeze Record Shots Per Foot Specify Footage of Each Interval Perforated (Amount and Kind of Material Used) Depth TUBING RECORD: Size: Set At: Packer At: Liner Run: No Yes Producing Method: Date of First, Resumed Production, SWD or ENHR. Pumping Gas Lift Other (Explain) Flowing **Estimated Production** Bbls. Water Bbls. Gas-Oil Ratio Oil Gas Mcf Gravity Per 24 Hours **DISPOSITION OF GAS:** METHOD OF COMPLETION: PRODUCTION INTERVAL: Open Hole Dually Comp. Perf. Commingled Vented Sold Used on Lease (Submit ACO-5) (Submit ACO-4) (If vented, Submit ACO-18.) Other (Specify)

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

Payless Concrete Products, Inc.

LAYMON GIL II. L.L.C. 1998 SQUIRREL RD.

23760

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, Under truck's own power. Due to delivery at owners or intermediatry scirection, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request. NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filling of a mechanic's lien on the property which is the subject of this contract.

NEOSHO FALLS KS

LA6722 LAYMON OIL II 54 W TO WILLOW RD N TO 200 RD WEST TO SQUIRREL RD GO PAST 1/2 MI S SD UFILE MECKE 95-19

TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK	A SATISA SE TOUR	PLANT/TRANSACTION #
Ø1:55:08p	Bear & June	12.00 yd	24.00 yd	% CHL. 0.00	31 31	% AIR 0.00	
DATE		LOAD#	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
07-12-12	To Dave Todav		60.00 yd 12,00 yd	21424	G/yd 0.0	4.00 in	32162

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Porlland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention, KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisin out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

GAL X

WEIGHMASTER

eshe 27-12

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY:

QUANTITY CODE DESCRIPTION UNIT PRICE **EXTENDED PRICE** 12.00

12.00 WELL MIXAHAUL TRUCKING

WELL (10 SACKS PER UNIT) MIXING & HAULING TRUCKING CHARGE

12.00 2.00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED
3:52	3:25		JOB NOT READY 6. TRUCK BROKE DOWN SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK AHEAD ON JOB 8. CITATION	
LEFT PLANT	ARRIVED JOB	START UNLOADING	CONTRACTOR BROKE DOWN OTHER ADDED WATER	TIME DUE
2:16	0:41			
0110	2.00			
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME

DITIONAL CHARGE 1

ADDITIONAL CHARGE 2

GRAND TOTAL

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



AMAS LAYMON DILIII, L.L.C. 1998 SOUTRREL AD.

NEOSHO FALLS KS

23760

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction. seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.
NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

LA6/22 LAYMON OIL II 54 W TO WILLOW RD N TO 200 RD WEST TO SOUTRREL RD GO PAST 1/2 MI S SD

WELL & KESKE 25-12

TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
				% CAL	Total Control of the	% AIR	
02:11:01p /	E.L.	12.00 yd	24.00 yd	0,00	32	0.00	
DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
	o Date	6	72.00 yd				
07-12-12	oday	2	24.00 yd	21426	G/yd 0.0	4.00 in	32163

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Porlland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention, KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

TOTAL AT JOB

PROPERTY DAMAGE RELEASE

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisin out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

GAL X

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY

4.00

DELAY TIME

QUANTITY CODE DESCRIPTION UNIT PRICE **EXTENDED PRICE** WELL (10 SACKS PER UNIT) 12.00 WELL 24:00 MIXING & HAULING 24.00

RETURNED TO PLANT LEFT JOB FINISH UNLOADING DELAY EXPLANATION/CYLINDER TEST TAKEN TIME ALLOWED 1. JOB NOT READY 6. TRUCK BROKE DOWN 2. SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK AHEAD ON JOB 8. CITATION 4. CONTRACTOR BROKE DOWN 9. OTHER LEFT PLANT ARRIVED JOB START UNLOADING TIME DUE 5. ADDED WATER

ADDITIONAL CHARGE

ADDITIONAL CHARGE 2

GRAND TOTAL

TOTAL ROUND TRIP

TRUCKING CHARGE

UNLOADING TIME

THE NEW KLEIN LUMBER COMPANY 201 W. MADISON P.O. BOX 805 IOLA, KS 66749 PHONE: (620) 365-2201

NEOSH) FALLS	KS 6	6758 Jo		TAX :	001 IOLA	NL IOLA	ORDR 255131
SHIPPED	ORDERED	UM	SKU	DESCRIPTION	LOCATION	UNIT	S PRICE/PER	EXTENSION
	200	EA	PC	PORTLAND CEMENT		200	9.45 /EA	1,890.00
	*							
nt. um	nea	1-1	2 10 222					
honke	19-10	2	10 0kg					
Konde	18-1	2	10 ako					
Looke	17-12		15 pas					
K. Abi	27-1	2	2 10 0kg 10 0kg 10 0kg 10 0kg					
No de lanca								
				d				
.								
		*	* ORDER ** ORDER	** ORDER ** ORDER ** ORDER ** ORD	FR #		TAXABLE	1890.00
				** DEPOSIT AMOUNT **		0.00	NON-TAXABLE	0.00
- 1				** BALANCE DUE **		2,051.60	SUBTOTAL	1890.00
	RECEIVED	ВУ		** PAYMENT RECEIVED **		0.00		
							TAX AMOUNT	161.60 2051.60

Laymon Oil II, LLC 1998 Squirrel Road Neosho Falls, KS 66758

620-963-2495 fax 620-963-2921

Kenneth & Regina Laymon, LLC 1998 Squirrel Road Neosho Falls, KS 66758

> Keske 27-12 API: 15-207-28203-0000 Spud Date: 06/29/2012 Comp Date: 07/12/2012 34/23/16 WO CO

Formation	From	То
Soil & Clay	0	12
Shale	12	180
Lime & Shale	180	690
Big Shale	690	700
Lime & Shale	700	987
Lime 5'	987	990
Shale	990	998
Upper Sand	998	1005
Shale	1005	1032
Cap Rock 1st	1032	1033
Shale	1033	1034
Cap Rock 2nd	1034	1035
Lower Squirrel	1035	1045
Shale	1045	1380
Mississippi Lime	1380	1390
1st Break	1390	1404
Lime	1404	1406
2nd Break	1406	1416
Lime	1416	1480
Total Depth		1480

Set 40' of 8.6250" surface, cemented w/10~sks. Ran 1460' 4.5" pipe.

