

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1089716

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

### WELL COMPLETION FORM

### WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #		API No. 15				
Name:		Spot Description:				
Address 1:						
Address 2:		Feet from North / South Line of Section				
City: S	tate: Zip:+	Feet from Cast / West Line of Section				
		Footages Calculated from Nearest Outside Section Corner:				
Phone: ( )						
,		County:				
		Lease Name: Well #:				
		Field Name:				
0						
		Producing Formation:				
Designate Type of Completion:	-	Elevation: Ground: Kelly Bushing:				
New Well	-Entry Workover	Total Depth: Plug Back Total Depth:				
Oil WSW		Amount of Surface Pipe Set and Cemented at: Feet				
Gas D&A		Multiple Stage Cementing Collar Used? Yes No				
OG	GSW Temp. Abd.	If yes, show depth set: Feet				
CM (Coal Bed Methane)		If Alternate II completion, cement circulated from:				
	e, Expl., etc.):	feet depth to:w/sx cmt				
If Workover/Re-entry: Old Well In	fo as follows:					
Operator:		Drilling Fluid Management Plan				
Well Name:		(Data must be collected from the Reserve Pit)				
Original Comp. Date:	Original Total Depth:	Chloride content: ppm Fluid volume: bbls				
Deepening Re-perf	Conv. to ENHR Conv. to SWD	Dewatering method used:				
	Conv. to GSW					
Plug Back:	Plug Back Total Depth	Location of fluid disposal if hauled offsite:				
Commingled	Permit #:	Operator Name:				
Dual Completion	Permit #:	License #:				
SWD	Permit #:	Quarter Sec TwpS. R East West				
ENHR	Permit #:					
GSW	Permit #:	County: Permit #:				
Spud Date or Date Rea Recompletion Date	ached TD Completion Date or Recompletion Date					

### AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

### Submitted Electronically

KCC Office Use ONLY						
Letter of Confidentiality Received						
Date:						
Confidential Release Date:						
Wireline Log Received						
Geologist Report Received						
UIC Distribution						
ALT I II III Approved by: Date:						

	Side Two	
Operator Name:	Lease Name:	Well #:
Sec TwpS. R East West	County:	

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken (Attach Additional She	eets)	Yes No	L	-	n (Top), Depth an	d Datum Top	Sample Datum
Samples Sent to Geological Survey Cores Taken Electric Log Run Electric Log Submitted Electronically <i>(If no, Submit Copy)</i>		Yes No	Indif			юр	Datum
		<pre> Yes □ No  Yes □ No  Yes □ No  Yes □ No</pre>					
List All E. Logs Run:							
		CASING		ew Used			
		Report all strings set-	-conductor, surface, inte	ermediate, product	ion, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

### ADDITIONAL CEMENTING / SQUEEZE RECORD

Purpose: —— Perforate	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
Protect Casing Plug Back TD				
Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated				e	ļ		ement Squeeze Record I of Material Used)	Depth	
TUBING RECORD: Size: S			Set At:		Packer	r At:	Liner R	un:	No	
Date of First, Resumed F	Product	ion, SWD or ENH	۶.	Producing N	1ethod:	ping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bb	ls.	Gas	Mcf	Wate	er	Bbls.	Gas-Oil Ratio	Gravity
									1	
DISPOSITION OF GAS:				METHOD OF COMPLE			TION:		PRODUCTION INTER	RVAL:
Vented Sold		Jsed on Lease		Open Hole	Perf.	Dually (Submit /		Commingled (Submit ACO-4)		
(If vented, Subi	mit ACC	)-18.)		Other (Specify)						

Form	ACO1 - Well Completion
Operator	Laymon Oil II, LLC
Well Name	Keske 17-12
Doc ID	1089716

Tops

Name	Тор	Datum
soil	0	12
Shale	12	20
Lime	20	40
Shale	40	180
Lime	180	480
Shale	480	520
Lime	520	660
Shale	660	840
Lime & Shale	840	980
Shale	980	1002
5' Lime	1002	1003
Shale	1003	1004
Upper Squirrel Sand	1004	1010
Shale	1010	1033
Cap Rock	1033	1034
Shale	1034	1036
Cap Rock	1036	1037
Lower Squirrel Sand	1037	1047
Shale	1047	1387
Mississippi Lime	1387	1402
Lime	1402	1480


THE NEW KLEIN LUMBER CUMPHNY 201 W. MADISON P.O. BOX 805 IOLA, KS 66749 PHONE: (620) 365-2201

CUSTOMER N	IO. JOB NO.	PURCHASE ORDER NO.	REFERENCE
344	7		K
	YMON OIL II 198 SQUIRREL	·····································	
J N	OSHO FALLS	KS 66758	

in and

SHIPPED	ORDERED	UM	SKU	DESCRIPTION	LOCATION	UNITS	PRICE/PER	EXTENSION
	200	EA 1-1	PC 2 ID DR2	Portland Cement		200	9.45 /EA	1,890.00
Keoke	17-12	E	15 oks					
			*					
	-	*	H* ORDER ## ORDER	** ORDER ** ORDER ** ORDER ** ORDER ** DEPOSIT AMOUNT ** ** BALANCE DUE **	*	<b>9.00</b> 2,051.60	Taxable Non-Taxable Subtotal	1890.00 - 0.00 1890.00
-	RECEIVED	BY		** PAYMENT RECEIVED **		0.00	Tax amount	161.60

PAGE NO 1





DEL. DATE: 4/24/12 TERMN551

DOC# 255131 \*\*\*\*\* \* ORDER \* \*\*\*\*\*\*\*

TAX : 901 IOLAL IOLA

Same !!

ORDR 255131

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

SOLUTO

# LARRS LAYMON DIL II, L.L.C. 1998 SQUIRREL RD.

NEOSHO FALLS KS

	6675			WELL#	KESKE 17-12			
TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #	
	A State State Com			% CAL	DM	% AIR		
03:11:41p	UELL.	11.50 yd	23.00 yd ;	0.00	34	0.00		
DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER	
and the second sec	To Date	5	59.50 yd					
06-29-12	Today	1	11.50 yd	21280	G/yd Ø.Ø	4.00 in	32072	
WARPING         Entracting the problem of the problem			(TO BE SIGNED IF DELIVERY T Dear Customer-The driver of this to you for your signature is of the op truck may possibly cause damag property if it places the material in our wish to help you in every way the driver is requesting that you s this supplier from any responsibilit to the premises and/or adjace driveways, curbs, etc., by the del also agree to help him remove mu that he will not litter the public stree tion, the undersigned agrees to ind of this truck and this supplier for a	MAGE RELEASE TO BE MADE INSIDE CURB LINE) truck in presenting this RELEASE to binion that the size and weight of his to the premises and/or adjacent in this load where you desire it. It is that we can, but in order to do this sign this RELEASE relieving him and to from any damage that may occur ent property, buildings, sidewalks, livery of this material, and that you do from the wheels of his vehicle so eet. Further, as additional considera- temnify and hold harmless the driver any and all damage to the premises hay be claimed by anyone to have	GAL X         WEIGHMASTER         NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED			
QUANTITY	CODE	DESCRIPTION				UNIT PRICE	EXTENDED PRICE	
11.50 11.50	WELL MIX&HAUL	MIXING & H	ACKS PER UNI		11.50 11.50			

**Payless Concrete Products, Inc.** 

RETURNED TO PLANT	LEFT JOB *	FINISH UNLOADING	DELAY EXPLANATION/CYLINDE	R
			2. SLOW POUR OR PUMP 7.	TR AC CI
LEFT PLANT	ARRIVED JOB	START UNLOADING	4. CONTRACTOR BROKE DOWN 9. 5. ADDED WATER	OT
3147	4:11			
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		
				1

## CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road,
under truck's own power. Due to delivery at owner's or intermediary's direction,
seller assumes no responsibility for damages in any manner to sidewalks,
roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's
risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A
charge will be made for holding trucks longer. This concrete contains correct
water contents for strength or mix indicated. We do not assume responsibility for
strength test when water is added at customer's request.
NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

					DI	1	Y	I	Ģ.,												
E.	1	6	Ï	0	W	I	t. t.	0	IJ		R	Ū,	h	T	0	C	(7) I	0		R	
 41	10	31	T	0	10	0	UI	R	R	E.	[		RE	6	0	P	A	3	T		
1		2			1 m	dia.	n			1											

LA6/22

TEST TAKEN
TIME ALLOWED

RUCK BROKE DOWN<br/>CCIDENT<br/>SITATION<br/>DTHER
TIME DUE

TIME DUE
ADDITIONAL CHARGE 1

DELAY TIME
ADDITIONAL CHARGE 2

GRAND TOTAL

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

**Payless Concrete Products, Inc.** 

	OIL II, L.L. QUIRREL RD.		LAG/22 LAYMON OIL II 54 W TO WILLOW RD N TO 200 RD WEST TO SQUIRREL RD GO PAST									
	NEO	SHO FALLS KS	HELLA KESKE 17-12									
TIME	FORMULA	LOAD SIZE	YARDS ORDERED		PLANT/TRANSACTION #							
	TORWOLA	LOAD UIZE	TANDO ONDENED	% CAL	DRIVER/TRUCK	% AIR						
Ø3:32:18p	WELL	111.50 yd	23.00 yd	0.00	32	0.00						
DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER					
06-29-12	To Date Today	6	71.00 yd 23.00 yd	21281	G/yd Ø.Ø	4.00 in	32073					
Contains Portland Cement CAUSE BURNS. Avoid Co Contact With Skin or Eyes Attention. KEEP CHILDRE		ROLONGED CONTACT MAY Intact With Skin. In Case of ritation Persists, Get Medical	(TO BE SIGNED IF DELIVERY T Dear Customer-The driver of this t you for your signature is of the op truck may possibly cause damag property if it places the material in our wish to help you in every way the driver is requesting that you s	MAGE RELEASE TO BE MADE INSIDE CURB LINE) truck in presenting this RELEASE to inion that the size and weight of his the to the premises and/or adjacent in this load where you desire it. It is that we can, but in order to do this ign this RELEASE relieving him and by from any damage that may occur	GAL X							
LEAVING the PLANT. ANY O TELEPHONED to the OFFICE The undersigned promises to any sums owed. All accounts not paid within 30 Not Responsible for Reactive Material is Delivered.	E COMMODITY and BECOMES the PROP CHANGES OR CANCELLATION of ORIGI BEFORE LOADING STARTS. pay all costs, including reasonable attor days of delivery will bear interest at the rate e Aggregate or Color Quality. No Claim coss of the Cash Discount will be collect \$50/HR.	INAL INSTRUCTIONS MUST be neys' fees, incurred in collecting of 24% per annum. Allowed Unless Made at Time	to the premises and/or adjace driveways, curbs, etc., by the del also agree to help him remove mu that he will not litter the public stra- tion, the undersigned agrees to inc of this truck and this supplier for a	ent property, buildings, sidewalks, livery of this material, and that you ud from the wheels of his vehicle so eet. Further, as additional considera- demnify and hold harmless the driver any and all damage to the premises hay be claimed by anyone to have	NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.							
QUANTITY	CODE	DESCRIPTION				UNIT PRICE	EXTENDED PRICE					
i1.50 i1.50	WELL MIX&HAUL	WELL (10 SI MIXING & HI TYPE C.	ACKS PER UNI AULING	T	23.00 23.00							
							*					
RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/C	YLINDER TEST TAKEN	TIME ALLOWED							
	140		1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB	<ol> <li>TRUCK BROKE DOWN</li> <li>ACCIDENT</li> <li>CITATION</li> </ol>								
LEFT PLANT	ARRIVED JOB	START UNLOADING	4. CONTRACTOR BROKE DOWN 5. ADDED WATER	9. OTHER	TIME DUE							
343	400					ADDITIONAL CHARGE 1						
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME			DELAY TIME	ADDITIONAL CHARGE 2	*					

### CONDITIONS

# CONDITIONS Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request. NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.