

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	_
District #		_
SGA?	Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1089722

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day year	Sec Twp S. R 🔲 E 🔲 V
DPERATOR: License#	(0/0/0/0) feet from N / S Line of Section
Name:	feet from E / W Line of Section
ddress 1:	Is SECTION: Regular Irregular?
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
State:	County:
Contact Person:	Lease Name: Well #:
hone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: I II
	Length of Surface Pipe Planned to be set: Length of Conductor Pipe (if any):
Operator:	Projected Total Depth:
Well Name: Original Total Depth:	Formation at Total Depth:
Original Completion Date Original Total Deptil	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
f Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
CC DKT #·	
NOO DINT #	Will Cores be taken? YesN
OO DINI #	Will Cores be taken?N If Yes, proposed zone:
AFF	If Yes, proposed zone:
AFF The undersigned hereby affirms that the drilling, completion and eventual plu	If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual plu t is agreed that the following minimum requirements will be met:	If Yes, proposed zone:
AFF The undersigned hereby affirms that the drilling, completion and eventual plu	If Yes, proposed zone: IDAVIT Igging of this well will comply with K.S.A. 55 et. seq.
AFF The undersigned hereby affirms that the drilling, completion and eventual plu t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to	If Yes, proposed zone: IDAVIT Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq.
AFF The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone: IDAVIT Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq.
AFF The undersigned hereby affirms that the drilling, completion and eventual plu t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the districtions.	If Yes, proposed zone: IDAVIT Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq.
AFF The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg	If Yes, proposed zone: IDAVIT Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq.
AFF The undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1	If Yes, proposed zone: IDAVIT Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Inging of this well will comply with K.S.A. 55 et. seq. Inging of this well will comply with K.S.A. 55 et. seq. Inging of this well will comply with K.S.A. 55 et. seq. Inging of this well will comply will be set. Inging of this well will comply will be set. Inging of this well will comply will be set. Inging of this well will comply will be set. Inging of this well will be set. Inging of t
AFF The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	If Yes, proposed zone: IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; In y circulating cement to the top; in all cases surface pipe shall be set underlying formation. In it office on plug length and placement is necessary prior to plugging; In it office on plug length and placement is necessary prior to plugging; In it office on plug length and placement is necessary prior to plugging; In it office on plug length and placement is necessary prior to plugging; In it of the
AFF The undersigned hereby affirms that the drilling, completion and eventual plu t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist: 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1	If Yes, proposed zone: IDAVIT Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Inging of this well will comply with K.S.A. 55 et. seq. Inging of this well will comply with K.S.A. 55 et. seq. Inging of this well will comply with K.S.A. 55 et. seq. Inging of this well will comply will be set. Inging of this well will comply will be set. Inging of this well will comply will be set. Inging of this well will comply will be set. Inging of this well will be set. Inging of t
AFF The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone: IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; In y circulating cement to the top; in all cases surface pipe shall be set underlying formation. In it office on plug length and placement is necessary prior to plugging; In it office on plug length and placement is necessary prior to plugging; In it office on plug length and placement is necessary prior to plugging; In it office on plug length and placement is necessary prior to plugging; In it of the
AFF The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone: IDAVIT Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Inging of this well will comply with K.S.A. 55 et. seq. Inging of this well will comply with K.S.A. 55 et. seq. Inging of this well will comply with K.S.A. 55 et. seq. Inging of this well will comply will be set. Inging of this well will comply will be set. Inging of this well will comply will be set. Inging of this well will comply will be set. Inging of this well will be set. Inging of t
The undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> I through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone: IDAVIT Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq. Inging of this well will comply with K.S.A. 55 et. seq. Inging of this well will comply with K.S.A. 55 et. seq. Inging of this well will comply with K.S.A. 55 et. seq. Inging of this well will comply will be set. Inging of this well will comply will be set. Inging of this well will comply will be set. Inging of this well will comply will be set. Inging of this well will be set. Inging of t
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically. For KCC Use ONLY	IDAVIT aging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
AFF The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1. Indicate the provided in the complete of the spud date or the well shall be submitted Electronically. For KCC Use ONLY API # 15 -	IDAVIT Indexistry IDAVIT Indexistry IDAVIT Indexistry IDAVIT Indexistry IDAVIT
AFF The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15 -	IDAVIT Indexistry IDAVIT Indexistry IDAVIT Indexistry IDAVIT Indexistry IDAVIT
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically. For KCC Use ONLY	IDAVIT Indexistry IDAVIT Indexistry IDAVIT Indexistry IDAVIT Indexistry IDAVIT
AFF The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	IDAVIT Indexistry IDAVIT Indexistry IDAVIT Indexistry IDAVIT Indexistry IDAVIT
AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the description of the district office will be notified before well is either plugg. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically. For KCC Use ONLY API # 15	IDAVIT Igging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
AFF The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be Ibmitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	IDAVIT Indexistry IDAVIT Indexistry IDAVIT Indexistry IDAVIT Indexistry IDAVIT

Side Two



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	SecTwpS. R 🗌 E 🔲 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

2310 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1089722

Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:		
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed Existing If Existing, date constructed: Pit capacity: (bbls)		SecTwp R East WestFeet from North / South Line of SectionFeet from East / West Line of Section County		
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits		
If the pit is lined give a brief description of the li material, thickness and installation procedure.	om ground level to dee	Describe proce	dures for periodic maintenance and determining any special monitoring.		
Distance to nearest water well within one-mile of pit:		Depth to shallo Source of infor	west fresh water feet. mation:		
feet Depth of water wellfeet		measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all s flow into the pit? Yes No Submitted Electronically		Type of materia Number of work Abandonment p Drill pits must b	over and Haul-Off Pits ONLY: all utilized in drilling/workover: king pits to be utilized: procedure: de closed within 365 days of spud date.		
	KCC	OFFICE USE O	NLY		
Date Received: Permit Num	ber:		Liner Steel Pit RFAC RFAS t Date: Lease Inspection: Yes No		



Kansas Corporation Commission Oil & Gas Conservation Division

1089722

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)			
OPERATOR: License #	Well Location:			
Name:	SecTwpS. R East			
Address 1:	County:			
Address 2:	Lease Name: Well #:			
City: State: Zip:+	9 · · · · · · · · · · · · · · · · · · ·			
Contact Person:	the lease below:			
Phone: () Fax: ()				
Email Address:				
Surface Owner Information:				
Name:	When filing a Form T-1 involving multiple surface owners, attach an additiona			
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the			
Address 2:	county, and in the real estate property tax records of the county treasurer.			
City:				
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.			
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this			
task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1			
Submitted Electronically				

-STATE OF KANSAS STATE CORPORATION COMMISSION

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
211 No. Broadway
Wichita, Kansas

S WELL PLUGGING RECORD

State Corporation Commission 211 No. Broadway Wichita, Kansas	Rooks	de Mais des acciptor al forma de l'extra de la Comba de la Company de l'al la Company de l'estre de l'estre de		y. Sec. 32	Twp. 8 Rge	19 (E)_	(W)
NORTH	Location as "NE Lease Owner	E/CNWKSWK" o Finder P	or footage fro	m lines Ni UDDIV	<u>- 175 - </u>	DIVE	Miles and the second se
	Lease Owner	Wines				Well No	1
	Office Address		l, Kans			manima energy ere job energy or element (Myris (element))	- Lipport and a second
	Character of W Date well comp		-	•			19
	Application for						19
	Application for	plugging approv					_19 ₆₂ _
	Plugging comme Plugging comple	Dec	. 6		ers Open vy an say diadressa desplajorium dilly de diadrica dile 2000 diales diadrica de co	Discongression and an individual property and an	-19 62 19 62
	Reason for aban		l or producing	g formation		Benediction and the Property of the Control of the	
					a. Albanis (Arm Sign Chairmann na mar na magaig a bhith Alban da mhail an Igraell i deisneach dea	мен моголийся разви становий было как становической учи	
	If a producing was permission			-			
Locate well correctly on above Section Plat Name of Conservation Agent who sup	~ .					200 200000	
Name of Conservation Agent who sup	pervised plugging of this	s well	T G U U y		Tatal David	6 557-113515	Fee
Producing formation Show depth and thickness of all water	er, oil and gas formation	s.	Botton	1	_ Total Depth o	r Welloozo	Fee
OIL, GAS OR WATER RECOR						CASING RE	CORD
FORMATION	CONTENT	FROM	Тто	SIZE	PUT IN	PULLED	
		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		0.22		TOLLIS	
				AND THE RESIDENCE OF THE PARTY			
		The state of the s					n and when a representation and process
							Total a contract of the state o
Pulled pipe up to Pump 20 sacks of of cement to 180	cement to 60 . pulled pip	0', Pull	ed pipe 10 sack	up to	180', pun		cks
						1	
							(
					20842.00	-0 20 196	37
					D'	EG 20 130	pol port
					- 4-2 A	· · · · · · · · · · · · · · · · · · ·	a # 3 ()
			111111111111111111111111111111111111111		1	2 Just 1 m months	1.12
						12/20	1/2-
			Authorite Marrier (gr. 4000 May 10 Telephone (no. 1 Authorite de contrarente				
Name of Plugging Contractor	Barnes & Sons	description is nece Pipe Pu	Tiring BACK	of this sheet)			
Address	Russell,	Kansas					
CTATE OF							
STATE OF	, COU			owner) or (ov	, ss. vner or operator) of the chare	. daaaniba
well, being first duly sworn on cath, above-described well as filed and the	, says: That I have known the same are true are	owledge of the	facts, stateme	ents, and matt	ers herein conta	ined and the	log of the
		(Signature)	All-		4	112	
		(Signature)	1	1 4	sas)	Charles and the second	
_	· · · ·	A	ussels 10	, ton	(Address)		
Subscribed and Sworn to bef	ore me this // ca	day of_	Decem	wer .	, 19	62	
Q	m/	2	Euth_	I hell	ipse		73 7 7 7 .
My commission expires /// ay	26, 1963	No.				Notary	Public.

WELL LOG

15-163-03417 -00-00

Grant Oil Company $_{\text{SEC.}}$ 32 $_{\text{T.}}$ 8 $_{\text{R.}}$ 19 LDC. N/2 N/2 SW/4 WINES One FARM Rooks kansas 3515 COUNTRY TOTAL DEPTH 5/28/58 5/20/58 COMP. сомм. No SHOT OR TREATED Murfin Drilling Company - Rig #4 CONTRACTOR CASING 20 ⁸ 5/8" 193[‡] with 160 sacks cement 20641 15 ELEVATION 12 5 1/2" 3509\$ Producer 13 PRODUCTION

FIGURES INDICATE BOTTOM OF FORMATIONS

55\$	Clay	TOPS;		
95	Gray Sha l e			
125*	Sand Shale	Topeka	3024*	- 960
190	Blue Shale-Shells	Hebner	3228	-1164
595#	Shale-Shells	Toronto	32501	-1186
710	Sand	Kansas City	3268#	-1 204
1000	Shale-Shells	Conglomerate	None	
1240	Sand	Arbuck l e	3507	-1 443
14351	Shale w/Sand Streaks	RTD	3515 ^t	-1451
1552	Sand-Red Bed	Cable Tool	3515	
20101	Shale & Shells	•		
2970	Shale-Lime			
3195t	Lime & Shale	DST #1 3508*	-35 1 5‡ Ope	en 2 hrs.
3410		Recevered 60	clean •il.	40 [‡] muddy
3515#	Lime & Shale	oil, 1401 Very	heavy oil	cut mud,
35 1 5‡	Retary Total Depth	ne water. FB	HP 240#	

DEC 20 1962

State of	Kansas	-)			
County of	Sedgwick	ss:			
Ι,	Fred Murfin	of the	Murfi	n Dri ll ing	Company
upon oath state tha	t the above and foregoing i	s a true and correct c	opy of the log of the	WINE R #1	well.
		•	Med	Mul	
Subscribed and swo	rn to before me this	25th day of	October	19_62	
My Commission E	xpires: June 14,	1964	May	NOTARY PUBLIC	Elune

For KCC Use ONLY	
API # 15	


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section Sec. Twp. S. R. E W
Field:	SecTwpS. R E W
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR/QTR/QTR of acreage:	-
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
	Section corner used

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.