

### Kansas Corporation Commission Oil & Gas Conservation Division

### 1090150

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	County:
Name:	Lease Name: Well #:
Wellsite Geologist:	Field Name:
Purchaser:	Producing Formation:
Designate Type of Completion:	Elevation: Ground: Kelly Bushing:
☐ New Well ☐ Re-Entry ☐ Workover	Total Depth: Plug Back Total Depth:
☐ Oil         ☐ WSW         ☐ SIOW           ☐ Gas         ☐ D&A         ☐ ENHR         ☐ SIGW           ☐ OG         ☐ GSW         ☐ Temp. Abd.           ☐ CM (Coal Bed Methane)         ☐ Cathodic         ☐ Other (Core, Expl., etc.):	Amount of Surface Pipe Set and Cemented at: Feet  Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	·
Operator: Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth: Conv. to ENHR	Chloride content: ppm Fluid volume: bbls  Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	Quarter Sec TwpS. R
☐ ENHR         Permit #:           ☐ GSW         Permit #:	County: Permit #:
Spud Date or Date Reached TD Completion Date or Recompletion Date  Recompletion Date  Recompletion Date	

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY	
Letter of Confidentiality Received	
Date:	
Confidential Release Date:	
Wireline Log Received	
Geologist Report Received	
UIC Distribution	
ALT I II III Approved by: Date:	

Side Two



Operator Name:				Lease N	lame:			Well #:		
Sec Twp	S. R	East	] West	County:						
INSTRUCTIONS: Sh time tool open and clo recovery, and flow rat line Logs surveyed. A	osed, flowing and shu es if gas to surface te	t-in pressures st, along with	s, whether s final chart(s	hut-in press	ure reach	ed static level,	hydrostatic pres	ssures, bottom h	nole temp	erature, fluid
Drill Stem Tests Taker (Attach Additional		Yes	☐ No		Log	g Formation	n (Top), Depth a	nd Datum		Sample
Samples Sent to Geo	logical Survey	Yes	No		Name			Тор		Datum
Cores Taken Electric Log Run Electric Log Submitte (If no, Submit Cop)	d Electronically	☐ Yes ☐ Yes ☐ Yes	No No No							
List All E. Logs Run:										
		Report a		RECORD	New	Used	on, etc.			
Purpose of String	Size Hole Drilled	Size C Set (In	asing	Weig Lbs. /	ht	Setting Depth	Type of Cement	# Sacks Used	, ,,	and Percent additives
		<u> </u> 	DDITIONAL	CEMENTIN	IG / SQUE	EZE RECORD				
Purpose:  Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Type of 0	Cement	# Sacks	Used		Type and	Percent Additives		
Shots Per Foot	PERFORATI Specify	ON RECORD - Footage of Each	Bridge Plug n Interval Peri	s Set/Type forated			cture, Shot, Ceme mount and Kind of N	nt Squeeze Record Material Used)	d 	Depth
TUBING RECORD:	Size:	Set At:		Packer At:		Liner Run:				
							Yes N	0		
Date of First, Resumed	Production, SWD or EN	IHR. Pr	oducing Meth	nod:	g	as Lift C	Other (Explain)			
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Water	BI	ols.	Gas-Oil Ratio		Gravity
DISPOSITI	ON OF GAS:		N	METHOD OF	COMPLET	TION:		PRODUCTIO	ON INTER	VAL:
Vented Solo	Used on Lease		n Hole	Perf.	Dually (		nmingled mit ACO-4)			
(11 verneu, 3u	10./	Othe	r (Specify)				I —			

BIRK PETROLE 874 12 <sup>TH</sup> RD SW	CUM SERVICE TICKET WELL CEMENTING	
BURLINGTON, 1	KS 66839	1
620-364-1311 - OI	FFICE, 620-364-6646 - CELL  COUNTY  CITY  DATE: CITY	<u> </u>
CHARGE TO ADDRESS	BITK PETROLEUM CITY OST ZIP	
LEASE & WELL	NO. Dale Hams #14 CONTRACTOR COMMON TOOLS	
KIND OF JOB DIR. TO LOC.	ment long string SEC_10 TWP 25 RG1 15 E OLD NEW	
QUANTITY	MATERIAL USED	SERV. CHG
200 SX	MOITIUI COMENT	
8		
	BULK CHARGE	
	BULK TRK. MILES	
	PUMP TRK. MILES	
	PLUGS	
	TOTAL	
T.D. 1471	CSG. SET AT 450' VOLUME_	
SIZE HOLE 6	TBG SET AT	
MAX. PRESS	SIZE PIPE 2 78" Casing	
PLUG DEPTH	PKER DEPTHPLUG USED	
TIME FINISHED:		
REMARKS:	onned to Dire. Pump Coment Into Well. Goo	d Circ.
to Surfa	Ce. Job complete.	
NAME	•	
	Dow ( Soul	
CEMENTER O	OR TREATER OWNER'S REP.	

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

## Payless Concrete Products, Inc.

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum aliotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contracts.

BBOOL

B & B COOPERATIVE VENTURES 900 S. FOURTH ST.

BURLINGTON KS

BI4/12

B&B COOPERATIVE VENTURES

54 HWY N TO 75 HWY S 2. 5 MI E SD JUST PAST 90TH

LOOK FOR TANKS

Control of the Contro		under 2		DUITE HEHLIORIA			THE RESERVE OF THE PARTY OF THE	
TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #	
				% CAL	WK	% AIR	400	
07:57:57a	S Town	10.00 91	20.00 yd	0.00 [	35	0.00	MOODGO	
DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM .	SLÜMP	TICKET NUMBER	
	To Date	B	19.00 78				1 20	
<b>Ø</b> 5-23-12	Today	1	10.00 yd	28642	6/yu 0.0	4.00 in	2,66	

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE Is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)
Dear Customer-The driver of this truck in presenting this RELEASE to
you for your signature is of the opinion that the size and weight of his
truck may possibly cause damage to the premises and/or adscent
properly if please the material in this load where you desire if it, is,
our-wish to help room every way that we can, but in order to do pitch
the driver is requesting that you sign this RELEASE mileving his subsith supplier from any responsibility from any damage that may occur
to the premises and/or adjacent properly, buildings, sideways,
curbs, etc., by the delivery of this material, and that you
also agree to help him remove must form the wheels of his vehicle so
that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the given
of his truck and his supplier for any and all damage to the premisesand/or adjacent properly which may be claimed by anyone to have
arisin out of delivery of this order. Excessive Water is Detrimental to Concrete Performance H<sub>2</sub>0 Added By Request/Authorized By

GAL X

WEIGHMASTER

UNIT PRICE

EXTENDED PRICE

QUANTITY	CODE	DESCRIPTION	
10.88 10.08 2.50	WELL MIX&HAUL TRUCKING	WELL (10 MIXING & TRUCKING	

10.00	51.00	510.00
10.00	25.00	250.00
X2.50	50.00	125.00
1		

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINI	DER TEST TAKENA	TIME ALLOWED		
	1.50		JOB NOT READY     SLOW POUR OR PUMP     TRUCK AHEAD ON JOB	6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION		ax % 7.300	885.00 64.61
LEFT PLANT	ARRIVED JOB	START UNLOADING	CONTRACTOR BROKE DOWN     ADDED WATER	9. OTHER	TIME DUE		949.61
8:19	7:187	*audicos) file		1	1	ADDITIONAL CHARGE 1	949.61
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME			DELAY TIME	ADDITIONAL CHARGE 2	
					4		1. The Land
		40.8%		- Lance	Circle Circle	GRAND TOTAL	

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The macritum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength less when water is added at customer's request.

NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filling of a mechanic's lien on the property which is the subject of this contract.

SHIP TO

510.00

250.00

BB001

B & B COOPERATIVE MENTURES 900 S. FOURTH ST.

BURLINGTON KS

B14/12 B&B COOPERATIVE WENTURES 54 HUY W TO 75 NWY S 2.5 MI E SD JUST PAST SATH LOOK FOR TANKS DOLF ODOMS#14

The second second				LA Berten 1	TELL TRANSPORTER				
TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #		
			1 1	% CAL	DM.	% AIR	1 2 5		
Ø8:10:35a	WELL .	10.00 yd	20.00 yd	0.00	34	0.00	MODDED -		
DATE		LOAD#	YARDS DEL:	BATCH#	WATER TRIM	SLUMP	CKET NUMBER		
	To Date	9	.89.00 vd1	25-			1		
05-23-12	Today	2	20.00 yd!	20643	6/yd 0.0	4.00 in	11/1/20		
		The second secon		Y	- 1 100	T. D. L Valle Con	aceta Darfarmanaa		

WARNING IRRITATING TO THE SKIN AND EYES

Contains Portland Cement. Wear Rubber Boots and Gloves.—PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, if Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE IS A PERISHABLE COMMODITY and BECOMES the PROPERTY Of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)
Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the applicant hat the size and weight of the truck may possibly cause displayable to the property if it places the initiation in this load where you desire it. It property if it places the initiation in this load where you desire it. It is not wish to help you in every way that we can, but in order to do this the driver is requesting fallifyou sign this RELEASE relieving him and his supplier from any responsibility from any damage that may occur to the premises and/or adjacent property. Dulliforms, sidewalks, cuts, etc., by the delivery of this material, and that you also agree to help him remove must from the wheels of his which so that he will not little the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all camage to the premises and/or adjacent property which may be claimed by anyone to have arisin out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H<sub>2</sub>0 Added By Request/Authorized By

GAL

WEIGHMASTER

UNIT PRICE EXTENDED PRICE QUANTITY DESCRIPTION CODE 51.00 20.00 10.00 25,00 MIXING & HAULING 10.00 MIXEHALL Truck, My Charge

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	unTotal \$ 760.00
		15:00	JOB NOT READY     SLOW POUR OR PUMP     TRUCK AHEAD ON JOB     SCHATTON     SCHATTON	-	ax % 7.300 55.48
LEFT PLANT	ARRIVED JOB	START UNLOADING	CONTRACTOR BROKE DOWN 9: OTHER     ADDED WATER	TIME DUE	1777 00
8:15	8:44	11110		100	ADDITIONAL CHARGE 1
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 2
					GRAND TOTAL