

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

			Spot Description:
	month day	y year	Sec Twp S. R E
DPERATOR: License#			feet from N / S Line of Section
			feet from E / W Line of Secti
			Is SECTION: Regular Irregular?
			(Note: Locate well on the Section Plat on reverse side)
		′ip: +	County:
Contact Person:			Lease Name: Well #:
hone:			Field Name:
CONTRACTOR: License#	¥		Is this a Prorated / Spaced Field?
lame:			Target Formation(s):
W " D " " . T	147 # 01	.	Nearest Lease or unit boundary line (in footage):
Well Drilled For:	Well Class:	Type Equipment:	Ground Surface Elevation:feet MS
Oil Enh	Rec Infield	Mud Rotary	Water well within one-quarter mile:
Gas Stora	· =	Air Rotary	Public water supply well within one mile:
Dispo		Cable	Depth to bottom of fresh water:
Seismic ;#			Depth to bottom of usable water:
Other:			Surface Pipe by Alternate:
If OWWO: old well	Il information as follows:		Length of Surface Pipe Planned to be set:
_			
•			Projected Total Depth:
	Origina	al Total Depth:	
Original Completion D	ate Origina	ai iotai Deptii	Water Source for Drilling Operations:
Directional, Deviated or Ho	orizontal wellbore?	Yes No	Well Farm Pond Other:
f Yes, true vertical depth:			DWR Permit #:
			(Note: Apply for Permit with DWR)
KCC DKT #:			
			If Yes, proposed zone:
			FIDAVIT
	•		ugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the follow	wing minimum requireme	ents will be met:	
	riate district office <i>prior</i> to		
	roved notice of intent to c		3 <i>3</i>
A copy of the appr			t by circulating cement to the top; in all cases surface pipe shall be set
2. A copy of the appr3. The minimum amount	ount of surface pipe as sp		7 0 17
 A copy of the appr The minimum amount through all uncons 	ount of surface pipe as sp solidated materials plus a	a minimum of 20 feet into th	ne underlying formation.
 A copy of the appr The minimum amounthrough all uncons If the well is dry ho 	ount of surface pipe as sp solidated materials plus a ole, an agreement betwe	a minimum of 20 feet into the disense the operator and the dise	7 0 17
 A copy of the appr The minimum amouthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE 	pount of surface pipe as sp solidated materials plus a pole, an agreement betwe istrict office will be notifie II COMPLETION, produ	a minimum of 20 feet into the en the operator and the dised before well is either plug ction pipe shall be cement	ne underlying formation. Strict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.
 A copy of the appr The minimum amouthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to App 	ount of surface pipe as sp solidated materials plus a ole, an agreement betwe istrict office will be notifie II COMPLETION, produ pendix "B" - Eastern Kan	a minimum of 20 feet into the the operator and the dised before well is either plugction pipe shall be cement sas surface casing order #	ne underlying formation. strict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 A copy of the appr The minimum amouthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to App 	ount of surface pipe as sp solidated materials plus a ole, an agreement betwe istrict office will be notifie II COMPLETION, produ pendix "B" - Eastern Kan	a minimum of 20 feet into the the operator and the dised before well is either plugction pipe shall be cement sas surface casing order #	ne underlying formation. Strict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.
 A copy of the appr The minimum amouthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to App 	ount of surface pipe as sp solidated materials plus a ole, an agreement betwe istrict office will be notifie II COMPLETION, produ pendix "B" - Eastern Kan	a minimum of 20 feet into the the operator and the dised before well is either plugction pipe shall be cement sas surface casing order #	ne underlying formation. Strict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 A copy of the appr The minimum amouthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to Appmust be completed 	count of surface pipe as sp solidated materials plus a sole, an agreement betwe istrict office will be notified II COMPLETION, produ- pendix "B" - Eastern Kan d within 30 days of the sp	a minimum of 20 feet into the the operator and the dised before well is either plugction pipe shall be cement sas surface casing order #	ne underlying formation. Strict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 A copy of the appr The minimum amouthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to Appmust be completed 	count of surface pipe as sp solidated materials plus a sole, an agreement betwe istrict office will be notified II COMPLETION, produ pendix "B" - Eastern Kan d within 30 days of the sp	a minimum of 20 feet into the the operator and the dised before well is either plugction pipe shall be cement sas surface casing order #	ne underlying formation. Strict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
 A copy of the appr The minimum amouthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to Appmust be completed 	count of surface pipe as sp solidated materials plus a sole, an agreement betwe istrict office will be notified II COMPLETION, produ pendix "B" - Eastern Kan d within 30 days of the sp	a minimum of 20 feet into the the operator and the dised before well is either plugction pipe shall be cement sas surface casing order #	ne underlying formation. Strict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
A copy of the appr The minimum amouthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to Approve the completed ubmitted Electro For KCC Use ONLY	count of surface pipe as specificated materials plus a cole, an agreement between istrict office will be notified if COMPLETION, produpendix "B" - Eastern Kand within 30 days of the specifically	a minimum of 20 feet into then the operator and the dised before well is either plug ction pipe shall be cement sas surface casing order # bud date or the well shall b	ne underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
2. A copy of the appr 3. The minimum amouthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appende to the complete of the c	count of surface pipe as specificated materials plus a cole, an agreement between istrict office will be notified II COMPLETION, produpendix "B" - Eastern Kand within 30 days of the specifically	a minimum of 20 feet into then the operator and the dised before well is either plugction pipe shall be cement sas surface casing order # bud date or the well shall b	ne underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
A copy of the appr The minimum amouthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to Appendent be completed Ubmitted Electro For KCC Use ONLY API # 15 -	count of surface pipe as specificated materials plus a cole, an agreement between istrict office will be notified if COMPLETION, produpendix "B" - Eastern Kand within 30 days of the specifically	a minimum of 20 feet into then the operator and the dised before well is either plugction pipe shall be cement sas surface casing order # bud date or the well shall b	Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
2. A copy of the appr 3. The minimum amouthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approved by the completed Ubmitted Electro For KCC Use ONLY API # 15 - Conductor pipe required	count of surface pipe as specificated materials plus a cole, an agreement between istrict office will be notified II COMPLETION, produpendix "B" - Eastern Kand within 30 days of the specifically	a minimum of 20 feet into the the operator and the dised before well is either plug ction pipe shall be cement sas surface casing order # bud date or the well shall be bud feet	ne underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
 A copy of the appr The minimum amouthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to Appendix be completed Ubmitted Electro For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe re 	count of surface pipe as specificated materials plus a cole, an agreement between istrict office will be notified II COMPLETION, produpendix "B" - Eastern Kand within 30 days of the specifically	a minimum of 20 feet into the the operator and the dised before well is either plug ction pipe shall be cement sas surface casing order # bud date or the well shall be the feet feet feet in the feet	ne underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
2. A copy of the appr 3. The minimum amouthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approve be completed ubmitted Electro For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe re Approved by:	count of surface pipe as specificated materials plus a cole, an agreement between istrict office will be notified if COMPLETION, produpendix "B" - Eastern Kand within 30 days of the specifically	a minimum of 20 feet into the the operator and the dised before well is either plug ction pipe shall be cement sas surface casing order # bud date or the well shall be the feet feet feet in the feet	ne underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
2. A copy of the appr 3. The minimum amouthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approve be completed Ubmitted Electro For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe re Approved by: This authorization expire	count of surface pipe as specificated materials plus a cole, an agreement between istrict office will be notified if COMPLETION, produpendix "B" - Eastern Kand within 30 days of the specifically	a minimum of 20 feet into the the operator and the dised before well is either plug ction pipe shall be cement sas surface casing order # oud date or the well shall be be the feet feet per ALT. I II	Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _

Side Two



For KCC Use ONLY	
API # 15	-

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

						_ [ocation of V	/eii: Count	у
						_			feet from N / S Line of Section
umber:						_			feet from E / W Line of Section
									S. R
						_ `			
er of Acres atti	ributable to	well:				- ı	s Section:	Regula	ar or Irregular
TR/QTR/QTR	of acreage	e:					0 000110111		ar or mogular
							f Saction is	Irrogular I	locate well from nearest corner boundary.
							Section corn	_	
						•	section com	ei useu.	
						PLAT			
				_				-	Show the predicted locations of
lease roa	ads, tank ba	atteries, pip	elines and	d electrica	l lines, as	required	by the Kans	sas Surface	e Owner Notice Act (House Bill 2032).
				You ma	ay attach a	a separa	te plat if des	ired.	
	:	: :			:	:	:		
					:	:	:		LEGEND
	:	:			:	:	:		LEGEND
•••••		:		•••••		:			O Well Location
		: :				:	:		Tank Battery Location
	:	:			:	:	:		Pipeline Location
				•••••					Electric Line Location
	: :	: :			:	:	:		
					:				Lease Road Location
		:			•	:	:		
		:		•••••	•	:			
		: :		•••••	•	: : :	:		
				•••••		:			EXAMPLE : :
			······································			:			
			1			:	:		EXAMPLE :
			1			:			
			1						EXAMPLE :
			1						EXAMPLE :
			1						EXAMPLE :
			1						EXAMPLE :
			1						EXAMPLE
			1						EXAMPLE
			1						EXAMPLE
			1						EXAMPLE
			1				φ	- 415 f	EXAMPLE

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

330 ft.

5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

090342

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:			
Operator Address:					
Contact Person:		Phone Number:			
Lease Name & Well No.:		Pit Location (QQQQ):			
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed Existing If Existing, date constructed: Pit capacity: (bbls)		SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty		
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits		
If the pit is lined give a brief description of the li material, thickness and installation procedure.	om ground level to dee	Describe proce	dures for periodic maintenance and determining any special monitoring.		
Distance to nearest water well within one-mile	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:		
feet Depth of water well	feet	measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all s flow into the pit? Yes No Submitted Electronically		Type of materia Number of work Abandonment p Drill pits must b	over and Haul-Off Pits ONLY: all utilized in drilling/workover: king pits to be utilized: procedure: de closed within 365 days of spud date.		
	KCC	OFFICE USE O	NLY		
Date Received: Permit Num	ber:		Liner Steel Pit RFAC RFAS t Date: Lease Inspection: Yes No		



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1090342


Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R East
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat n the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this
task, I acknowledge that I am being charged a \$30.00 handling If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1
Submitted Electronically	



Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Mark Sievers, Chairman Thomas E. Wright, Commissioner Sam Brownback, Governor

August 14, 2012

Kent Roberts Roberts Resources, Inc. 2020 N TYLER RD, STE 106 WICHITA, KS 67212

Re: Drilling Pit Application Weigel 1-1 SE/4 Sec.01-12S-14W Russell County, Kansas

Dear Kent Roberts:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased. KEEP PITS away from draw/drainage.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 625-0550 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (785) 625-0550.