



WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # _____

Name: _____

Address 1: _____

Address 2: _____

City: _____ State: _____ Zip: _____ + _____

Contact Person: _____

Phone: (_____) _____

CONTRACTOR: License # _____

Name: _____

Wellsite Geologist: _____

Purchaser: _____

Designate Type of Completion:

- New Well Re-Entry Workover
- Oil WSW SWD SIOW
- Gas D&A ENHR SIGW
- OG GSW Temp. Abd.
- CM (Coal Bed Methane)
- Cathodic Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____

Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____

- Deepening Re-perf. Conv. to ENHR Conv. to SWD
- Conv. to GSW
- Plug Back: _____ Plug Back Total Depth _____
- Commingled Permit #: _____
- Dual Completion Permit #: _____
- SWD Permit #: _____
- ENHR Permit #: _____
- GSW Permit #: _____

Spud Date or Recompletion Date Date Reached TD Completion Date or Recompletion Date

API No. 15 - _____

Spot Description: _____

_____ - _____ - _____ Sec. _____ Twp. _____ S. R. _____ East West

_____ Feet from North / South Line of Section

_____ Feet from East / West Line of Section

Footages Calculated from Nearest Outside Section Corner:

- NE NW SE SW

County: _____

Lease Name: _____ Well #: _____

Field Name: _____

Producing Formation: _____

Elevation: Ground: _____ Kelly Bushing: _____

Total Depth: _____ Plug Back Total Depth: _____

Amount of Surface Pipe Set and Cemented at: _____ Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set: _____ Feet

If Alternate II completion, cement circulated from: _____

feet depth to: _____ w/ _____ sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: _____ ppm Fluid volume: _____ bbls

Dewatering method used: _____

Location of fluid disposal if hauled offsite: _____

Operator Name: _____

Lease Name: _____ License #: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West

County: _____ Permit #: _____

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

- Letter of Confidentiality Received
Date: _____
- Confidential Release Date: _____
- Wireline Log Received
- Geologist Report Received
- UIC Distribution
- ALT I II III Approved by: _____ Date: _____



1090348

Operator Name: _____ Lease Name: _____ Well #: _____

Sec. _____ Twp. _____ S. R. _____ East West County: _____

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Submitted Electronically <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(If no, Submit Copy)</i> List All E. Logs Run:	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
_____ Perforate _____ Protect Casing _____ Plug Back TD _____ Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD: Size: _____ Set At: _____ Packer At: _____ Liner Run: Yes No

Date of First, Resumed Production, SWD or ENHR. _____ Producing Method:
 Flowing Pumping Gas Lift Other *(Explain)* _____

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
-----------------------------------	-----------	---------	-------------	---------------	---------

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <i>(Submit ACO-4)</i> <input type="checkbox"/> Other <i>(Specify)</i> _____	PRODUCTION INTERVAL: _____ _____
-------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------



CONSOLIDATED
Oil Well Services, LLC



ENTERED

TICKET NUMBER 34841 ✓
LOCATION Eureka, KS
FOREMAN Shannon Felck

PO Box 884, Chanute, KS 66720
620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT
CEMENT API 15-169-20340

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
6-20-12	2921	Roger Johnson #1	31	165	3W	Saline
CUSTOMER			TRUCK #	DRIVER	TRUCK #	DRIVER
Case Beer, Inc			445	Dave G		
MAILING ADDRESS			479	marle R		
909 N. High Drive						
CITY	STATE	ZIP CODE				
McPherson	KS	67460				

JOB TYPE Longstring HOLE SIZE 7 7/8" HOLE DEPTH 3457' CASING SIZE & WEIGHT 4 1/2" @
 CASING DEPTH 3457, X.B DRILL PIPE _____ TUBING _____ OTHER _____
 SLURRY WEIGHT 13.4-13.6 SLURRY VOL 60 Bbl WATER gal/sk 9.0 CEMENT LEFT in CASING 16.85'
 DISPLACEMENT 56.5 Bbl DISPLACEMENT PSI 600 MIX PSI Bumped plug to 1000 PSI RATE 5 BPM

REMARKS: Safety meeting, Rig up to 4 1/2" casing, Break circulation w/ 5 Bbl water, 14 Bbl caustic soda pre flush, 5 Bbl spacer. Mixed 175 SKS Thick set cement with 5# kol-seal/sk & 1# phenoseal/sk @ 13.4-13.6 #/gal. Shut down wash out pump & line. Displace Rubber plug with 56.5 Bbl water. Final pumping pressure of 600 psi, bumped plug to 1000 psi. wait two minutes, release pressure, plug & float hold good. Good circulation @ all times. Job complete.

Company man had rig run float equipment - insert in top of 1st Joint 16.85'

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	1	PUMP CHARGE	1030.00	1030.00
5406	100	MILEAGE	4.00	400.00
1126 A	175 SKS	Thickset Cement	19.20	3360.00
1110 A	875 #	kol-seal @ 5#/SK	.46	402.50
1107 A	175 #	phenoseal @ 1#/SK	1.29	225.75
1103	100 #	caustic soda pre flush	1.61	161.00
5407A	9.62 Tons	Tom mileage bulk Truck	1.34	1289.08
4404	1	4 1/2 Top Rubber plug	45.00	45.00
<u>Thanks Shannon & crew</u>				
				6913.33
				Sub Total
			7.3%	SALES TAX
				306.18
				ESTIMATED TOTAL
				7219.51

Ravin 3737

AUTHORIZATION [Signature] TITLE 250817 DATE _____

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form



CONSOLIDATED
Oil Well Services, LLC



ENTERED

TICKET NUMBER 34841 ✓
LOCATION Eureka, KS
FOREMAN Shannon Felk

PO Box 884, Chanute, KS 66720
620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT
CEMENT API 15-169-20340

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
6-20-12	2921	Roger Johnson #1	31	165	3W	Saline
CUSTOMER <u>Case Beer, Inc</u>			C+G			
MAILING ADDRESS <u>909 N. High Drive</u>			DRLG			
CITY <u>McPherson</u>		STATE <u>KS</u>	ZIP CODE <u>67460</u>			
TRUCK #		DRIVER		TRUCK #		DRIVER
<u>445</u>		<u>Dave G</u>				
<u>479</u>		<u>marle R</u>				

JOB TYPE Longstring HOLE SIZE 7 7/8" HOLE DEPTH 3457' CASING SIZE & WEIGHT 4 1/2" @
CASING DEPTH 3457, X.B DRILL PIPE _____ TUBING _____ OTHER _____
SLURRY WEIGHT 13.4-13.6 SLURRY VOL 60 Bbl WATER gal/sk 9.0 CEMENT LEFT in CASING 16.85'
DISPLACEMENT 56.5 Bbl DISPLACEMENT PSI 600 MIX PSI Bumped plug to 1000 PSI RATE 5 BPM

REMARKS: Safety meeting, Rig up to 4 1/2" casing, Break circulation w/ 5 Bbl water, 14 Bbl caustic soda pre flush, 5 Bbl spacer. Milled 175 SKS Thick set cement with 5# kol-seal/sk & 1# phenoseal/sk @ 13.4-13.6 #/gal. Shut down wash out pump & line. Displace Rubber plug with 56.5 Bbl water. Final pumping pressure of 600 psi, bumped plug to 1000 psi. wait two minutes, release pressure, plug & float hold good. Good circulation @ all times. Job complete.

Company man had rig run float equipment - insert in top of 1st Joint 16.85'

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	1	PUMP CHARGE	1030.00	1030.00
5406	100	MILEAGE	4.00	400.00
1126 A	175 SKS	Thickset Cement	19.20	3360.00
1110 A	875 #	kol-seal @ 5#/SK	.46	402.50
1107 A	175 #	phenoseal @ 1#/SK	1.29	225.75
1103	100 #	caustic soda pre flush	1.61	161.00
5407A	9.62 Tons	Town mileage bulk Truck	1.34	1289.08
4404	1	4 1/2 Top Rubber plug	45.00	45.00
<u>Thanks Shannon & crew</u>				
				6913.33
				Sub Total
			7.3%	SALES TAX
				306.18
				ESTIMATED TOTAL
				7219.51

Ravin 3737

AUTHORIZATION [Signature] TITLE 250817 DATE _____

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form