

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:
Effective	Date:
District #	
SGA?	Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

	month	day	year	Spot Description:	
		,	,	Sec Twp	
PERATOR: License#				feet from	
ame:				feet from	n E / W Line of Sectio
ddress 1:				Is SECTION: Regular Irregular?	
ddress 2:				(Note: Locate well on the Section	Plat on reverse side)
ty:				County:	•
ntact Person:				Lease Name:	
none:				Field Name:	
ONTRACTOR: License#	ŧ			Is this a Prorated / Spaced Field?	Yes No
ame:				Target Formation(s):	
		_		Nearest Lease or unit boundary line (in footage	
Well Drilled For:	Well Class:	lype	Equipment:	Ground Surface Elevation:	
Oil Enh		=	Mud Rotary	Water well within one-quarter mile:	Yes N
Gas Stora			Air Rotary	Public water supply well within one mile:	Yes N
Dispo	\vdash		Cable	Depth to bottom of fresh water:	
Seismic ;#				Depth to bottom of iresh water: Depth to bottom of usable water:	
Other:					
If OWWO: old wel	I information as follow	vs:		Surface Pipe by Alternate: I III	
				Length of Surface Pipe Planned to be set:	
Operator:				Length of Conductor Pipe (if any):	
Well Name:				Projected Total Depth:	
Original Completion D	ate: C	riginal Total	Depth:		
irestianal Davietad er II.	2 معم طالامین امام معند م		□ Vaa □ Na	Water Source for Drilling Operations:	
Directional, Deviated or Ho Yes, true vertical depth: _			Yes No	Well Farm Pond Other:	
Rottom Hole Location:				DWR Permit #:	
(CC DKT #:				(Note: Apply for Permit wi	
				Will Cores be taken? If Yes, proposed zone:	Yes N
			ΔF	FIDAVIT	
he undersigned hereby	affirms that the dril	ling, comple			eq.
-		-	etion and eventual pl	ugging of this well will comply with K.S.A. 55 et. se	q.
t is agreed that the follow	wing minimum requi	rements wil	etion and eventual pl		q.
is agreed that the follow 1. Notify the appropri	wing minimum requi	rements wil	etion and eventual pl I be met: ding of well;	ugging of this well will comply with K.S.A. 55 et. se	q.
t is agreed that the follow 1. Notify the appropri 2. A copy of the appr	wing minimum requinate district office pi ctory	rements wil rior to spude t to drill sha	etion and eventual pl I be met: ding of well; all be posted on eac	ugging of this well will comply with K.S.A. 55 et. se	
t is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amo	wing minimum requirate district office provoved notice of intendent of surface pipe	rements will rior to spude to drill sha as specified	etion and eventual pl I be met: ding of well; all be posted on each d below shall be see	ugging of this well will comply with K.S.A. 55 et. se	
t is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amouthrough all uncons	wing minimum requi iate district office pi roved notice of inten- bunt of surface pipe solidated materials p	rements wil rior to spude t to drill sha as specified olus a minim	etion and eventual pl I be met: ding of well; all be posted on each d below shall be see hum of 20 feet into th	ugging of this well will comply with K.S.A. 55 et. se th drilling rig; thy circulating cement to the top; in all cases surfa	ce pipe shall be set
 t is agreed that the follow Notify the appropri A copy of the appr The minimum amounthrough all uncons If the well is dry ho The appropriate di 	wing minimum requi iate district office pi roved notice of inten- bunt of surface pipe solidated materials pile, an agreement bi istrict office will be r	rements will rior to spuddent to drill sha as specified blus a minim etween the notified befo	etion and eventual pl I be met: ding of well; all be posted on each d below shall be set num of 20 feet into the operator and the dis re well is either plug	ugging of this well will comply with K.S.A. 55 et. se the drilling rig; the by circulating cement to the top; in all cases surfact office on plug length and placement is necessiged or production casing is cemented in;	ce pipe shall be set sary prior to plugging ;
 t is agreed that the follow Notify the appropri A copy of the appr The minimum amounthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE 	wing minimum requi iate district office pi roved notice of inten- bunt of surface pipe solidated materials pile, an agreement bi istrict office will be r II COMPLETION, p	rements will rior to spude to drill she as specified oldus a minimetween the notified beforeduction p	etion and eventual pl I be met: ding of well; all be posted on each d below shall be set num of 20 feet into the operator and the dis re well is either plug ipe shall be cemente	ugging of this well will comply with K.S.A. 55 et. set h drilling rig; they circulating cement to the top; in all cases surface underlying formation. Strict office on plug length and placement is necessiged or production casing is cemented in; and from below any usable water to surface within 1	ce pipe shall be set sary prior to plugging; 20 DAYS of spud date.
Notify the appropriate is agreed that the follow Notify the appropriate is a copy of the appropriate in through all unconsections. If the well is dry how the appropriate different in the appropriate different in the appropriate	wing minimum requi iate district office pi oved notice of inten- ount of surface pipe solidated materials pile, an agreement bi istrict office will be r II COMPLETION, pipendix "B" - Eastern	rements will rior to spude to drill she as specified blus a minim etween the notified befor roduction p	etion and eventual pl I be met: ding of well; all be posted on each d below shall be set num of 20 feet into the operator and the dis re well is either plug ipe shall be cementer face casing order #	ugging of this well will comply with K.S.A. 55 et. set h drilling rig; they circulating cement to the top; in all cases surface underlying formation. Strict office on plug length and placement is necessiged or production casing is cemented in; and from below any usable water to surface within 1133,891-C, which applies to the KCC District 3 are	ce pipe shall be set sary prior to plugging; 20 DAYS of spud date. ea, alternate II cementing
 t is agreed that the follow Notify the appropri A copy of the appr The minimum amounthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to App 	wing minimum requi iate district office pi oved notice of inten- ount of surface pipe solidated materials pile, an agreement bi istrict office will be r II COMPLETION, pipendix "B" - Eastern	rements will rior to spude to drill she as specified blus a minim etween the notified befor roduction p	etion and eventual pl I be met: ding of well; all be posted on each d below shall be set num of 20 feet into the operator and the dis re well is either plug ipe shall be cementer face casing order #	ugging of this well will comply with K.S.A. 55 et. set h drilling rig; they circulating cement to the top; in all cases surface underlying formation. Strict office on plug length and placement is necessiged or production casing is cemented in; and from below any usable water to surface within 1	ce pipe shall be set sary prior to plugging; 20 DAYS of spud date. ea, alternate II cementing
 t is agreed that the follow Notify the appropri A copy of the appr The minimum amounthrough all uncons If the well is dry ho The appropriate di If an ALTERNATE Or pursuant to App 	wing minimum requi iate district office pi oved notice of inten- ount of surface pipe solidated materials pile, an agreement bi istrict office will be r II COMPLETION, pipendix "B" - Eastern	rements will rior to spude to drill she as specified blus a minim etween the notified befor roduction p	etion and eventual pl I be met: ding of well; all be posted on each d below shall be set num of 20 feet into the operator and the dis re well is either plug ipe shall be cementer face casing order #	ugging of this well will comply with K.S.A. 55 et. set h drilling rig; they circulating cement to the top; in all cases surface underlying formation. Strict office on plug length and placement is necessiged or production casing is cemented in; and from below any usable water to surface within 1133,891-C, which applies to the KCC District 3 are	ce pipe shall be set sary prior to plugging; 20 DAYS of spud date. ea, alternate II cementing
 is agreed that the follows Notify the approprise A copy of the apprecent of the appropriate of the appropriate of the appropriate of the appropriate of the apprecent of th	wing minimum requirate district office <i>pi</i> oved notice of intendent of surface pipe solidated materials pole, an agreement bistrict office will be rependix "B" - Eastern d within 30 days of the sitted of the surface	rements will rior to spude to drill she as specified blus a minim etween the notified befor roduction p	etion and eventual pl I be met: ding of well; all be posted on each d below shall be set num of 20 feet into the operator and the dis re well is either plug ipe shall be cementer face casing order #	ugging of this well will comply with K.S.A. 55 et. set h drilling rig; they circulating cement to the top; in all cases surface underlying formation. Strict office on plug length and placement is necessiged or production casing is cemented in; and from below any usable water to surface within 1133,891-C, which applies to the KCC District 3 are	ce pipe shall be set sary prior to plugging; 20 DAYS of spud date. ea, alternate II cementing
 is agreed that the follows Notify the approprise A copy of the apprecent of the appropriate of the appropriate of the appropriate of the appropriate of the apprecent of th	wing minimum requirate district office <i>pi</i> oved notice of intendent of surface pipe solidated materials pole, an agreement bistrict office will be rependix "B" - Eastern d within 30 days of the sitted of the surface	rements will rior to spude to drill she as specified blus a minim etween the notified befor roduction p	etion and eventual pl I be met: ding of well; all be posted on each d below shall be set num of 20 feet into the operator and the dis re well is either plug ipe shall be cementer face casing order #	ugging of this well will comply with K.S.A. 55 et. set h drilling rig; they circulating cement to the top; in all cases surface underlying formation. Strict office on plug length and placement is necessiged or production casing is cemented in; and from below any usable water to surface within 1133,891-C, which applies to the KCC District 3 are	ce pipe shall be set sary prior to plugging; 20 DAYS of spud date. ea, alternate II cementing
is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amount through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate descriptions where the properties of the properties	wing minimum requirate district office <i>pi</i> oved notice of intendent of surface pipe solidated materials pole, an agreement bistrict office will be rependix "B" - Eastern d within 30 days of the sitted of the surface	rements will rior to spude to drill she as specified blus a minim etween the notified befor roduction p	etion and eventual pl I be met: ding of well; all be posted on each d below shall be set num of 20 feet into the operator and the dis re well is either plug ipe shall be cementer face casing order #	ugging of this well will comply with K.S.A. 55 et. set h drilling rig; they circulating cement to the top; in all cases surface underlying formation. Strict office on plug length and placement is necessiged or production casing is cemented in; and from below any usable water to surface within 1133,891-C, which applies to the KCC District 3 are	ce pipe shall be set sary prior to plugging; 20 DAYS of spud date. ea, alternate II cementing
 is agreed that the follows Notify the approprise A copy of the apprecent of the appropriate of the appropriate of the appropriate of the appropriate of the apprecent of th	wing minimum requirate district office <i>pi</i> oved notice of intendent of surface pipe solidated materials pole, an agreement bistrict office will be rependix "B" - Eastern d within 30 days of the sitted of the surface	rements will rior to spude to drill she as specified blus a minim etween the notified befor roduction p	etion and eventual pl I be met: ding of well; all be posted on each d below shall be set num of 20 feet into the operator and the dis re well is either plug ipe shall be cementer face casing order #	th drilling rig; If by circulating cement to the top; in all cases surface underlying formation. In this strict office on plug length and placement is necessed or production casing is cemented in; and from below any usable water to surface within 133,891-C, which applies to the KCC District 3 are a plugged. In all cases, NOTIFY district office p	ce pipe shall be set sary prior to plugging; 20 DAYS of spud date. ea, alternate II cementing rior to any cementing.
1. Notify the appropri 2. A copy of the appr 3. The minimum amode through all uncons 4. If the well is dry hours 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate de completed ubmitted Electro	wing minimum requirate district office <i>pi</i> oved notice of intendent of surface pipe solidated materials pole, an agreement bistrict office will be rependix "B" - Eastern d within 30 days of the sitted of the surface	rements will rior to spudd to drill she as specified as specified beforeduction put Kansas suche spud date	etion and eventual pl I be met: ding of well; all be posted on each d below shall be set num of 20 feet into the operator and the dis re well is either plug ipe shall be cementer face casing order #	th drilling rig; If by circulating cement to the top; in all cases surface underlying formation. In strict office on plug length and placement is necessed or production casing is cemented in; and from below any usable water to surface within 133,891-C, which applies to the KCC District 3 are a plugged. In all cases, NOTIFY district office p	ce pipe shall be set sary prior to plugging; 20 DAYS of spud date. ea, alternate II cementing rior to any cementing.
1. Notify the appropri 2. A copy of the appr 3. The minimum amode through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate be completed. Ubmitted Electro For KCC Use ONLY API # 15 -	wing minimum requitate district office <i>pi</i> oved notice of intendent of surface pipe solidated materials pole, an agreement bistrict office will be reported within 30 days of the mically	rements will rior to spude to drill sha as specified as specified olus a minim etween the notified befound duction pure Kansas suche spud data	etion and eventual pl I be met: ding of well; all be posted on each d below shall be sen num of 20 feet into the operator and the dis re well is either plug ipe shall be cementer face casing order # te or the well shall be	th drilling rig; If by circulating cement to the top; in all cases surfate underlying formation. In strict office on plug length and placement is necessed or production casing is cemented in; and from below any usable water to surface within 133,891-C, which applies to the KCC District 3 are a plugged. In all cases, NOTIFY district office posterior. Remember to: File Certification of Compliance with the Kansas Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent	ce pipe shall be set sary prior to plugging; 20 DAYS of spud date. ea, alternate II cementing rior to any cementing. Surface Owner Notification to Drill;
is agreed that the follow 1. Notify the appropri 2. A copy of the appr 3. The minimum amount through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to a pu	wing minimum requitate district office <i>pi</i> oved notice of interpount of surface pipe solidated materials pole, an agreement bistrict office will be rill COMPLETION, pipendix "B" - Easterrid within 30 days of the inically	rements will rior to spude t to drill sha as specified blus a minim etween the notified befo roduction p i Kansas su he spud dar	etion and eventual pl I be met: ding of well; all be posted on each d below shall be set num of 20 feet into the operator and the dis re well is either plug ipe shall be cemente rface casing order # te or the well shall be	th drilling rig; If by circulating cement to the top; in all cases surfate underlying formation. In strict office on plug length and placement is necessed or production casing is cemented in; and from below any usable water to surface within 133,891-C, which applies to the KCC District 3 are a plugged. In all cases, NOTIFY district office posterior. Remember to: File Certification of Compliance with the Kansas Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent or File Completion Form ACO-1 within 120 days of	ce pipe shall be set sary prior to plugging; 20 DAYS of spud date. ea, alternate II cementing rior to any cementing. Surface Owner Notification at to Drill; spud date;
1. Notify the appropri 2. A copy of the appr 3. The minimum amounthrough all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appropriate to a completed Ubmitted Electro For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe re-	wing minimum requitate district office proved notice of intendent of surface pipe solidated materials pole, an agreement bistrict office will be reported within 30 days of the nically	rements will rior to spudd t to drill sha as specified as specified clus a minim etween the notified befo roduction p t Kansas su the spud dat	etion and eventual pl I be met: ding of well; all be posted on each d below shall be set num of 20 feet into th operator and the dis re well is either plug ipe shall be cement rface casing order # te or the well shall b	th drilling rig; If by circulating cement to the top; in all cases surfate underlying formation. In strict office on plug length and placement is necessed or production casing is cemented in; and from below any usable water to surface within 133,891-C, which applies to the KCC District 3 are a plugged. In all cases, NOTIFY district office posterior. Remember to: File Certification of Compliance with the Kansas Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent File Completion Form ACO-1 within 120 days of File acreage attribution plat according to field pr	ce pipe shall be set sary prior to plugging; 20 DAYS of spud date. ea, alternate II cementing rior to any cementing. Surface Owner Notification at to Drill; spud date; oration orders;
1. Notify the appropri 2. A copy of the appr 3. The minimum and through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Appr must be completed Jubmitted Electro For KCC Use ONLY API # 15 - Conductor pipe required	wing minimum requitate district office proved notice of intendent of surface pipe solidated materials pole, an agreement bistrict office will be reported within 30 days of the nically	rements will rior to spudd t to drill sha as specified as specified clus a minim etween the notified befo roduction p t Kansas su the spud dat	etion and eventual pl I be met: ding of well; all be posted on each d below shall be set num of 20 feet into th operator and the dis re well is either plug ipe shall be cement rface casing order # te or the well shall b	th drilling rig; If by circulating cement to the top; in all cases surfate underlying formation. In strict office on plug length and placement is necessed or production casing is cemented in; and from below any usable water to surface within 133,891-C, which applies to the KCC District 3 are a plugged. In all cases, NOTIFY district office posterior in the Kansas Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent File Completion Form ACO-1 within 120 days of File acreage attribution plat according to field present the Notify appropriate district office 48 hours prior to	ce pipe shall be set sary prior to plugging; 20 DAYS of spud date. ea, alternate II cementing rior to any cementing. Surface Owner Notification at to Drill; spud date; oration orders; oworkover or re-entry;
1. Notify the appropri 2. A copy of the appr 3. The minimum amode through all uncons 4. If the well is dry ho 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approved by: Conductor pipe required Minimum surface pipe re Approved by: This authorization expire	wing minimum requitate district office proved notice of intendent of surface pipe solidated materials pole, an agreement bistrict office will be rependix "B" - Easterned within 30 days of the inically	rements will rior to spude t to drill sha as specified as specified before the tween the totified before roduction p t Kansas su the spud date fe feet	etion and eventual pl I be met: ding of well; all be posted on each d below shall be senum of 20 feet into th operator and the dis re well is either plug ipe shall be cemente rface casing order # te or the well shall b	th drilling rig; If by circulating cement to the top; in all cases surfate underlying formation. Strict office on plug length and placement is necessed or production casing is cemented in; and from below any usable water to surface within 133,891-C, which applies to the KCC District 3 are a plugged. In all cases, NOTIFY district office posterior of Compliance with the Kansas Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent File Completion Form ACO-1 within 120 days of File acreage attribution plat according to field provided in Notify appropriate district office 48 hours prior to Submit plugging report (CP-4) after plugging is a	ce pipe shall be set sary prior to plugging; 20 DAYS of spud date. ea, alternate II cementing rior to any cementing. Surface Owner Notification at to Drill; spud date; oration orders; oworkover or re-entry; completed (within 60 days);
1. Notify the appropri 2. A copy of the appr 3. The minimum amode through all uncons 4. If the well is dry hof 5. The appropriate di 6. If an ALTERNATE Or pursuant to Approved by the completed Districted Electro For KCC Use ONLY API # 15 - Conductor pipe required Minimum surface pipe re- Approved by:	wing minimum requitate district office proved notice of intendent of surface pipe solidated materials pole, an agreement bistrict office will be rependix "B" - Easterned within 30 days of the inically	rements will rior to spude t to drill sha as specified as specified before the notified before roduction p t Kansas su he spud dat	etion and eventual pl I be met: ding of well; all be posted on each d below shall be senum of 20 feet into th operator and the dis re well is either plug ipe shall be cemente rface casing order # te or the well shall b	th drilling rig; If by circulating cement to the top; in all cases surfate underlying formation. In strict office on plug length and placement is necessed or production casing is cemented in; and from below any usable water to surface within 133,891-C, which applies to the KCC District 3 are a plugged. In all cases, NOTIFY district office posterior in the Kansas Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent File Completion Form ACO-1 within 120 days of File acreage attribution plat according to field present the Notify appropriate district office 48 hours prior to	ce pipe shall be set sary prior to plugging; 20 DAYS of spud date. ea, alternate II cementing rior to any cementing. Surface Owner Notification at to Drill; spud date; oration orders; o workover or re-entry; completed (within 60 days); cting salt water.

SEWARD CO. 3390' FEL

For KCC Use ONLY	
API # 15	-

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:_							_ Lo	cation of W	/ell: Coun	ity:				
ease:										feet	from	N /	S Line	of Section
Vell Numbe	er:									feet	from	E /	W Line	of Section
ield:	d:			_ Se	SecTwpS. R				W					
							13	Section:	Regul	lar orI	rregular			
QTR/QTR/0	QTR/QTR	of acreag	je:											
									_	locate well				dary.
							Se	ection corne	er used:	NE L	NW S	SE S	SW	
							PLAT							
	St	now locatio	on of the w	ell Show	footage to	the neare		r unit houn	dary line :	Show the pre	edicted loc	ations o	of	
					_				-	e Owner Not				
					You m	ay attach a	a separate	plat if des 1676	ired.				ŕ	
								1676 l	· π.					
		:	:	:		:	:	:						
			:				:				LEGE	ND		
					•••••					0	Well Lo	cation		
		:	:	:		:	:	<u> </u>		$\tilde{\Box}$	Tank Ba		ocation	
		:				:	:	:			Pipeline	-		
		:	:	:		:	:	:			Electric	Line Lo	ocation	
		:		:		:		:⊙ —	- 506°	ft	Lease F	Road Lo	ocation	
			•	•	• • • • • • • • • • • • • • • • • • • •			•						
		:	:	:		:	:	:						
		:	:	:	I	:	:	:		EXAMPLE	:			
		:	<u>:</u>	: .		:	:	:			:			
		:	:	9) 	:	:	:					·	
		:	:	:		:	:	:						
		:	:	:		:	•	:		:	:			
		:	:	:		:	:	:						
	•••••				••••						0			1980' FSL
		:	:	:		:	:	:		:				
		:	:	:		:	:	:		:		:		
		:	:	:		:	:	:		F	- -			
	1		•		1	1	•	1	1		1			

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:				
Operator Address:						
Contact Person:		Phone Number:				
Lease Name & Well No.:			Pit Location (QQQQ):			
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit	Pit is: Proposed If Existing, date con	Existing	SecTwp R			
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Feet from East / West Line of Section County			
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?			
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits			
Depth fro	om ground level to dee	epest point:	(feet) No Pit			
material, thickness and installation procedure.			ncluding any special monitoring.			
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of inform	owest fresh water feet. mation:			
feet Depth of water well	feet	measured	well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover:				
Number of producing wells on lease:		Number of working pits to be utilized:				
Barrels of fluid produced daily:		Abandonment procedure:				
Does the slope from the tank battery allow all s flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.				
Submitted Electronically						
	KCC	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS			
Date Received: Permit Num	ber:	Permi	it Date: Lease Inspection: Yes No			

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION


Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)			
OPERATOR: License #	Well Location:			
Name:	SecTwpS. R East West			
Address 1:	County:			
Address 2:	Lease Name: Well #:			
City: State: Zip:+	_ If filing a Form T-1 for multiple wells on a lease, enter the legal description or			
Contact Person:	the lease below:			
Phone: () Fax: ()				
Email Address:				
Surface Owner Information:				
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional			
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the			
Address 2:	county, and in the real estate property tax records of the county treasurer.			
City: State: Zip:+				
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered or Select one of the following: \[\] I certify that, pursuant to the Kansas Surface Owner Notice A	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. act (House Bill 2032), I have provided the following to the surface pocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form			
	being filed is a Form C-1 or Form CB-1, the plat(s) required by this			
	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this fee, payable to the KCC, which is enclosed with this form.			
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.			
Submitted Electronically				

NEW GULF OPERATING, LLC COLE LEASE NE. 1/4, SECTION 9, T18S, R34W SCOTT COUNTY. KANSAS





- e Controlling data is based upon the Best maps and Dhotographs evailable to us and upon a regular section of land containing 640 acros.
- section of ladd containing and cores.

 * Approximate section lines were determined using the normal standard of three of cilified Surreyors practicing in the state of Kansas. The section corners, which establish the principe section lines, were not necessarily laceted, out the exact leading of the drills election in the section is not guardined. Therefore, the operator securing this service and occapting this pion and all order parties relying therefore, the operator securing this service and occapting this pion and all order parties relying therefore, or hold Central Engas Diffield Services. Inc. is difficult and employed harmless from all losses, costs and expenses and soid entiries released from any licolity from includated or consequential demages.

Elevotions corived from National Geodetic Vertical Datum.

August 8. 2012

CENTRAL KANSAS OILFIELD SERVICES, INC. (620)792-1977

Summary of Changes

Lease Name and Number: Cole 1-9 API/Permit #: 15-171-20901-00-00

Doc ID: 1090442

Correction Number: 1

Approved By: Rick Hestermann 09/04/2012

Field Name	Previous Value	New Value		
Feet to Nearest Water Well Within One-Mile of Pit	292	300		
KCC Only - Approved By	Rick Hestermann 08/13/2012	Rick Hestermann 09/04/2012		
KCC Only - Approved Date	08/13/2012	09/04/2012		
KCC Only - Date Received	08/13/2012	09/04/2012		
KCC Only - Regular Section Quarter Calls	NW NE SE NE	SW NE SE NE		
LocationInfoLink	https://solar.kgs.ku.edu/kcc/detail/locationInform	https://solar.kgs.ku.edu/kcc/detail/locationInform		
Number of Feet East or West From Section Line	ation.cfm?section=9&to 500	ation.cfm?section=9&tc 506		
Number of Feet East or West From Section Line	500	506		
Number of Feet North or South From Section	1623	1676		
Line Number of Feet North or South From Section Line	1623	1676		

Summary of changes for correction 1 continued

Field Name	Previous Value	New Value
Quarter Call 4 - Smallest	NW	SW
Quarter Call 4 - Smallest	NW	SW
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=10 89705	//kcc/detail/operatorE ditDetail.cfm?docID=10 90442

Summary of Attachments

Lease Name and Number: Cole 1-9

API: 15-171-20901-00-00

Doc ID: 1090442

Correction Number: 1

Approved By: Rick Hestermann 09/04/2012

Attachment Name

Survey