



**Notice:** Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

KANSAS CORPORATION COMMISSION 1091073  
OIL & GAS CONSERVATION DIVISION

Form CP-4  
March 2009

Type or Print on this Form  
Form must be Signed  
All blanks must be Filled

**WELL PLUGGING RECORD**  
K.A.R. 82-3-117

OPERATOR: License #: \_\_\_\_\_  
 Name: \_\_\_\_\_  
 Address 1: \_\_\_\_\_  
 Address 2: \_\_\_\_\_  
 City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ + \_\_\_\_\_  
 Contact Person: \_\_\_\_\_  
 Phone: ( \_\_\_\_\_ ) \_\_\_\_\_  
 Type of Well: (Check one)  Oil Well  Gas Well  OG  D&A  Cathodic  
 Water Supply Well  Other: \_\_\_\_\_  SWD Permit #: \_\_\_\_\_  
 ENHR Permit #: \_\_\_\_\_  Gas Storage Permit #: \_\_\_\_\_  
 Is ACO-1 filed?  Yes  No If not, is well log attached?  Yes  No  
 Producing Formation(s): List All (If needed attach another sheet)  
 \_\_\_\_\_ Depth to Top: \_\_\_\_\_ Bottom: \_\_\_\_\_ T.D. \_\_\_\_\_  
 \_\_\_\_\_ Depth to Top: \_\_\_\_\_ Bottom: \_\_\_\_\_ T.D. \_\_\_\_\_  
 \_\_\_\_\_ Depth to Top: \_\_\_\_\_ Bottom: \_\_\_\_\_ T.D. \_\_\_\_\_

API No. 15 - \_\_\_\_\_  
 Spot Description: \_\_\_\_\_  
 \_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
 \_\_\_\_\_ Feet from  North /  South Line of Section  
 \_\_\_\_\_ Feet from  East /  West Line of Section  
 Footages Calculated from Nearest Outside Section Corner:  
 NE  NW  SE  SW  
 County: \_\_\_\_\_  
 Lease Name: \_\_\_\_\_ Well #: \_\_\_\_\_  
 Date Well Completed: \_\_\_\_\_  
 The plugging proposal was approved on: \_\_\_\_\_ (Date)  
 by: \_\_\_\_\_ (KCC District Agent's Name)  
 Plugging Commenced: \_\_\_\_\_  
 Plugging Completed: \_\_\_\_\_

Show depth and thickness of all water, oil and gas formations.

Oil, Gas or Water Records		Casing Record (Surface, Conductor & Production)			
Formation	Content	Casing	Size	Setting Depth	Pulled Out

Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set.

Plugging Contractor License #: \_\_\_\_\_ Name: \_\_\_\_\_  
 Address 1: \_\_\_\_\_ Address 2: \_\_\_\_\_  
 City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ + \_\_\_\_\_  
 Phone: ( \_\_\_\_\_ ) \_\_\_\_\_  
 Name of Party Responsible for Plugging Fees: \_\_\_\_\_  
 State of \_\_\_\_\_ County, \_\_\_\_\_, ss.  
 \_\_\_\_\_  Employee of Operator or  Operator on above-described well,  
 (Print Name)

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.

Submitted Electronically

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202



HURRICANE SERVICES, INC.  
WELL SERVICE DIVISION

TICKET # 28913  
KCC Operator # 34059

Date 8-9-12 Rig # 707 CO. GW

Operator Joe Colonese

Roost Chad Hare

Company Blackstar

Roost Brice Williams

Lease Huntington

Well # 10-41 Old \_\_\_\_\_ New

Time Out 7:00a On 7:30a

Off 3:00p In \_\_\_\_\_

Diameter \_\_\_\_\_ Quantity \_\_\_\_\_

8.0

		Sucker Rods	
		Rod Subs	2' 4' 6' 8' 10'
		Pump Data	Size: 1 1/4" 1 1/2" 1 3/4" 1 25/32" 2" 2 1/4" Other: _____ Type: Insert / Tubing
		(One Circle)	Plunger: Cup _____ Rings _____ SPMTL _____ BBL Length: _____
		Gas Anchor	Strainer: _____ Size of G.A. _____
<u>2 3/8</u>	<u>75</u>	Tubing	Size: <u>2 3/8</u> Thread: <u>8 rd.</u> #Jts: _____
		Tubing Subs	2' 4' 6' 8' 10' 10'
		Working Barrel	Size: _____ Length: _____ Set @: _____
		Mud Anchor	Plugged or Open: _____ Length: _____ Size: _____
		Seating Nipple	Length: _____ Size: _____
		Packer/Anchor	Type: _____ Size: _____ Set @: _____
		Polish Rod	Length: _____ Diameter: _____
		Polish Rod Liner	Length: _____ Diameter: _____ Type: _____

\*\*\*\*\*Indicate if what was ran in hole is different than what was removed\*\*\*\*\*

Rod Break:	# Down:	Body:	Box:	Other:
Tbg Leak:	# Down:	Split:	Hole:	Collar Leak:
Scale:	Pitting:	Corrosion:	Misc:	

Tubing # of Trips 3

Y / <input checked="" type="radio"/> N	Motel and Per Diem: # of Nights	# of Men	Y / <input checked="" type="radio"/> N	Rod Fishing Tool Per Use
<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	Tongs - Trips: <u>3</u>	<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	Casing Tongs - Trips: <u>1</u>	Pressure Tester
<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	Paint	<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	Wash Head & Stripping Rubber	Handling Sub for Drill Collars
<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	Tubing Lube - Trips: <u>1</u>	<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	Chicksan and Hoses Per Well	Wedding Band
<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	Weight Indicator Per Well	<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	Standpipe and Kelly Hose Per Well	Bumper Sub 3 1/8"
<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	Depthometer Per Well	<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	Impression Block Per Well	Carbide 5 1/2" Taper Per Well
<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	Casing Swab Jars/Equipment	<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	Mud Mixing Tank Per Day	Carbide 5 1/2" Flat Per Well
<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	Tubing Swab Jars Per Well	<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	5 1/2" Scraper Per Well	7" Scraper Per Well
<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	Oil Saver	<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	4 1/2" Scraper Per Well	New 6 1/4"
<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	Qty: Oil Saver Rubber (Extra)	<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	Carbide 4 1/2" Tapered Per Well	Used 6 1/4"
<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	Qty: Swab Cups: 5 1/2" 4 1/2" 2 7/8" 2 3/8"	<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	Carbide 4 1/2" Flat Per Well	Power Swivel
<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	Sand Pumps	<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	3 1/8" Drill Collars - Qty: _____	Pipe Trailer
<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	Bailer Per Well	<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	Extra Wash Head Rubber-Qty: _____	Turn Table - Hours: _____
<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	Sand Hog Bailer Per Well	<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	New Bit: 3 3/4" 3 7/8" 4 3/4" 4 7/8" Per Well	
<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	100 BBL Swab Tank	<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	Used Bit: 3 3/4" 3 7/8" 4 3/4" 4 7/8" Per Well	

Remarks: Drove to location. Safety meeting. Set up to cement plug well. Set bottom plug. Tripped out tubing. Ripped over for 5 1/2" casing. Waiter for perforators. Shot off casing. Pulled slips. Adjusted trailer for casing. Tripped out 21jts of casing. Ripped over for tubing. Tripped in 25jts - set middle plug. Tripped out 17jts - set top plug. Finish tripping tubing. Cleaned up cement off equipment. Ripped down. Drove to next location.

*L.H. 8-13-12*



HURRICANE SERVICES, INC.  
WELL SERVICE DIVISION

TICKET # 28912

KCC Operator # 34059

Date 8-8-12 Rig # 707 CO. GW

Operator Joe Colanese

Roust Chad Hare

Company Blackstar

Roust Brice Williams

Lease Huntington

Well # 10-41 Old \_\_\_\_\_ New

Time Out 1:30p On 2:00p

Off 5:30p In 6:00p

Diameter \_\_\_\_\_ Quantity 4.5

		Sucker Rods						
		Rod Subs	2'	4'	6'	8'	10'	
		Pump Data (One Circle)	Size: 1 1/4" 1 1/2" 1 3/4" 1 25/32" 2" 2 1/4" Other: _____					Type: Insert / Tubing
			Plunger: Cup _____ Rings _____		SPMTL _____		BBL Length: _____	
		Gas Anchor	Strainer: _____		Size of G.A. _____			
<u>2 3/8</u>	<u>75</u>	Tubing	Size: <u>2 3/8</u>		Thread: <u>8rd</u>		#Jts: _____	
		Tubing Subs	2'	4'	6'	8'	10'	10'
		Working Barrel	Size: _____		Length: _____		Set @: _____	
		Mud Anchor	Plugged or Open: _____		Length: _____		Size: _____	
		Seating Nipple	_____		Length: _____		Size: _____	
		Packer/Anchor	Type: _____		Size: _____		Set @: _____	
		Polish Rod	Length: _____		Diameter: _____			
		Polish Rod Liner	Length: _____		Diameter: _____		Type: _____	

\*\*\*\*\*Indicate if what was ran in hole is different than what was removed\*\*\*\*\*

Rod Break:	# Down: _____	Body: _____	Box: _____	Other: _____
Tbg Leak:	# Down: _____	Split: _____	Hole: _____	Collar Leak: _____
Scale:	Pitting: _____	Corrosion: _____	Misc: _____	

Tubing # of Trips 1

Y / <input checked="" type="radio"/> N	Motel and Per Diem: # of Nights	# of Men	Y / <input checked="" type="radio"/> N	Rod Fishing Tool Per Use
<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	Tongs - Trips: _____	_____	<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	Pressure Tester
<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	Paint	_____	<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	Handling Sub for Drill Collars
<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	Tubing Lube - Trips: _____	_____	<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	Wedding Band
<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	Weight Indicator Per Well	_____	<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	Bumper Sub 3 1/8"
<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	Depthometer Per Well	_____	<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	Carbide 5 1/2" Taper Per Well
<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	Casing Swab Jars/Equipment	_____	<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	Carbide 5 1/2" Flat Per Well
<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	Tubing Swab Jars Per Well	_____	<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	7" Scraper Per Well
<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	Oil Saver	_____	<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	New 6 1/4"
Qty: _____	Oil Saver Rubber (Extra)	_____	<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	Used 6 1/4"
Qty: _____	Swab Cups: 5 1/2" 4 1/2" 2 7/8" 2 3/8"	_____	<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	Power Swivel
<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	Sand Pumps	_____	<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	Pipe Trailer <u>765</u>
<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	Bailer Per Well	_____	<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	Turn Table - Hours: _____
<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	Sand Hog Bailer Per Well	_____	<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	Tubing Work String <u>2350'</u>
<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	100 BBL Swab Tank	_____	<input checked="" type="radio"/> Y / <input checked="" type="radio"/> N	Used Bit: 3 3/4" 3 7/8" 4 3/4" 4 7/8" Per Well

Remarks: Drove to location. Safety meeting. Ripped up. Set up tubing trailer. Valled tubing. Tripped in tubing. Secured rig. Drove to shop.

Hurricane Services, Inc.  
 3613 A Y Road  
 Madison, KS 66860  
 Office # 620-437-2661  
 Brad Cell # 620-437-6765

Ticket Number 100138  
 Location Madison  
 Foreman Brad Butler

**Cement Service ticket**

Date	Customer #	Well Name & Number	Sec./Township/Range	County
8-9-12		Huntington * 10-41	10-26s-9E	Greenwood
Customer		Mailing Address	City	State Zip
Black Star 231 Corp.				

Job Type: <u>Plug To Abandon</u>	Truck #	Driver
	201	Kelly
Hole Size: <u>7 7/8"</u>	Casing Size: <u>5 1/2"</u>	Displacement: <u>203</u>
Hole Depth:	Casing Weight: <u>15.5 lb.</u>	Displacement PSI: <u>105</u>
Bridge Plug:	Tubing:	Cement Left in Casing:
Packer:	PBTD:	<u>5 1/2" ~ 2388'</u> <u>8 5/8" ~ 207'</u>

Quantity Or Units	Description of Services or Product	Pump charge	
25	Mileage	\$3.25/Mile	790.00 81.25
131 SACKS	60/40 Pozmix cement	10.90	1427.90
450 lbs.	Gel 4%	.30	135.00
900 lbs.	Gel > Spacers between Plugs	.30	270.00
9 Hrs	Water Truck	84.00	756.00
5300 GALS	City water	13.00 per 1000	68.90
5.85 Tons	Bulk Truck > minimum charge	\$1.15/Mile	250.00
25 miles	Truck # 290	1.50	37.50
	Plugs		
		Subtotal	3816.55
		Sales Tax	138.83
		Estimated Total	3955.38

Remarks: Set cement Plug as following along with Gel Spacers between Plugs.  
Note: Shot 5 1/2" casing off at 800', Pulled 5 1/2" casing out of hole.

15 Sks cement at 2345'  
30 Sks cement at 800'  
86 Sks cement at 260' To Surface