

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

SGA?

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

# **NOTICE OF INTENT TO DRILL**

	month day	vear	Spot Description:
	monun day	year	Sec Twp S. R E
PERATOR: License#			feet from N / S Line of Sect
			feet from E / W Line of Secti
ddress 1:			Is SECTION: Regular Irregular?
			(Note: Locate well on the Section Plat on reverse side)
	State: Zip:		County:
Contact Person:			Lease Name: Well #:
hone:			Field Name:
ONTRACTOR: License#			Is this a Prorated / Spaced Field?
ame:			Target Formation(s):
			Nearest Lease or unit boundary line (in footage):
Well Drilled For:	Well Class: Type	e Equipment:	Ground Surface Elevation:feet M
Oil Enh R	Rec Infield	Mud Rotary	Water well within one-quarter mile:
Gas Storag	ge Pool Ext.	Air Rotary	
Dispo		Cable	
Seismic ;# c			Depth to bottom of fresh water:
Other:			Depth to bottom of usable water:
If OWWO: old well	information as follows:		Surface Pipe by Alternate:   I   II
			Length of Surface Pipe Planned to be set:
-			Length of Conductor Pipe (if any):
			Projected Total Depth:
Original Completion Da	ate: Original Total	I Depth:	
inactional Devictor or Ho	rimentalallhara?	□ Voo □ No	Water Source for Drilling Operations:
Directional, Deviated or Ho	inzontal wellbore?	Yes No	Well Farm Pond Other:
			DWR Permit #:
			(Note: Apply for Permit with DWR )
			Will Cores be taken?
			If Yes, proposed zone:
		Λ <b>Ε</b>	FIDAVIT
		AF	
he undersigned hereby a	affirms that the drilling, comple		ugging of this well will comply with K.S.A. 55 et. seq.
-	affirms that the drilling, comploining minimum requirements wi	etion and eventual pl	ugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the follow	ving minimum requirements wi	etion and eventual pl ill be met:	ugging of this well will comply with K.S.A. 55 et. seq.
is agreed that the follow  1. Notify the appropria		etion and eventual pl ill be met: dding of well;	
t is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amou	ving minimum requirements wi ate district office <i>prior</i> to spud oved notice of intent to drill <i>sh</i> unt of surface pipe as specifie	etion and eventual pl ill be met: dding of well; nall be posted on eac ed below shall be set	h drilling rig; by circulating cement to the top; in all cases surface pipe <b>shall be set</b>
<ol> <li>agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amounthrough all unconso</li> </ol>	ving minimum requirements wi ate district office <i>prior</i> to spud oved notice of intent to drill <i>sh</i> unt of surface pipe as specifie olidated materials plus a minir	etion and eventual pl ill be met: dding of well; nall be posted on eac ed below shall be set mum of 20 feet into th	h drilling rig; by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.
<ol> <li>is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amounthrough all unconso</li> <li>If the well is dry hol</li> </ol>	ving minimum requirements wi ate district office <i>prior</i> to spud oved notice of intent to drill <i>sh</i> unt of surface pipe as specifie olidated materials plus a minin le, an agreement between the	etion and eventual pl ill be met: dding of well; nall be posted on eac ed below shall be set mum of 20 feet into the e operator and the dis	In drilling rig; It by circulating cement to the top; in all cases surface pipe <b>shall be set</b> It is enderlying formation. It is necessary <b>prior to plugging</b> ;
<ol> <li>is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amounthrough all unconso</li> <li>If the well is dry holis</li> <li>The appropriate dis</li> </ol>	ving minimum requirements wi ate district office <i>prior</i> to spud oved notice of intent to drill <i>sh</i> unt of surface pipe as specifie olidated materials plus a minin le, an agreement between the strict office will be notified before	etion and eventual pl ill be met: dding of well; nall be posted on eac ed below shall be set mum of 20 feet into the e operator and the dis ore well is either plug	In drilling rig; It by circulating cement to the top; in all cases surface pipe <b>shall be set</b> It is enderlying formation. It ict office on plug length and placement is necessary <b>prior to plugging</b> ; It is ged or production casing is cemented in;
<ol> <li>agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amounthrough all unconso</li> <li>If the well is dry holing</li> <li>The appropriate dis</li> <li>If an ALTERNATE I</li> </ol>	ving minimum requirements wi ate district office <i>prior</i> to spud oved notice of intent to drill <i>sh</i> unt of surface pipe as specifie olidated materials plus a minin le, an agreement between the strict office will be notified befor II COMPLETION, production p	etion and eventual pl ill be met: dding of well; all be posted on eac ed below shall be set mum of 20 feet into the e operator and the dis pre well is either plug pipe shall be cemente	In drilling rig; It by circulating cement to the top; in all cases surface pipe <b>shall be set</b> It is underlying formation. It ict office on plug length and placement is necessary <b>prior to plugging</b> ; It is ged or production casing is cemented in; It is defined below any usable water to surface within <b>120 DAYS</b> of spud date.
<ol> <li>is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amounthrough all unconso</li> <li>If the well is dry holing</li> <li>The appropriate dis</li> <li>If an ALTERNATE I Or pursuant to App</li> </ol>	ving minimum requirements wi ate district office <i>prior</i> to spud oved notice of intent to drill <i>sh</i> unt of surface pipe as specifie olidated materials plus a minin le, an agreement between the strict office will be notified befo II COMPLETION, production pendix "B" - Eastern Kansas su	etion and eventual pl ill be met: dding of well; nall be posted on each ed below shall be set mum of 20 feet into the experator and the dis- pore well is either plug- pipe shall be cemente urface casing order #	In drilling rig; It by circulating cement to the top; in all cases surface pipe <b>shall be set</b> It is enderlying formation. It ict office on plug length and placement is necessary <b>prior to plugging</b> ; It is ged or production casing is cemented in;
<ol> <li>s agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amounthrough all unconso</li> <li>If the well is dry hol</li> <li>The appropriate dis</li> <li>If an ALTERNATE I Or pursuant to App</li> </ol>	ving minimum requirements wi ate district office <i>prior</i> to spud oved notice of intent to drill <i>sh</i> unt of surface pipe as specifie olidated materials plus a minin le, an agreement between the strict office will be notified befo II COMPLETION, production pendix "B" - Eastern Kansas su	etion and eventual pl ill be met: dding of well; nall be posted on each ed below shall be set mum of 20 feet into the experator and the dis- pore well is either plug- pipe shall be cemente urface casing order #	In drilling rig; It by circulating cement to the top; in all cases surface pipe <b>shall be set</b> It is enderlying formation. It ict office on plug length and placement is necessary <b>prior to plugging</b> ; It is ged or production casing is cemented in; It is defined below any usable water to surface within <b>120 DAYS</b> of spud date. It is a surface within <b>120 DAYS</b> of spud date. It is a surface within <b>120 DAYS</b> of spud date. It is a surface within <b>120 DAYS</b> of spud date. It is a surface within <b>120 DAYS</b> of spud date. It is a surface within <b>120 DAYS</b> of spud date.
<ol> <li>is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amounthrough all unconso</li> <li>If the well is dry hole</li> <li>The appropriate dis</li> <li>If an ALTERNATE I Or pursuant to App</li> </ol>	ving minimum requirements wi ate district office <i>prior</i> to spud oved notice of intent to drill <i>sh</i> unt of surface pipe as specifie olidated materials plus a minin le, an agreement between the strict office will be notified befo II COMPLETION, production pendix "B" - Eastern Kansas su	etion and eventual pl ill be met: dding of well; nall be posted on each ed below shall be set mum of 20 feet into the experator and the dis- pore well is either plug- pipe shall be cemente urface casing order #	In drilling rig; It by circulating cement to the top; in all cases surface pipe <b>shall be set</b> It is enderlying formation. It ict office on plug length and placement is necessary <b>prior to plugging</b> ; It is ged or production casing is cemented in; It is defined below any usable water to surface within <b>120 DAYS</b> of spud date. It is a surface within <b>120 DAYS</b> of spud date. It is a surface within <b>120 DAYS</b> of spud date. It is a surface within <b>120 DAYS</b> of spud date. It is a surface within <b>120 DAYS</b> of spud date. It is a surface within <b>120 DAYS</b> of spud date.
<ol> <li>agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amounthrough all unconso</li> <li>If the well is dry hol</li> <li>The appropriate dis</li> <li>If an ALTERNATE I Or pursuant to Appmust be completed</li> </ol>	ving minimum requirements wi ate district office <i>prior</i> to spud oved notice of intent to drill <i>sh</i> unt of surface pipe as specifie olidated materials plus a minir le, an agreement between the strict office will be notified befor II COMPLETION, production prendix "B" - Eastern Kansas su I within 30 days of the spud da	etion and eventual pl ill be met: dding of well; nall be posted on each ed below shall be set mum of 20 feet into the experator and the dis- pore well is either plug- pipe shall be cemente urface casing order #	In drilling rig; It by circulating cement to the top; in all cases surface pipe <b>shall be set</b> It is enderlying formation. It ict office on plug length and placement is necessary <b>prior to plugging</b> ; It is ged or production casing is cemented in; It is defined below any usable water to surface within <b>120 DAYS</b> of spud date. It is a surface within <b>120 DAYS</b> of spud date. It is a surface within <b>120 DAYS</b> of spud date. It is a surface within <b>120 DAYS</b> of spud date. It is a surface within <b>120 DAYS</b> of spud date. It is a surface within <b>120 DAYS</b> of spud date.
<ol> <li>agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appro</li> <li>The minimum amouthrough all unconso</li> <li>If the well is dry hol</li> <li>The appropriate dis</li> <li>If an ALTERNATE I Or pursuant to Appmust be completed</li> </ol>	ving minimum requirements wi ate district office <i>prior</i> to spud oved notice of intent to drill <i>sh</i> unt of surface pipe as specifie olidated materials plus a minir le, an agreement between the strict office will be notified befor II COMPLETION, production prendix "B" - Eastern Kansas su I within 30 days of the spud da	etion and eventual pl ill be met: dding of well; nall be posted on each ed below shall be set mum of 20 feet into the experator and the dis- pore well is either plug- pipe shall be cemente urface casing order #	In drilling rig; It by circulating cement to the top; in all cases surface pipe <b>shall be set</b> It is enderlying formation. It ict office on plug length and placement is necessary <b>prior to plugging</b> ; It is ged or production casing is cemented in; It is defined below any usable water to surface within <b>120 DAYS</b> of spud date. In all cases, NOTIFY district office prior to any cementing explugged.  In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed	ving minimum requirements wi ate district office <i>prior</i> to spud oved notice of intent to drill <i>sh</i> unt of surface pipe as specifie olidated materials plus a minir le, an agreement between the strict office will be notified befor II COMPLETION, production prendix "B" - Eastern Kansas su I within 30 days of the spud da	etion and eventual pl ill be met: dding of well; nall be posted on each ed below shall be set mum of 20 feet into the experator and the dis- pore well is either plug- pipe shall be cemente urface casing order #	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  Ubmitted Electror  For KCC Use ONLY	ving minimum requirements wi ate district office <i>prior</i> to spud oved notice of intent to drill <i>sh</i> unt of surface pipe as specifie olidated materials plus a minir le, an agreement between the strict office will be notified befor II COMPLETION, production prendix "B" - Eastern Kansas su I within 30 days of the spud da	etion and eventual pl ill be met: dding of well; nall be posted on eaced below shall be set mum of 20 feet into the e operator and the distore well is either plug pipe shall be cemente urface casing order # ate or the well shall be	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. The trict office on plug length and placement is necessary prior to plugging; typed or production casing is cemented in; the drom below any usable water to surface within 120 DAYS of spud date. The trick of the
is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  Ibmitted Electror  For KCC Use ONLY  API # 15 -	ving minimum requirements wi ate district office <i>prior</i> to spud oved notice of intent to drill <i>sh</i> unt of surface pipe as specifie olidated materials plus a mininale, an agreement between the strict office will be notified befor II COMPLETION, production preendix "B" - Eastern Kansas su I within 30 days of the spud data	etion and eventual pl ill be met: dding of well; nall be posted on eaced below shall be set mum of 20 feet into the experience of the operator and the dis pre well is either plug pipe shall be cemente furface casing order # ate or the well shall be	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  Ibmitted Electror  For KCC Use ONLY  API # 15  Conductor pipe required	ving minimum requirements wi ate district office <i>prior</i> to spud oved notice of intent to drill <i>sh</i> unt of surface pipe as specifie olidated materials plus a minin le, an agreement between the strict office will be notified befo II COMPLETION, production p pendix "B" - Eastern Kansas su I within 30 days of the spud da	etion and eventual pl ill be met: dding of well; nall be posted on each ed below shall be set mum of 20 feet into the experience of the operator and the dis- pries well is either plug- pipe shall be cemented urface casing order # ate or the well shall be eet	h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ad from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  Ibmitted Electror  For KCC Use ONLY  API # 15  Conductor pipe required	ving minimum requirements wi ate district office <i>prior</i> to spud oved notice of intent to drill <i>sh</i> unt of surface pipe as specifie olidated materials plus a mininale, an agreement between the strict office will be notified befor II COMPLETION, production preendix "B" - Eastern Kansas su I within 30 days of the spud data	etion and eventual pl ill be met: dding of well; nall be posted on each ed below shall be set mum of 20 feet into the experience of the operator and the dis- pries well is either plug- pipe shall be cemented urface casing order # ate or the well shall be eet	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amod through all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App must be completed  Ibmitted Electror  For KCC Use ONLY  API # 15 -  Conductor pipe required _ Minimum surface pipe required _	ving minimum requirements wi ate district office <i>prior</i> to spud oved notice of intent to drill <i>sh</i> unt of surface pipe as specifie olidated materials plus a minin le, an agreement between the strict office will be notified befo II COMPLETION, production p pendix "B" - Eastern Kansas su I within 30 days of the spud da	etion and eventual pl ill be met: dding of well; nall be posted on eace d below shall be set mum of 20 feet into the e operator and the dis pre well is either plug pipe shall be cemente urface casing order # ate or the well shall be eet t per ALT. I II	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  Ibmitted Electror  For KCC Use ONLY  API # 15  Conductor pipe required _  Minimum surface pipe req  Approved by:	ving minimum requirements wi ate district office <i>prior</i> to spud oved notice of intent to drill <i>sh</i> unt of surface pipe as specifie polidated materials plus a minin le, an agreement between the strict office will be notified befor II COMPLETION, production propendix "B" - Eastern Kansas sur I within 30 days of the spud days onically	etion and eventual pl ill be met: dding of well; nall be posted on eace d below shall be set mum of 20 feet into the e operator and the dis pre well is either plug pipe shall be cemente urface casing order # ate or the well shall be eet t per ALT. I II	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  It it office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);
1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE IOr pursuant to Appropriate dis 7. Or pursuant to Appropriate dis 8. If an ALTERNATE IOR pursuant to Approved by:  Conductor pipe required — Minimum surface pipe required Approved by:  This authorization expires	ving minimum requirements wi ate district office <i>prior</i> to spud oved notice of intent to drill <i>sh</i> unt of surface pipe as specifie polidated materials plus a minin le, an agreement between the strict office will be notified befor II COMPLETION, production propendix "B" - Eastern Kansas sur I within 30 days of the spud days onically	etion and eventual pl ill be met: dding of well; all be posted on eac d below shall be set mum of 20 feet into the eoperator and the dis pre well is either plug pipe shall be cemente arface casing order # ate or the well shall be eet t per ALT. I II	In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: \_

Side Two



For KCC Use ONLY	
API # 15	

Operator:\_

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Location of Well: County: \_

Lease:									feet from N / S Line of Section
Well Numb	er:								feet from E / W Line of Section
Field:							_ Se	eC	Twp S. R
Number of	Acres attr	ibutable to	well:				– Is	Section:	Regular or Irregular
QTR/QTR	QTR/QTR	of acreag	e:				_	000	
								Section is ection corne	Irregular, locate well from nearest corner boundary. er used: NE NW SE SW
							PLAT		
					_				dary line. Show the predicted locations of sas Surface Owner Notice Act (House Bill 2032).
			157	0 ft.	You m	ay attach a	a separate	plat if desi	ired.
		:	:	:		:	:	:	
		:	:	:		:	:	:	LEGEND
		:	:	:	•••••	:	:	:	O Well Location
		:		:		:	:	:	Tank Battery Location
					••••				Pipeline Location
1540 ft.		:	<u>⊹</u>	:					Electric Line Location
		:	:	:	•••••	:	:	:	Lease Road Location
		:	:	:		:	:	:	
		:		:					EXAMPLE
		:	:	: ,		:	:	:	
		•	:	8		:	:	•	
			•		••••			•	
		:		:		:		:	
		:		:	••••	:	:	:	1980' FSL
		:	:			:	:		
		:	: :	: 		: 	: :	:	
		<u>:</u>	:	:		:	:	<u>:</u>	SEWARD CO. 3390' FEL

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

091935

Form CDP-1 May 2010 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

## Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit:    Emergency Pit   Burn Pit	Pit is:	Existing	SecTwp R
Settling Pit Drilling Pit	If Existing, date con		Feet from North / South Line of Section
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Feet from East / West Line of Section County
Is the pit located in a Sensitive Ground Water A	rea? Yes N	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?  Yes No	Artificial Liner?	0	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fee	t)	Width (feet) N/A: Steel Pits
Depth fro	om ground level to deep	pest point:	(feet) No Pit
If the pit is lined give a brief description of the line material, thickness and installation procedure.	itei		dures for periodic maintenance and determining ncluding any special monitoring.
Distance to nearest water well within one-mile of	of pit:	Depth to shallo	west fresh water feet. mation:
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	over and Haul-Off Pits ONLY:
Producing Formation:		Type of materia	al utilized in drilling/workover:
Number of producing wells on lease:		Number of work	king pits to be utilized:
Barrels of fluid produced daily:		Abandonment p	procedure:
Does the slope from the tank battery allow all splow into the pit? Yes No	pilled fluids to	Drill pits must b	pe closed within 365 days of spud date.
Submitted Electronically			
	ксс	OFFICE USE OI	NLY  Liner Steel Pit RFAC RFAS
Date Received: Permit Numb	ber:	Permi	t Date: Lease Inspection: Yes No



## Kansas Corporation Commission Oil & Gas Conservation Division

1091935

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: ( ) Fax: ( )	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
I certify that, pursuant to the Kansas Surface Owner Notice Adowner(s) of the land upon which the subject well is or will be lo CP-1 that I am filing in connection with this form; 2) if the form b form; and 3) my operator name, address, phone number, fax, are	ct (House Bill 2032), I have provided the following to the surface potential:  1) a copy of the Form C-1, Form CB-1, Form T-1, or Form the being filed is a Form C-1 or Form CB-1, the plat(s) required by this end email address.  1) cknowledge that, because I have not provided this information, the
KCC will be required to send this information to the surface ow	ner(s). To mitigate the additional cost of the KCC performing this fee, payable to the KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 1 will be returned.
Submitted Electronically	

For KCC Use ONLY	
API # 15	_

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

	/iddleton-Salm	on Oil Coil	mpany, Inc.					ation of Well ,570	: County: Rush	feet from	ZIN / [	] S Line	of Secti
	nber: 1-8							,540		feet from			
Field: Wi	ildcat						Sec		Twp. <u>18</u>	_S. R. 17		EX	
	of Acres attrib	outable to	well- 40					·	7	<del>_</del> , .			
	R/QTR/QTR			NW	- SE	- NW	is S	ection: 🔀	Regular or	irregula	ır		
							If Se	ection is Irr	egular, locate	well from r	earest cor	mer bound	dary.
							Sec	tion corner (	used: NE		SES	w	
						DI	_AT						
	Sho	ow locatic	on of the w	ell Show i	footage to			unit boundar	ry line. Show th	e predicted	locations o	f	
									Surface Owne				
				_		ay attach a se							
			1.2	70'	<del></del>								
			-		·		-				END		
	-		:			:				LEG	END		
	-		£							_	Location		
	1 :						:		i	i lank	Battery L		
	-		- '				•		_		lina Locati	ion	
	24221111			1,,,,,,,, <u>,</u>	-14*****			113111111		Pipe	line Locati tric Line Le		
			Q-	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	-14111111			111111111		Pipe	line Locati tric Line Lo e Road Lo	ocation	
to!		,,,,,,,	9	) ( ( (,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	*141011111				 	Pipe	tric Line Lo	ocation	
to <sup>1</sup>	-100100		9		-14111111 -2111112	10				Pipe	tric Line Lo	ocation	
to <sup>1</sup>		,,,,,,			-14111111				EXAM	Pipel	tric Line Lo	ocation	
to!		,,,,,,	9	8					EXAM	Pipel	tric Line Lo	ocation	
to <sup>1</sup>		,,,,,,	<b>\$</b>	8					EXAM	Pipel	tric Line Lo	ocation	
to!			9	8					EXAM	Pipel	tric Line Lo	ocation	
to <sup>1</sup>				8					EXAM	Pipel	tric Line Lo	ocation	
to!				8					EXAM	Pipel	tric Line Lo	ocation	1980' [
to!				8					EXAM	Pipel	tric Line Lo	ocation	1980' F
tol				8					EXAM	Pipel	tric Line Lo	ocation	1980'

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.