

## Kansas Corporation Commission Oil & Gas Conservation Division

1092023

Form ACO-1

June 2009

Form Must Be Typed

Form must be Signed

All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	County:
Name:	Lease Name: Well #:
Wellsite Geologist:	Field Name:
Purchaser:	Producing Formation:
Designate Type of Completion:	Elevation: Ground: Kelly Bushing:
New Well Re-Entry Workover	Total Depth: Plug Back Total Depth:
Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):	Amount of Surface Pipe Set and Cemented at: Feet  Multiple Stage Cementing Collar Used? Yes No  If yes, show depth set: Feet  If Alternate II completion, cement circulated from: sx cmt
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:  Deepening Re-perf. Conv. to ENHR Conv. to SWD  Conv. to GSW	Chloride content: ppm Fluid volume: bbls  Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	Quarter Sec TwpS. R
ENHR Permit #:	County: Permit #:
GSW Permit #:	. 5
Spud Date or Date Reached TD Completion Date or Recompletion Date  Recompletion Date	

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY	
Letter of Confidentiality Received	
Date:	
Confidential Release Date:	
Wireline Log Received	
Geologist Report Received	
UIC Distribution	
ALT I II III Approved by: Date:	

Side Two



Operator Name:			Lease Name	e:			_ Well #:	
Sec Twp	S. R	East West	County:					
time tool open and clos	sed, flowing and shut s if gas to surface tes	I base of formations per in pressures, whether set, along with final chart well site report.	shut-in pressure	reached s	static level,	hydrostatic press	sures, bottom h	ole temperature, fl
Orill Stem Tests Taken (Attach Additional S		Yes No		Log	Formatio	n (Top), Depth an	d Datum	Sample
Samples Sent to Geolo		☐ Yes ☐ No	N	lame			Тор	Datum
Cores Taken Electric Log Run Electric Log Submitted (If no, Submit Copy)	I Electronically	Yes No Yes No Yes No						
List All E. Logs Run:			RECORD [		Used			
	Size Hole	Report all strings set- Size Casing	-conductor, surface Weight		ate, producti Setting	on, etc.  Type of	# Sacks	Type and Percen
Purpose of String	Drilled	Set (In O.D.)	Lbs. / Ft.		Depth	Cement	Used	Additives
		ADDITIONA	L OFMENTING (	00115575	DECORD			
		ADDITIONA	L CEMENTING / :	SQUEEZE	RECORD			
Purpose:  Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Type of Cement	# Sacks Used	d		Type and F	Percent Additives	
Shots Per Foot		ON RECORD - Bridge Plu ootage of Each Interval Pe				cture, Shot, Cement mount and Kind of Ma	•	d Depth
TUBING RECORD:	Size:	Set At:	Packer At:	Line	r Run:	Yes No		
Date of First, Resumed I	Production, SWD or ENI	HR. Producing Me	thod:	Gas Li	ift C	Other (Explain)		
Estimated Production Per 24 Hours	Oil E	Bbls. Gas	Mcf	Water	В	bls. (	Gas-Oil Ratio	Gravity
DISPOSITIO	Used on Lease	Open Hole	METHOD OF COM Perf. D	MPLETION: ually Comp omit ACO-5)	. Cor	nmingled mit ACO-4)	PRODUCTIO	ON INTERVAL:
(If vented, Sub	mit ACO-18.)	Other (Specify)						

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Mark Sievers, Chairman Thomas E. Wright, Commissioner Sam Brownback, Governor

August 28, 2012

Brandon Owens Rockin Bar Nothing Ranch, Inc. 2339 COUNTY RD 2800 INDEPENDENCE, KS 67301-7187

Re: ACO1 API 15-125-32191-00-00 Melander A RBN 11 NW/4 Sec.11-34S-14E Montgomery County, Kansas

## **Dear Production Department:**

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully, Brandon Owens

#### CEMENT FIELD TICKET AND TREATMENT REPORT

ustomer	rockin bar nothing	State, County	Montgomery , Kansas	Cement Type	CLASS	Α
ь Туре	longstring	Section		Excess (%)	30	
ustomer Acct #		TWP		Density	13.7	
ell No.	rbn 10	RGE		Water Required		
ailing Address		Formation		Yeild	1.75	
ty & State		Hole Size	5 5/8	Slurry Weight		
p Code		Hole Depth		Slurry Volume		
ontact		Casing Size	2 7/8INCH,	Displacement		,
		Casing Depth	715	Displacement PSI		
nail			715	MIX PSI		
ell		Drill Pipe		<u> </u>		
spatch Location	BARTLESVILLE	Tubing		Rate		
ode	Cement Pump Charges and Mileage	Quantity	Unit	Price per Unit		
5401	CEMENT PUMP (2 HOUR MAX)	11	2 HRS MAX	\$1,030.00	\$	1,030.0
			0	\$0.00	\$	<u> </u>
5407	MIN. BULK DELIVERY (WITHIN 50 MILES)	1	PER LOAD	\$350.00	\$	350.0
0			0	\$0.00	\$	
0			0	\$0.00	\$	<del></del>
0			**O	\$0.00	\$	
0	,	<u> </u>	0	\$0.00	\$	
0		<u> </u>	0	\$0.00	\$	-
5402	FOOTAGE	715	PER FOOT	0.22	\$	157.3
			E	<b>EQUIPMENT TOTAL</b>	\$	1,537.3
	Cement, Chemicals and Water	T	[	1		
1126A	THICK SET CEMENT (8LB OWC 4% GEL 2% CAL. CLORIDE	70	0	\$19.20	\$	1,344.0
1107A	PHENOSEAL	40	0	\$1.29	\$	51.6
1110A	KOL SEAL (50 # SK)	350	0	\$0.46	\$	161.0
1118B	PREMIUM GEL/BENTONITE (50#)	150	0	\$0.21	\$	31.5
1123	CITY WATER (PER 1000 GAL)	4	0	\$16.54	\$	66.1
0	CITE WATER (PER 1000 GAL)	<del>                                     </del>	0	\$0.00	\$	
			0	\$0.00	\$	-
0			0	\$0.00	\$	
00		<u> </u>		\$0.00	\$	
0		<u> </u>	0	\$0.00	\$	
0			0			
0			0	\$0.00	\$	
				CHEMICAL TOTAL	\$	1,654.2
	Water Transport					
5501C	WATER TRANSPORT (CEMENT)	2	TER TRANSPORT (CEME		\$	224.0
0			0	\$0.00	\$	_
0			0	\$0.00	\$	-
			T	RANSPORT TOTAL	\$	224.0
	Cement Floating Equipment (TAXABLE)					
<del></del>	Cement Basket	<u></u>				
0		1	0	\$0.00	\$	<del></del>
	Centralizer			, lane and the second s		
0	T T T T T T T T T T T T T T T T T T T	T	0	\$0.00	\$	
0			Ō	\$0.00	\$	-
	Float Shoe	<del>'</del>	1		· · · · · · · · · · · · · · · · · · ·	
0	1 loat Shoe	1	0	\$0.00	\$	
0	Float Collars	1	1	1	L-X	
0	Fluat Collats	T	0	\$0.00	\$	
<u> </u>	Guide Shoes			Ψ0.00		
	Guide Shoes		0	\$0.00	\$	_
	1		<u> </u>	ψυ.υυ	ΙΨ	
0	Poffic and Clannor Distan	-				
	Baffle and Flapper Plates	T	l n	00.00	\$	
0		L	0	\$0.00	\$	<del>-</del>
0	Baffle and Flapper Plates Packer Shoes					
	Packer Shoes		0	\$0.00	\$	
0			0	\$0.00	\$	
0	Packer Shoes  DV Tools					
0 0	Packer Shoes		0	\$0.00	\$	
0 0 0	Packer Shoes  DV Tools		0 0	\$0.00 \$0.00 \$0.00	\$	-
0 0 0	Packer Shoes  DV Tools		0 0 0	\$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$	-
0 0 0	Packer Shoes  DV Tools  Ball Valves, Swedges, Clamps, Misc.		0 0	\$0.00 \$0.00 \$0.00	\$	-
0 0 0	Packer Shoes  DV Tools		0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$	
0 0 0	Packer Shoes  DV Tools  Ball Valves, Swedges, Clamps, Misc.  Plugs and Ball Sealers  2 7/8 plug		0 0 0	\$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$	
0 0 0 0 0 0	Packer Shoes  DV Tools  Ball Valves, Swedges, Clamps, Misc.  Plugs and Ball Sealers		0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$	
0 0 0 0 0 0	Packer Shoes  DV Tools  Ball Valves, Swedges, Clamps, Misc.  Plugs and Ball Sealers  2 7/8 plug		0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$	28.0
0 0 0 0 0 0 0 4402	Packer Shoes  DV Tools  Ball Valves, Swedges, Clamps, Misc.  Plugs and Ball Sealers  2 7/8 plug  Downhole Tools		0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 QUIPMENT TOTAL	\$ \$ \$ \$ \$	28.6
0 0 0 0 0 0 0 4402	Packer Shoes  DV Tools  Ball Valves, Swedges, Clamps, Misc.  Plugs and Ball Sealers  2 7/8 plug  Downhole Tools  DRIVER NAME		0 0 0 0 0 0 0 0 0 CEMENT FLOATING E	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 QUIPMENT TOTAL SUB TOTAL	\$ \$ \$ \$ \$	28.0 28.0 28.0 3.443.0
0 0 0 0 0 0 0 4402	Packer Shoes  DV Tools  Ball Valves, Swedges, Clamps, Misc.  Plugs and Ball Sealers  2 7/8 plug  Downhole Tools  DRIVER NAME jake		0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 QUIPMENT TOTAL SUB TOTAL SALES TAX	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.0 28.0 3.443.1
0 0 0 0 0 0 0 4402 0	Packer Shoes  DV Tools  Ball Valves, Swedges, Clamps, Misc.  Plugs and Ball Sealers  2 7/8 plug  Downhole Tools  DRIVER NAME jake		0 0 0 0 0 0 0 0 CEMENT FLOATING E	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 QUIPMENT TOTAL SUB TOTAL SALES TAX TOTAL	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.0 28.0 3.443.6 104.2 3.547.7
0 0 0 0 0 0 0 4402	Packer Shoes  DV Tools  Ball Valves, Swedges, Clamps, Misc.  Plugs and Ball Sealers  2 7/8 plug  Downhole Tools  DRIVER NAME jake		0 0 0 0 0 0 0 0 CEMENT FLOATING E 6.30%	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 QUIPMENT TOTAL SUB TOTAL SALES TAX TOTAL (-DISCOUNT)	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.0 28.0 3,443.5 1042.3 3,547.7 354.7
0 0 0 0 0 0 0 4402 0	Packer Shoes  DV Tools  Ball Valves, Swedges, Clamps, Misc.  Plugs and Ball Sealers  2 7/8 plug  Downhole Tools  DRIVER NAME jake		0 0 0 0 0 0 0 0 CEMENT FLOATING E 6.30%	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 QUIPMENT TOTAL SUB TOTAL SALES TAX TOTAL	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	-
0 0 0 0 0 0 0 4402 0	Packer Shoes  DV Tools  Ball Valves, Swedges, Clamps, Misc.  Plugs and Ball Sealers  2 7/8 plug  Downhole Tools  DRIVER NAME jake		0 0 0 0 0 0 0 0 CEMENT FLOATING E 6.30%	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 QUIPMENT TOTAL SUB TOTAL SALES TAX TOTAL (-DISCOUNT)	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.0 28.0 3,443.8 104.3 3,547.

DATE\_

FOREMAN\_

### CEMENT FIELD TICKET AND TREATMENT REPORT

Customer	rockin bar nothing	State, County	Montgomery , Kansas	Cement Type	CLASS A
Customer Acct #	longstring	Section	0	Excess (%)	30
Well No.	0	TWP	0	Density	13.7
Mailing Address	rbn 1 <b>∛</b>	RGE	0	Water Required	0
City & State	0	Formation	0	Yeild	1.75
Zip Code	0	Hole Size	5 5/8	Slurry Weight	0
Contact	0	Hole Depth	0	Slurry Volume	o
Email	0	Casing Size	2 7/8INCH,	Displacement	0
Cell	0	Casing Depth	715	Displacement PSI	0
Office	0	Drill Pipe	0	MIX PSI	0
Dispatch Location	BARTLESVILLE	Tubing	0	Rate	0

Ran 3 sks of gel established curculation. Ran 70 sks of thickset shut down washed pump and lines clean. Dropped plug displaced
to bottom plug landed and held. Put 200psi on and shut in. Cement curculated to surface.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Mark Sievers, Chairman Thomas E. Wright, Commissioner Sam Brownback, Governor

August 28, 2012

Brandon Owens Rockin Bar Nothing Ranch, Inc. 2339 COUNTY RD 2800 INDEPENDENCE, KS 67301-7187

Re: ACO-1 API 15-125-32191-00-00 Melander A RBN 11 NW/4 Sec.11-34S-14E Montgomery County, Kansas

Dear Brandon Owens:

K.A.R. 82-3-107 provides for all completion information to be filed within 120 days of the spud date. Subsection(e)(2) of that regulation states "All rights to confidentiality shall be lost if the filings are not timely."

The above referenced well was spudded on 4/26/2012 and the ACO-1 was received on August 28, 2012 (not within the 120 days timely requirement).

Therefore, your request for confidential treatment of data contained within the ACO-1 filing cannot be granted at this time.

If you should have any questions, please do not hesitate to contact me at (316)337-6200.

Sincerely,

**Production Department**