

### Kansas Corporation Commission Oil & Gas Conservation Division

1092029

Form ACO-1
June 2009
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R
Address 2:	Feet from North / South Line of Section
City:	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	County:
Name:	Lease Name: Well #:
Wellsite Geologist:	Field Name:
Purchaser:	Producing Formation:
Designate Type of Completion:	Elevation: Ground: Kelly Bushing:
New Well Re-Entry Workover	Total Depth: Plug Back Total Depth:
Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):	Amount of Surface Pipe Set and Cemented at: Feet  Multiple Stage Cementing Collar Used?
Operator:	
Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:  Deepening Re-perf. Conv. to ENHR Conv. to SWD  Conv. to GSW	Chloride content: ppm Fluid volume: bbls  Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	Quarter Sec Twp S. R
☐ ENHR         Permit #:           ☐ GSW         Permit #:	County: Permit #:
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY
Letter of Confidentiality Received
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I III Approved by: Date:

Side Two



Operator Name:				_ Lease N	lame:			Well #:		
Sec Twp	S. R	East	West	County:						
INSTRUCTIONS: Sh time tool open and clo recovery, and flow rate line Logs surveyed. A	osed, flowing and shu es if gas to surface te	t-in pressures, st, along with f	whether sh inal chart(s	nut-in press	ure reach	ed static level,	hydrostatic pres	sures, bottom h	ole temp	erature, fluid
Drill Stem Tests Taker (Attach Additional S		Yes	No		Log	y Formation	n (Top), Depth a	nd Datum		Sample
Samples Sent to Geo	logical Survey	Yes	No		Name			Тор	I	Datum
Cores Taken Electric Log Run Electric Log Submitte (If no, Submit Copy	d Electronically	Yes Yes Yes	☐ No ☐ No ☐ No							
List All E. Logs Run:										
		Report all	CASING I		New	Used mediate, producti	on, etc.			
Purpose of String Size Hole Drilled		Size Casing Set (In O.D.)		Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
		AI	DDITIONAL	CEMENTIN	G / SQUE	EZE RECORD				
Purpose:  Perforate Protect Casing Plug Back TD Plug Off Zone	Purpose: Depth Type of Cement  — Perforate — Protect Casing — Plug Back TD			# Sacks	Used		Type and	Percent Additives		
Shots Per Foot	PERFORATI Specify I	ON RECORD - Footage of Each	Bridge Plugs Interval Perfo	s Set/Type orated			cture, Shot, Cemei mount and Kind of N		d	Depth
TUBING RECORD:	Size:	Set At:		Packer At:		Liner Run:				
Date of First, Resumed	Production, SWD or EN		ducing Meth	od:		as Lift C	Yes No	0		
Estimated Production Per 24 Hours	Oil	Bbls.		Mcf	Water		ols.	Gas-Oil Ratio		Gravity
DISPOSITIO	ON OF GAS:		M	IETHOD OF	COMPLET	ION:		PRODUCTIO	ON INTER	VAL:
Vented Sold	Used on Lease	Open	Hole (Specify)	Perf.	Dually ( (Submit AC		nmingled mit ACO-4)			

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Mark Sievers, Chairman Thomas E. Wright, Commissioner Sam Brownback, Governor

August 28, 2012

Brandon Owens Rockin Bar Nothing Ranch, Inc. 2339 COUNTY RD 2800 INDEPENDENCE, KS 67301-7187

Re: ACO1 API 15-125-32192-00-00 Melander A RBN 12 SW/4 Sec.11-34S-14E

Montgomery County, Kansas

## **Dear Production Department:**

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully, Brandon Owens

#### CEMENT FIELD TICKET AND TREATMENT REPORT

ustomer	Rockin Bar Nothing	State, County	Montgomery , Kansas	Cement Type	CLASS	A
ob Type	Long String	Section		Excess (%)	30	
ustomer Acct #		TWP		Density	13.8	
/ell No.	RBN #12	RGE		Water Required	ļ	
lailing Address		Formation		Yeild	1.75	
ity & State		Hole Size	5 5/8	Slurry Weight	<u> </u>	
p Code		Hole Depth	743	Slurry Volume		
ontact		Casing Size	2 7/8INCH,	Displacement		4.1
mail		Casing Depth	719	Displacement PSI		250
ell	Σ,	Drill Pipe		MIX PSI		200
ispatch Location	BARTLESVILLE	Tubing		Rate	4bpm	
ode	Cement Pump Charges and Mileage	Quantity	Unit	Price per Unit		
5401	CEMENT PUMP (2 HOUR MAX)	1	2 HRS MAX	\$1,030.00	\$	1,030.00
5407	MIN. BULK DELIVERY (WITHIN 50 MILES)	1	PER LOAD	\$350.00	\$	350.00
0			0	\$0.00	\$	-
0			0	\$0.00	\$	-
0			*** O	\$0.00	\$	
0			0	\$0.00	\$	
0			0	\$0.00	\$	-
00			0	\$0.00	\$	
5402	FOOTAGE	719	PER FOOT	0.22	\$	158.18
				EQUIPMENT TOTAL	\$	1,538.18
	Cement, Chemicals and Water					
1126A	THICK SET CEMENT (8LB OWC 4% GEL 2% CAL. CLORIDE	70	0	\$19.20	\$	1,344.00
1107A	PHENOSEAL	40	0	\$1.29	\$	51.60
1110A	KOL SEAL (50 # SK)	350	0	\$0.46	\$	161.00
1118B	PREMIUM GEL/BENTONITE (50#)	150	0	\$0.21	\$	31.50
1123	CITY WATER (PER 1000 GAL)	2.500	0	\$16.54	\$	41.35
0			0	\$0.00	\$	
0			0	\$0.00	\$	
0			0	\$0.00	\$	-
0			0	\$0.00	\$	
0			0	\$0.00 \$0.00	\$	
0		<u> </u>	0			4 600 45
	1/t.			CHEMICAL TOTAL	\$	1,629.45
1.0 24	Water Transport	i digwili v				
5501C	WATER TRANSPORT (CEMENT)	2		\$112.00	\$	224.00
00			0	\$0.00	\$	-
0		L	0	\$0.00 RANSPORT TOTAL	\$	224.00
		r		KANSPORT TOTAL	13	224.00
	Cement Floating Equipment (TAXABLE)	l	<u> </u>	L	L	
	Cement Basket	r	1 0	\$0.00	\$	<u> </u>
0		L	<u> </u>	φυ.υυ	ΙΨ	<del></del>
	Centralizer	r	0	\$0.00	\$	
0			0	\$0.00	\$	
<u> </u>	Float Shoe	<u> </u>		ψυ.υυ	<u> </u>	
0	rioat Shoe	<u> </u>	0	\$0.00		
00		L			S	_
	Finat Collars			\$0.00	\$	-
0	Float Collars		1 0			
0			0	\$0.00	\$	
	Float Collars  Guide Shoes					-
0	Guide Shoes		7. 81 ·	\$0.00	\$	
0			7. 81 ·	\$0.00	\$	
	Guide Shoes		0	\$0.00	\$	
0	Guide Shoes Baffle and Flapper Plates		0	\$0.00	\$	
0	Guide Shoes Baffle and Flapper Plates		0 0	\$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$	
0	Guide Shoes  Baffle and Flapper Plates  Packer Shoes		0 0	\$0.00 \$0.00 \$0.00	\$	
0 0	Guide Shoes  Baffle and Flapper Plates  Packer Shoes		0 0 0	\$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$	
0 0 0 0	Guide Shoes  Baffle and Flapper Plates  Packer Shoes  DV Tools		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$	
0 0 0 0	Guide Shoes  Baffle and Flapper Plates  Packer Shoes  DV Tools		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$	
0 0 0 0	Guide Shoes  Baffle and Flapper Plates  Packer Shoes  DV Tools  Ball Valves, Swedges, Clamps, Misc.		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$	
0 0 0 0 0	Guide Shoes  Baffle and Flapper Plates  Packer Shoes  DV Tools  Ball Valves, Swedges, Clamps, Misc.  Plugs and Ball Sealers		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - -
0 0 0 0 0	Guide Shoes  Baffle and Flapper Plates  Packer Shoes  DV Tools  Ball Valves, Swedges, Clamps, Misc.  Plugs and Ball Sealers  2 1/2 Rubber Plug	1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$	
0 0 0 0 0 0 0 0	Guide Shoes  Baffle and Flapper Plates  Packer Shoes  DV Tools  Ball Valves, Swedges, Clamps, Misc.  Plugs and Ball Sealers	1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - -
0 0 0 0 0	Guide Shoes  Baffle and Flapper Plates  Packer Shoes  DV Tools  Ball Valves, Swedges, Clamps, Misc.  Plugs and Ball Sealers  2 1/2 Rubber Plug	1		\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00
0 0 0 0 0 0 0 0 0 4402	Guide Shoes  Baffle and Flapper Plates  Packer Shoes  DV Tools  Ball Valves, Swedges, Clamps, Misc.  Plugs and Ball Sealers  2 1/2 Rubber Plug  Downhole Tools	1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00
0 0 0 0 0 0 0 0 4402	Guide Shoes  Baffle and Flapper Plates  Packer Shoes  DV Tools  Ball Valves, Swedges, Clamps, Misc.  Plugs and Ball Sealers  2 1/2 Rubber Plug  Downhole Tools  DRIVER NAME	1		\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00 28.00 3,419.63 104.42
0 0 0 0 0 0 0 0 0 4402	Guide Shoes  Baffle and Flapper Plates  Packer Shoes  DV Tools  Ball Valves, Swedges, Clamps, Misc.  Plugs and Ball Sealers 2 1/2 Rubber Plug  Downhole Tools  DRIVER NAME  Kirk Sanders  John Wade	1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 CEMENT FLOATING E 6.30%	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$28.00 \$28.00 QUIPMENT TOTAL SUB TOTAL SALES TAX TOTAL	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00 28.00 3.419.63 104.42 3.524.05
0 0 0 0 0 0 0 0 4402 0	Guide Shoes  Baffle and Flapper Plates  Packer Shoes  DV Tools  Ball Valves, Swedges, Clamps, Misc.  Plugs and Ball Sealers 2 1/2 Rubber Plug  Downhole Tools  DRIVER NAME  Kirk Sanders  John Wade  Dallas	1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 CEMENT FLOATING E 6.30%	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$28.00  \$0.00 QUIPMENT TOTAL SALES TAX TOTAL (-DISCOUNT)	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00 28.00 3,419.63 104.42 3,524.05 352.41
0 0 0 0 0 0 0 0 4402 0	Guide Shoes  Baffle and Flapper Plates  Packer Shoes  DV Tools  Ball Valves, Swedges, Clamps, Misc.  Plugs and Ball Sealers 2 1/2 Rubber Plug  Downhole Tools  DRIVER NAME  Kirk Sanders  John Wade	1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 CEMENT FLOATING E 6.30%	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$28.00 \$28.00 QUIPMENT TOTAL SUB TOTAL SALES TAX TOTAL	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00 28.00 3.419.63 104.42 3.524.05
0 0 0 0 0 0 0 0 4402 0	Guide Shoes  Baffle and Flapper Plates  Packer Shoes  DV Tools  Ball Valves, Swedges, Clamps, Misc.  Plugs and Ball Sealers 2 1/2 Rubber Plug  Downhole Tools  DRIVER NAME  Kirk Sanders  John Wade  Dallas	1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 CEMENT FLOATING E 6.30%	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$28.00  \$0.00 QUIPMENT TOTAL SALES TAX TOTAL (-DISCOUNT)	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00 28.00 3,419.63 104.42 3,524.05 352.41

## CEMENT FIELD TICKET AND TREATMENT REPORT

Rockin Bar Nothing	State, County	Montgomery , Kansas	Cement Type	CLASS A
	Section	0	Excess (%)	30
0	TWP	0	Density	13.8
RBN #12	RGE	0	Water Required	0
	Formation	0	Yeild	1.75 .
	Hole Size	5 5/8	Slurry Weight	0
	Hole Depth	743	Slurry Volume	0
	Casing Size	2 7/8INCH,	Displacement	4.1
	Casing Depth	719	Displacement PSI	250
	Drill Pipe	0	MIX PSI	200
BARTLESVILLE	Tubing	0	Rate	4bpm
	RBN #12 0 0 0 0 0 0 0	Section   TWP	Section   0   0   0   0   0   0   0   0   0	Section   0   Excess (%)

Ran gel to establish circ., pumped 70sx of Thick Set Cement. Flushed pump and lines, dropped plug and displaced to set. Left 200# on well. Shut in and washed up.					
Circulated cement to surface.					

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Mark Sievers, Chairman Thomas E. Wright, Commissioner Sam Brownback, Governor

August 28, 2012

Brandon Owens Rockin Bar Nothing Ranch, Inc. 2339 COUNTY RD 2800 INDEPENDENCE, KS 67301-7187

Re: ACO-1 API 15-125-32192-00-00 Melander A RBN 12 SW/4 Sec.11-34S-14E Montgomery County, Kansas

**Dear Brandon Owens:** 

K.A.R. 82-3-107 provides for all completion information to be filed within 120 days of the spud date. Subsection(e)(2) of that regulation states "All rights to confidentiality shall be lost if the filings are not timely."

The above referenced well was spudded on 4/27/2012 and the ACO-1 was received on August 28, 2012 (not within the 120 days timely requirement).

Therefore, your request for confidential treatment of data contained within the ACO-1 filing cannot be granted at this time.

If you should have any questions, please do not hesitate to contact me at (316)337-6200.

Sincerely,

**Production Department**