Confidentiality Requested: Yes No

KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

1091027

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #		API No. 15						
Name:		Spot Description:						
Address 1:								
Address 2:		Feet from North / South Line of Section						
City: State: Zip:	+	Feet from East / West Line of Section						
Contact Person:		Footages Calculated from Nearest Outside Section Corner:						
Phone: ()								
CONTRACTOR: License #		GPS Location: Lat:, Long:						
Name:		(e.g. xx.xxxxx) (e.gxxx.xxxxx)						
Wellsite Geologist:		Datum: NAD27 NAD83 WGS84						
Purchaser:		County:						
Designate Type of Completion:		Lease Name: Well #:						
New Well Re-Entry	Workover							
		Producing Formation:						
☐ Oil ☐ WSW ☐ SWD □ Gas □ D&A □ ENHR	SIOW	Elevation: Ground: Kelly Bushing: Total Vertical Depth: Plug Back Total Depth: Amount of Surface Pipe Set and Cemented at: Feet Multiple Stage Cementing Collar Used? Yes No						
	Temp. Abd.							
CM (Coal Bed Methane)	Temp. Abd.							
Cathodic Other (Core, Expl., etc.):								
If Workover/Re-entry: Old Well Info as follows:		If yes, show depth set: Feet						
Operator:		If Alternate II completion, cement circulated from:						
Well Name:		feet depth to:w/sx cmt.						
Original Comp. Date: Original Total [Depth:							
Deepening Re-perf. Conv. to ENHR	Conv. to SWD	Drilling Fluid Management Plan						
Plug Back Conv. to GSW	Conv. to Producer	(Data must be collected from the Reserve Pit)						
_		Chloride content: ppm Fluid volume: bbls						
		Dewatering method used:						
Dual Completion Permit #:								
		Location of fluid disposal if hauled offsite:						
		Operator Name:						
GSW Permit #:		Lease Name: License #:						
		Quarter Sec TwpS. R East West						
•	ecompletion Date or	County: Permit #:						

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY					
Confidentiality Requested					
Date:					
Confidential Release Date:					
Wireline Log Received					
Geologist Report Received					
UIC Distribution					
ALT I II III Approved by: Date:					

	Page Two	1091027
Operator Name:	Lease Name:	Well #:
Sec TwpS. R East _ West	County:	
INSTRUCTIONS: Show important tang of formations panetrated. Do	ail all aaraa Bapart all fin	al conice of drill stome toots giving interval tootod, time tool

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taker (Attach Additional S		Yes No	L	.og Formatic	on (Top), Depth and	d Datum	Sample
Samples Sent to Geo	,	Yes No	Nam	е		Тор	Datum
Cores Taken Electric Log Run		Yes No					
List All E. Logs Run:							
		CASING Report all strings set-c	RECORD Ne		on, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SQU	JEEZE RECORD			
Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used		Type and Pe	ercent Additives	
Protect Casing Plug Back TD							
Plug Off Zone							
Did you perform a hydraulic fracturing treatment on this well?				Yes	No (If No, skip	o questions 2 an	d 3)
Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000			ceed 350,000 gallons	? Yes	No (If No, skip	o question 3)	
Was the hydraulic fractur	ing treatment informatio	n submitted to the chemical of	disclosure registry?	Yes	No (If No, fill o	out Page Three o	of the ACO-1)
	a Cat/Turaa	Asid Fro	atura Chat Comant		J		

				ge of Each Interval Perforated				(Amount and Kind of Material Used)		
UBING RECORD:	Size	e:	Set At:	:	Packer	r At:	Liner F		No	
Date of First, Resumed	Production	on, SWD or ENHF	ł.	Producing Met	hod:	ping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bb	S.	Gas	Mcf	Wate	er	Bbls.	Gas-Oil Ratio	Gravity
DISPOSIT	ION OF G	AS:			METHOD	OF COMPLE	TION:		PRODUCTION IN	TERVAL:
Vented Sol		Ised on Lease		Open Hole [Other <i>(Specify)</i> _	Perf.	Uually (Submit A	CO-5)	Commingled (Submit ACO-4)		

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

CONSOLIDATED Oil Well Services LLC

TICKET NUMBER_	37488
· · · · · · · · · · · · · · · · · · ·	

nal

251547

LOCATION OXTAMA KS FOREMAN Fred Mader

PO Box 884, Chanute, KS 66720 620-431-9210 or 800-467-8676


FIELD TICKET & TREATMENT REPORT

020 431-3210		5		CLMEN	F.				
DATE	CUSTOMER #	WELI	NAME & NUM	BER	SEC	CTION	TOWNSHIP	RANGE	COUNTY
7/25/12	7806	with	ian # 2.7	*	s K	16	20	20	AN
CUSTOMER	_		•		*****	- En	ni-huili arrani da	ART-MINERALINE	
Tail	water	June.			TR	JCK #	DRIVER	TRUCK #	DRIVER
MAILING ADDR	ESS				5	-06	Fre Mad	Satete	net
	1 Auonda	Le Dr.		1	4	95	Kei Car	140	
CITY		STATE	ZIP CODE		3	69	Der Mas	DM	
Oklahom	a City	OK	73116		्ऽ	10	Settue	ST	
JOB TYPE	ME STY DE		57/2	HOLE DEPTH	7	63'	CASING SIZE & W	EIGHT 27/5	EUE
CASING DEPTH	7530	DRILL PIPE		TUBING				OTHER	
SLURRY WEIGH	IT	SLURRY VOL_		WATER gal/s	k		CEMENT LEFT in	CASING 22	Plug
DISPLACEMENT 4, 3 & BADISPLACEMENT PSI MIX PSI							RATE_SBPM	_	<u> </u>
REMARKS: E	stablish	Bump ro	tu. Mi	XX Pums	100*	Ged +	Tusky Mix	+ PUMP	
99 5/45 50/50 Por Mix Coment 270 Cal. Coment to Surface.									
Flush nume + lines clean. Displace 25" Rubber pluc to									
casing TD. Piessure to 800 PSI. Release pressure to									
cost float value. Shut in cesing									
				0					

Evans Energy Dev. Inc.

ACCOUNT CODE	QUANITY or UNITS	DESCRIPTION of SERVICES or PRODU	СТ	UNIT PRICE	TOTAL
5401	1	PUMP CHARGE	368		1030 =
5406		MILEAGE			N/C
5402	753	Casing footage			pic
5407	V2 Minimum	Ton miles	510		175 00
55020	1/2hr	80 BBL Vac Truck	368.		13500
					
1124	99sts	50/50 Por Mix Coment			108402
118	266	So/50 Por Mix Coment Premine Gal			108405
4402)	22° Rubber plug			280-2
		· /	.		
					\$
					·······
			6		
			7.6%	SALES TAX	9,10
Ravin 3737	L I		0 /	ESTIMATED	2599.01
AUTHORIZTION	then		<u> </u>	DATE	

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.



Oil & Gas Well Drilling Water Wells Geo-Loop Installation

Phone: 913-557-9083 Fax: 913-557-9084

WELL LOG Tailwater, Inc. Wittman #2-T (Sec 16) API#15-003-25,323 July 24 - July 25, 2012

Paola, KS 66071

Thickness of Strata	Formation	Total
16	soil & clay	16
88	shale	104
28	lime	132
72	shale	204
11	lime	215
4	shale	219
34	lime	253
6	shale	259
24	lime	283
4	shale	287
15	lime	302
178	shale	480
10	lime	490 oil show
18	shale	508
4	oil sand	512 green, light bleeding
1	coal	513
7	shale	520
16	oil sand	636 green, good bleeding
2	shale	538
1	coal	539
28	shale	567
6	lime	573
19	shale	592
19	lime	611
62	shale	673
4	lime	677
6	shale	683
1	lime & shells	684
4	oil sand	688 brown, good bleeding
3	broken sand	691 brown & grey sand, good bleeding
2	oil sand	693 brown, good bleeding
7	shale	700
3	sand	703 black, no oil show
25	shale	728
35	broken sand	763 brown & grey sand, no oil show 763 TD

Wittman #2-T

Page 2

Drilled a 9 7/8" hole to 21.3' Drilled a 5 5/8" hole to 763'

Set 21.3' of 7" surface casing cemented with 6 sacks of cement.

Set 753.2' of 2 7/8" threaded and coupled 8 round upset tubing with 3 centralizers, 1 float shoe and 1 clamp.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner Sam Brownback, Governor

September 13, 2012

Christian L. Martin Tailwater, Inc. 6421 AVONDALE DR STE 212 OKLAHOMA CITY, OK 73116-6428

Re: ACO1 API 15-003-25323-00-00 WITTMAN 2-T SE/4 Sec.16-20S-20E Anderson County, Kansas

Dear Production Department:

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully, Christian L. Martin