

Confidentiality Requested:

Yes No

### Kansas Corporation Commission Oil & Gas Conservation Division

1091040

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #			API No. 15				
Name:			Spot Description:				
Address 1:			SecTwpS. R				
Address 2:			F6	eet from North /	South Line of Section		
City:	State: Z	ip:+	Fe	eet from East /	West Line of Section		
Contact Person:			Footages Calculated from Nearest Outside Section Corner:				
Phone: ()			□NE □NW □SE □SW				
CONTRACTOR: License #			GPS Location: Lat:, Long:				
Name:				(e.g. xx.xxxxx)	(e.gxxx.xxxxx)		
Wellsite Geologist:			Datum: NAD27	NAD83 WGS84			
Purchaser:			County:				
Designate Type of Completion:			Lease Name: Well #:				
	e-Entry	Workover	Field Name:				
	_		Producing Formation:				
☐ Oil ☐ WSW ☐ D&A	☐ SWD	∐ SIOW ∏ SIGW	Elevation: Ground: Kelly Bushing:  Total Vertical Depth: Plug Back Total Depth:				
	GSW	Temp. Abd.					
CM (Coal Bed Methane)	dow	Temp. Abd.	Amount of Surface Pipe Se	et and Cemented at:	Feet		
☐ Cathodic ☐ Other (Co	ore. Expl., etc.):		Multiple Stage Cementing	Collar Used? Yes	No		
If Workover/Re-entry: Old Well I			If yes, show depth set: Feet				
Operator:			If Alternate II completion, c	cement circulated from:			
Well Name:			feet depth to:	w/	sx cmt.		
Original Comp. Date:							
Deepening Re-perf	J	ENHR Conv. to SWD	Drilling Fluid Managemer	nt Plan			
Plug Back	Conv. to G		(Data must be collected from to				
Commingled	Permit #		Chloride content:	ppm Fluid volume	: bbls		
Dual Completion			Dewatering method used:_				
SWD			Location of fluid disposal if	hauled offsite:			
ENHR	Permit #:						
GSW Permit #:		Operator Name:					
			Lease Name:				
Spud Date or Date R	eached TD	Completion Date or	Quarter Sec	TwpS. R	East West		
Recompletion Date		Recompletion Date	County:	Permit #:			

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY						
Confidentiality Requested						
Date:						
Confidential Release Date:						
Wireline Log Received						
Geologist Report Received						
UIC Distribution						
ALT I II Approved by: Date:						

Page Two



Operator Name:			Lease Name: _			Well #:		
Sec Twp	S. R	East West	County:					
INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.								
		otain Geophysical Data a or newer AND an image		egs must be ema	ailed to kcc-well-lo	gs@kcc.ks.gov	v. Digital elec	tronic log
Drill Stem Tests Taken Yes No (Attach Additional Sheets)				_	on (Top), Depth ar		Samp	
Samples Sent to Geo	ological Survey	☐ Yes ☐ No	Nam	e		Тор	Datur	m
Cores Taken Yes Yes Yes Yes Yes								
List All E. Logs Run:								
		CASING	RECORD Ne	ew Used				
		Report all strings set-	conductor, surface, inte	ermediate, product	ion, etc.			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and P Additiv	
		ADDITIONAL	OFMENTING / OOL					
Purpose:	Depth		CEMENTING / SQL	JEEZE RECORD		araant Additiraa		
Perforate	Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives				
Protect Casing Plug Back TD								
Plug Off Zone								
Did you perform a hydra	ulic fracturing treatment o	on this well?		Yes	No (If No, ski	p questions 2 ar	nd 3)	
	=	raulic fracturing treatment ex	xceed 350,000 gallons			p question 3)	,	
Was the hydraulic fractu	ring treatment information	n submitted to the chemical	disclosure registry?	Yes	No (If No, fill	out Page Three	of the ACO-1)	
Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated				Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)  Depth				
	Сроспу Г	octago of Laon morvar i or	ioratou	(>1	mount and rand or ma	teriar Good)		<u> Борит</u>
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes No			
Date of First, Resumed	Production, SWD or EN							
Flowing Pumping Gas Lift Other (Explain)				) O" D "				
Estimated Production Per 24 Hours	Oil E	Bbls. Gas	Mcf Wate	er B	bls. G	Gas-Oil Ratio	Gr 	ravity
DISPOSITI	ON OF GAS:	1	METHOD OF COMPLE	ETION:		PRODUCTIO	ON INTERVAL:	
Vented Sold		Open Hole	Perf. Dually	Comp. Con	mmingled			
(Submit ACO-5) (If vented, Submit ACO-18.)  Other (Specify)					omit ACO-4)		-	

-
CANSOLIDATED OF PARKETON 1/2

LOCATION O Hawa KS
FOREMAN Fyed Mader

PO	<b>Box</b>	884,	Cha	nute,	ĸs	667	20
		-9210					

## FIELD TICKET & TREATMENT REPORT

20-431-9210 or	800-467-8676				EMENI	OFOTION	TOWNSHIP	RANGE	COUNTY
DATE	CUSTOMER #		NAME & I			SECTION		104101	
7/20/12	7806	w: Hmo	yn #	3-7		5E 14	20	7.0	AN
HISTOMER				1		TRUCK#	DRIVER	TRUCK#	DRIVER
MAILING ADDRES	waxer	_ ميل			-	306	FreMad	Safely	Mush
	_					495	He: Car	KC	7
OITY	1 Avon	ISTATE	ZIP COD	E	<u> </u>		Jas Ric	TR	
	<b>∕</b> L.	OK	7311	1		548	Mik Haa	MH	
0 Klaha	macity	HOLE SIZE	5 1/8	 	L F DEPTH	760'		EIGHT_ 278"	EUE
JOB TYPE <u> しゅ</u>		DRILL PIPE		T110	MAG			OTHER	
CASING DEPTH_		SLURRY VOL_			TER gal/sk		CEMENT LEFT in	CASING 2'3"	Place
SLURRY WEIGH	U 50. 3	DICOL ACEMEN	T DSI	MIX	PSI		RATE SBPY	<u>n</u>	
DISPLACEMENT	. 4 1 11 . 1	_	*	<u>Λ</u> ΙΝ	1 200	nu 100 #	Gel Flush.	Mix - Pum	0
									<del>:</del>
96	<u> </u>	/ <u>3</u> 8	1/11-2	· · ·	is a ka	(P 2/2"	Rubberp	lug to	
<u></u>	sn how	The free	<u>5 489</u>	Ya o	00 # P.	1. Role	ess pross	uve to	
<u> </u>	S MY	Value	< /a>.		casi	~ <b>.</b>			
్ర క	7 4-1000	VILLORI	3.000	138		0			
<u> </u>									
	<u>,</u>						1		
		My Deu	7	· D	~		two	Made	
EVO	MI Ener	M CO	. 44.0		Z. 3			·	
ACCOUNT CODE	QUANIT	Y or UNITS		DESCF	RIPTION of	SERVICES or		UNIT PRICE	TOTAL
5401		1	PUMP C	HARGE			495		4030 = 0
5404		20 mi	MILEAG	E			455	<del> </del>	
3402		755	Co	5 Mg	Foot as	10			N/c
5407	12 Min		ند	n Mi	,	, 	548	1	775
2501C		12hr		rous	sout		505/7106		1689
<del></del>									
								<del> </del>	20
1124		965K5	50/	50 A	r Mix	Come	Х	<del>                                     </del>	105139
		2624	0.	ال ممد	لم سر	L			55°2
1118	<del>                                     </del>	)	2%	1 , 1	ber	Plue			2500
4402	<del></del>					0			
			1						<u> </u>
								4	<b></b>
	<del> </del>			· · · · · · · · · · · · · · · · · · ·					<del> </del>
	+						Sec.	<u> </u>	<del></del>
	1								
ļ	<del> </del>		_						
	<del> </del>						7.4%	SALES TAX	887
Ravin 3737		1		· <del></del>				ESTIMATED TOTAL	2675
	لما		=					DATE	
	HUI			т	ITLE			DAIE	

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records at our office and conditions of service on the back of this form are in effect for services identified on this formation and conditions of service on the back of this form are in effect for services identified on this formation.



### Oil & Gas Well Drilling Water Wells Geo-Loop Installation

Phone: 913-557-9083 Fax: 913-557-9084

### **WELL LOG**

Paola, KS 66071

Tailwater, Inc. Wittman #3-T API#15-003-25,324 July 18 - July 19, 2012

Thickness of Strata	<u>Formation</u>	<u>Total</u>
19	soil & clay	19
83	shale	102
24	lime	126
22	shale	148
4	lime	152
46	shale	198
10	lime	208
14	shale	222
24	lime	246
10	shale	256
22	lime	278
2	shale	280
2	coal	282
15	lime	297 base of the Kansas City
173	shale	470
12	lime	482
3	bleeding lime	485 bleeding
11	shale	496
3	oil sand	499
7	sand	506 no oil show
4	broken sand	510 no oil show
6	sandy shale	516 gray, no oil show
32	lime	548
35	shale	583
19	lime	602
14	shale	616
2	coal	618
6	shale	624
4	lime	628
8	shale	636
16	sand	652 grey, no oil show
11	shale	663
16	lime	679 black
7	oil sand	686 bleeding, good odor
2	sand	688 gray, no odor
8 .	shale	696 sandy
24	shale	720
40	broken sand	760 TD

Wittman #3-T

Page 2

Drilled a 9 7/8" hole to 22.1' Drilled a 5 5/8" hole to 755'

Set 22.1' of 7" surface casing cemented with 6 sacks of cement.

Set 755' of 2 7/8" threaded and coupled 8 round upset tubing with 3 centralizers, 1 float shoe and 1 clamp.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

**September 13, 2012** 

Christian L. Martin Tailwater, Inc. 6421 AVONDALE DR STE 212 OKLAHOMA CITY, OK 73116-6428

Re: ACO1 API 15-003-25324-00-00 Wittman 3-T SE/4 Sec.16-20S-20E Anderson County, Kansas

#### **Dear Production Department:**

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully, Christian L. Martin