Confidentiality Requested: Yes No

# KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

1092034

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

### WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxx) (e.gxxx.xxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
☐ Oil ☐ WSW ☐ SWD ☐ SIOW □ Gas □ D&A □ ENHR □ SIGW	Elevation: Ground: Kelly Bushing:
OG GSW Temp. Abd.	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Drilling Fluid Management Plan
Plug Back       Conv. to GSW       Conv. to Producer	(Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:	Dewatering method used:
Dual Completion Permit #:	
SWD Permit #:      ENHR Permit #:	Location of fluid disposal if hauled offsite:
ENHR Permit #:      GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec Twp S. R East West
Recompletion Date Reached TD Recompletion Date of Recompletion Date	County: Permit #:

### AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

## Submitted Electronically

KCC Office Use ONLY						
Confidentiality Requested						
Date:						
Confidential Release Date:						
Wireline Log Received						
Geologist Report Received						
UIC Distribution						
ALT I II III Approved by: Date:						

	Page Two	1092034
Operator Name:	_ Lease Name:	Well #:
Sec TwpS. R   East West	County:	
INCTRUCTIONS: Chause important tang of formations paratested	atail all aaraa Bapart all final	apping of drill stome tools giving interval toolad, time tool

**INSTRUCTIONS:** Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sh	eets)	Yes No		-	n (Top), Depth an		Sample
Samples Sent to Geolog	gical Survey	Yes No	Nam	е		Тор	Datum
Cores Taken Electric Log Run		☐ Yes ☐ No ☐ Yes ☐ No					
List All E. Logs Run:							
			RECORD Ne				
		Report all strings set-o	conductor, surface, inte	ermediate, production	on, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
	·	ADDITIONAL	CEMENTING / SQL	JEEZE RECORD			
Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used		Type and Pe	ercent Additives	
Protect Casing							
Plug Off Zone							

Did you perform a hydraulic fracturing treatment on this well?	Yes
Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?	Yes
Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?	Yes

(If No, skip questions 2 and 3) (If No, skip question 3)

No

No

No

(If No, fill out Page Three of the ACO-1)

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated					0e	,	Depth		
TUBING RECORD:	Siz	ze:	Set At:		Packe	r At:	Liner R	un:	No	
Date of First, Resumed	l Producti	ion, SWD or ENHF	<b>}</b> .	Producing N		ping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bb	ls.	Gas	Mcf	Wate	er	Bbls.	Gas-Oil Ratio	Gravity
DISPOSITI					METHOD	OF COMPLE			PRODUCTION INT	
	_	Jsed on Lease		Open Hole	Perf.	Dually	Comp.	Commingled	FRODUCTION INT	
(If vented, Su				Other <i>(Specify</i> ,	)	(Submit A	,	(Submit ACO-4)		

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Mark Sievers, Chairman Thomas E. Wright, Commissioner Sam Brownback, Governor

August 28, 2012

Brandon Owens Rockin Bar Nothing Ranch, Inc. 2339 COUNTY RD 2800 INDEPENDENCE, KS 67301-7187

Re: ACO1 API 15-125-32208-00-00 Melander A RBN 15 NW/4 Sec.11-34S-14E Montgomery County, Kansas

**Dear Production Department:** 

We are herewith requesting that the Well Completion Form ACO-1 and attached information for the subject well be held confidential for a period of two years.

Should you have any questions or need additional information regarding subject well, please contact our office.

Respectfully, Brandon Owens

#### CONSOLIDATED OIL Well Services, LLC a CEMENT FIELD TICKET AND TREATMENT REPORT

Customer	ROCKIN BAR NOTHIN	State, County	Montgomery , Kansas	Cement Type	CLASS	Α
lob Type	LS	Section	11	Excess (%)	30	
Sustomer Acct #		TWP	34	Density	13.8	
Vell No.	RBN #15	RGE	14	Water Required	[	
Mailing Address		Formation		Yeild	1.75	
City & State		Hole Size	5.625	Slurry Weight	ļ	
Zip Code		Hole Depth		Slurry Volume	ļ	
Contact		Casing Size	700	Displacement	I	4
Email		Casing Depth		Displacement PSI		400
Cell		Drill Pipe		MIX PSI	ļ	200
Dispatch Location	BARTLESVILLE	Tubing	2.875	Rate	ļ	4
	Cement Pump Charges and Mileage	Quantity	Unit	Price per Unit		
5401	CEMENT PUMP (2 HOUR MAX)	11	2 HRS MAX	\$1,030.00	\$	1,030.00
0			0	\$0.00 \$0.00	\$ \$	
0			0	\$0.00	\$ \$	
0			0	\$0.00	\$	 _
0			0	\$0.00	\$	-
0			0	\$0.00	\$	-
ō			0	\$0.00	\$	-
5402	FOOTAGE	700	PER FOOT	0.22	\$	154.00
		• · · · · · · · · · · · · · · · · · · ·	E	QUIPMENT TOTAL	\$	1,184.00
	Cement, Chemicals and Water					
1126A	THICK SET CEMENT (8LB OWC 4% GEL 2% CAL. CLORIDE	70.00	0	\$19.20	\$	1,344.00
1110A	KOL SEAL (50 # SK)	350.00	0	\$0.46	\$	161.00
1118B	PREMIUM GEL/BENTONITE (50#)	150.00	0	\$0.21	\$	31.50
1107A	PHENOSEAL	60.00	0	\$1.29	\$	77.40
1123	CITY WATER (PER 1000 GAL)	4.20	0	\$16.54	\$	69.47
0			0	\$0.00	\$	
0			0	\$0.00 \$0.00	\$ \$	······································
0			0	\$0.00	\$	
0			0	\$0.00	\$	
0			0	\$0.00	\$	
U I		1	L	CHEMICAL TOTAL	\$	1,683.37
	Water Transport	r	1		÷	1,000.07
5501C	WATER TRANSPORT (CEMENT)	2	TER TRANSPORT (CEME	\$112.00	\$	224.00
0	WATER INVIRON ORT (OEMERT)		0	\$0.00	\$	-
0			0	\$0.00	\$	-
			T	RANSPORT TOTAL	\$	224.00
	Cement Floating Equipment (TAXABLE)					
	Cement Basket		i i i i i i i i i i i i i i i i i i i			
0			0	\$0.00	\$	-
	Centralizer		r			
0			0	\$0.00	\$	
0 1	Flagh Obac		0	\$0.00	\$	
	Float Shoe		0	\$0.00	\$	
0	Float Collars	L		<b>\$0.00</b>	Ψ	
0		<u>,</u>	0	\$0.00	\$	-
· · · · · · · · · · · · · · · ·	Guide Shoes			L <i>L</i>	L	· · · · · · · · · · · · · · · · · · ·
0			0	\$0.00	\$	-
	Baffle and Flapper Plates		· · · · · · · · · · · · · · · · · · ·			
0			0	\$0.00	\$	-
the second s	Packer Shoes	·	1			
0			0	\$0.00	\$	
	DV Tools	·····	· · · · · · · · · · · · · · · · · · ·	60.00	•	
0	Dell Velves Overlage Oleman Miss	L	0	\$0.00	\$	-
	Ball Valves, Swedges, Clamps, Misc.		0	\$0.00	S	
<u> </u>			0	\$0.00	\$	
0			the second se	\$0.00	\$	
0			0	20.00		
0	Plugs and Bail Sealers		0	\$0.00	L_Ψ	
0	Plugs and Ball Sealers 2 7/8 RUBBER PLUG	2	0 PER UNIT	\$30.00	\$	60.00
0		2	PER UNIT	\$30.00	\$	60.00
0	2 7/8 RUBBER PLUG	2	PER UNIT	\$30.00 \$0.00	\$	
0 0 0	2 7/8 RUBBER PLUG Downhole Tools	2	PER UNIT	\$30.00 \$0.00 QUIPMENT TOTAL	\$	60.00
0 0 0	2 7/8 RUBBER PLUG Downhole Tools	2	PER UNIT	\$30.00 \$0.00 QUIPMENT TOTAL SUB TOTAL	\$ \$ \$ \$	60.00 3,151.37
0 0 0 0 674	2 7/8 RUBBER PLUG Downhole Tools DRIVER NAME Donnie	2	PER UNIT	\$30.00 \$0.00 QUIPMENT TOTAL SUB TOTAL SALES TAX TOTAL	\$ \$ \$ \$	60.00 3,151.37 109.83 3,261.20
0 0 0 0 674 492 551	2 7/8 RUBBER PLUG Downhole Tools DRIVER NAME Donnie JAMES N JAMES B	2	PER UNIT 0 CEMENT FLOATING EG 6.30% 10%	\$30.00 \$0.00 QUIPMENT TOTAL SUB TOTAL SALES TAX TOTAL (-DISCOUNT)	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	60.00 3,151.37 109.83 3,261.20 326.12
0 0 0 0 674 492 551	2 7/8 RUBBER PLUG Downhole Tools DRIVER NAME Donnie JAMES N	2	PER UNIT 0 CEMENT FLOATING EG 6.30% 10%	\$30.00 \$0.00 QUIPMENT TOTAL SUB TOTAL SALES TAX TOTAL	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	60.00 3,151.37 109.83 3,261.20
0 0 0 0 674 492 551	2 7/8 RUBBER PLUG Downhole Tools DRIVER NAME Donnie JAMES N JAMES B	2	PER UNIT 0 CEMENT FLOATING EG 6.30% 10%	\$30.00 \$0.00 QUIPMENT TOTAL SUB TOTAL SALES TAX TOTAL (-DISCOUNT)	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	60.00 3,151.37 109.83 3,261.20 326.12
0 0 0 0 674 492 551	2 7/8 RUBBER PLUG Downhole Tools DRIVER NAME Donnie JAMES N JAMES B	2	PER UNIT 0 CEMENT FLOATING EG 6.30% 10%	\$30.00 \$0.00 QUIPMENT TOTAL SUB TOTAL SALES TAX TOTAL (-DISCOUNT)	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	60.00 3,151.37 109.83 3,261.20 326.12
0 0 0 0 0 674 492 551 551 551	2 7/8 RUBBER PLUG Downhole Tools DRIVER NAME Donnie JAMES N JAMES B IAMES W		PER UNIT	\$30.00 \$0.00 QUIPMENT TOTAL SUB TOTAL SALES TAX TOTAL (-DISCOUNT)	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	60.00 3,151.37 109.83 3,261.20 326.12
0 0 0 0 0 674 492 551 551 551	2 7/8 RUBBER PLUG Downhole Tools DRIVER NAME Donnie JAMES N JAMES B	2	PER UNIT	\$30.00 \$0.00 QUIPMENT TOTAL SUB TOTAL SALES TAX TOTAL (-DISCOUNT)	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	60.00 3,151.37 109.83 3,261.20 326.12

ACKNOWLEDGE THAT THE PAYMENT TERMS, UNLESS SPECIFICALLY AMENDED IN WRITING ON THE FRONT OF THE FORM OR IN THE CUSTOMER'S ACCOUNT RECORDS, AT OUR OFFICE, AND CONDITIONS OF SERVICE ON THE BACK OF THIS FORM ARE IN EFFECT FOR SERVICES IDENTIFIED ON THIS FORM.

Customer	ROCKIN BAR NOTHIN	State, County	Montgomery , Kansas	Cement Type	CLASS A
Customer Acct #	LS	Section	11	Excess (%)	30
Well No.	0	TWP	34	Density	13.8
Mailing Address	RBN #15	RGE	14	Water Required	0
City & State	0	Formation	0	Yeild	1.75
Zip Code	0	Hole Size	5.625	Slurry Weight	0
Contact	0	Hole Depth	0	Slurry Volume	0
Email	0	Casing Size	700	Displacement	4
Cell	0	Casing Depth	0	Displacement PSI	400
Office	0	Drill Pipe	0	MIX PSI	200
Dispatch Location	BARTLESVILLE	Tubing	2.875	Rate	4
REMARKS					

EST CIR WITH GEL AND H20. RUN 70 SX THICK SET W/ 5# KOL AND PHENO. WASH OUT PUMP AND LINES AND DROP 2 PLUGS AND DISP 4 BBLS. LANDES PLUG AT 1400# CMT TO SURF. THANK YOU