



TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

Shakespeare Oil Co Inc

23-13-31 Gove Ks

202 W Main St
Salem IL 62881

Zerr Trust 3-23

Job Ticket: 48370

DST#: 8

ATTN: Tim Priest

Test Start: 2012.07.28 @ 10:21:01

GENERAL INFORMATION:

Formation: **Johnson**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 11:53:41

Time Test Ended: 15:55:55

Test Type: Conventional Bottom Hole (Reset)

Tester: Brandon Turley

Unit No: 60

Interval: 4480.00 ft (KB) To 4526.00 ft (KB) (TVD)

Reference Elevations: 2871.00 ft (KB)

Total Depth: 4526.00 ft (KB) (TVD)

2864.00 ft (CF)

Hole Diameter: 7.88 inches Hole Condition: Fair

KB to GR/CF: 7.00 ft

Serial #: 8373

Inside

Press @ Run Depth: 18.29 psig @ 4485.00 ft (KB)

Capacity: 8000.00 psig

Start Date: 2012.07.28

End Date: 2012.07.28

Last Calib.: 2012.07.28

Start Time: 10:21:01

End Time: 15:55:55

Time On Btm: 2012.07.28 @ 11:51:56


Time Off Btm: 2012.07.28 @ 13:54:41

TEST COMMENT: IF: Weak blow died in 5 min.

IS: No return.

FF: No blow.

FS: No return.



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2297.63	119.51	Initial Hydro-static
2	15.54	118.43	Open To Flow (1)
32	16.81	119.08	Shut-In(1)
62	306.04	119.92	End Shut-In(1)
62	16.33	119.76	Open To Flow (2)
92	18.29	120.59	Shut-In(2)
122	249.79	121.60	End Shut-In(2)
123	2202.63	123.17	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
5.00	mud 100% m	0.02

* Recovery from multiple tests

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

Shakespeare Oil Co Inc

23-13-31 Gove Ks

202 W Main St
Salem IL 62881

Zerr Trust 3-23

Job Ticket: 48370

DST#: 8

ATTN: Tim Priest

Test Start: 2012.07.28 @ 10:21:01

GENERAL INFORMATION:

Formation: **Johnson**

Deviated: No Whipstock: ft (KB)

Test Type: Conventional Bottom Hole (Reset)

Time Tool Opened: 11:53:41

Tester: Brandon Turley

Time Test Ended: 15:55:55

Unit No: 60

Interval: 4480.00 ft (KB) To 4526.00 ft (KB) (TVD)

Reference Elevations: 2871.00 ft (KB)

Total Depth: 4526.00 ft (KB) (TVD)

2864.00 ft (CF)

Hole Diameter: 7.88 inches Hole Condition: Fair

KB to GR/CF: 7.00 ft

Serial #: 8356

Outside

Press @ Run Depth: psig @ 4485.00 ft (KB)

Capacity: 8000.00 psig

Start Date: 2012.07.28

End Date:

2012.07.28

Last Calib.:

2012.07.28

Start Time: 10:20:12

End Time:

15:55:06

Time On Btm:


Time Off Btm:

TEST COMMENT: IF: Weak blow died in 5 min.

IS: No return.

FF: No blow .

FS: No return.



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation

Recovery

Length (ft)	Description	Volume (bbl)
5.00	mud 100% m	0.02

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)

* Recovery from multiple tests


Serial #: 8373

Inside

Shakespeare Oil Co Inc

Zerr Trust 3-23

DST Test Number: 8



Triobite Testing, Inc

Ref. No: 48370


Printed: 2012.07.28 @ 19:13:48

Serial #: 8356

Outside Shakespeare Oil Co Inc

Zerr Trust 3-23

DST Test Number: 8



28 Sat Jul 2012

Triobite Testing, Inc

Ref. No: 48370

Printed: 2012.07.28 @ 19:13:49