

Instrument Truck No. 508
 Serial No. 2007


Type
 Strength


R.A.-B.E.
 300 MILLIGRAMS

LOGGING DATA

General		Gamma Ray			Neutron					
From	To	Speed Ft./Min.	T. C. Sec.	Sens. Settings	Zero Div. L or R	API G.R. Units per Log Div.	T. C. Sec.	Sens. Settings	Zero Div. L or R	API N. Units per Log Div.
4707'	3000'	20	2	100	2 L	10 P.D.	2	1000	6 L	100 P.D.
3000'	000'	50	2	100	2 L	10 P.D.	2	1000	6 L	100 P.D.

GAMMA		NEUTRON		GUARD	
API Gamma Ray Units		API Neutron Units		Resistivity Ohms M ² /M	
0	120	600	1600		
0	220	1600	2600		





400

500


600


700

800

900

1000





1100

1200


1300


1400

1500

1600

1700





1700

1800


1900


2000

2100


2200


2300





300 2400 2500 2600 2700 2800 2900





3000

3100

3200

974

3300

3400


3500

3570


3600

NaSHo


55




NaSHo




3600 3700 3800 3900 4000 4100 4200





NEUTRON	
API Neutron Units	
600	1600
1600	2600
16"	
CALIPER	
6"	



GAMMA RAY	
API Gamma Ray Units	
20	120
20	220

GUARD
Resistivity Ohm M²/M