

DIAMOND TESTING ROGER D. FRIEDLY - TESTER CELL 620-793-2043

Company Name
Contact
Well Name
Unique Well ID
Surface Location
SEC 26-13S-31W GOVE, CO., KS
Field

GRAND MESA OPERATING COMPANY
RONALD N. SINCLAIR
PHILLIP #2-26
DST #2 LANSING 3,980' - 4,012'
SEC 26-13S-31W GOVE, CO., KS

Test Information

Job Number
Test Unit NO. 5
Representative ROGER D. FRIEDLY
Well Operator GRAND MESA OPERATING COMPANY

Report Date 2012/06/11 Prepared By ROGER D. FRIEDLY

KENT MATSON

Test Type CONVENTIONAL Prepared By
Formation DST #2 LANSING 3,980' - 4,012' Qualified By
Test Purpose Initial Test

Initial Test 06 Water

Well Fluid Type H2S

 Start Test Date
 2012/06/11 Start Test Time
 04:45:00

 Final Test Date
 2012/06/11 Final Test Time
 11:21:00

Remarks

RECOVERED: 10' CLEAN OIL 36.6 GRAVITY @ 60 deg

25' OCMW 2% OIL, 88% WTR, 18% MUD


191' MW 83% WTR, 17% MUD - FEW OIL SPECKS

226' TOTAL FLUID

TOOL SAMPLE: 2% OIL, 77% WTR, 21% MUD

CHLORIDES 45,000 Ppm PH 7.0 RW .12 @ 80 deg Start Test Date: 2012/06/11 Final Test Date: 2012/06/11

PHILLIP #2-26





P.O. Box 157 HOISINGTON, KANSAS 67544 (800) 542-7313

DRILL-STEM TEST TICKET

IME ON:	
IME OFF:	

Company			Lease & Well No				
Contractor							
Elevation	Formation		Effective Pay		Ft. Ticket N	No	
Date Sec.	Twp	S R	ange	_W County		_ State	KANSAS
Test Approved By			_ Diamond Representative	e			
Formation Test No	Interval Test	ed from	ft. to	ft. Total D	epth		ft.
Packer Depth	ft. Size6	3/4 in.	Packer depth	f	t. Size	6 3/4	in.
Packer Depth	ft. Size6	6 3/4 in.	Packer depth	f	t. Size	6 3/4	in.
Depth of Selective Zone Set							
Top Recorder Depth (Inside))	ft.	Recorder Number	C	ар		P.S.I.
Bottom Recorder Depth (Ou	tside)	ft.	Recorder Number		ар		_P.S.I.
Below Straddle Recorder De	epth	ft.	Recorder Number	C	ар		_P.S.I.
Mud Type	Viscosity		Drill Collar Length	ft.	I.D	2 1/4	ir
Weight	Water Loss	cc.	Weight Pipe Length_	ft.	I.D	2 7/8	i
Chlorides		P.P.M.	Drill Pipe Length	ft.	I.D	3 1/2	i
Jars: MakeSTERLING	Serial Number		Test Tool Length	ft.	Tool Size	3 1/2	-IF i
Did Well Flow?	Reversed Out_		Anchor Length	ft.	Size	4 1/2	-FHi
Main Hole Size7 7/8	Tool Joint Size_	4 1/2in.	Surface Choke Size_	in.	Bottom (Choke Size	∍_5/8_i
Blow: 1st Open:							
2nd Open:							*
Recoveredft. of_							
Recoveredft. of _							
Recoveredft. of _							
Recoveredft. of _							
Recoveredft. of _				Pri	ice Job		
Recoveredft. of _				Ot	her Charges	S	
Remarks:				Ins	surance		
	A 14				tal		
Time Set Packer(s)	A.M. P.M.	Time Started Off Bo	ottom	A.M. P.M. Maximu	ım Tempera	ature	
Initial Hydrostatic Pressure			(A)	P.S.I.			
nitial Flow Period	Minute	es	(B)	P.S.I. to (C)	P	.S.I.
nitial Closed In Period	Minut	es	(D)	P.S.I.			
Final Flow Period	Minut	es	(E)	P.S.I. to (F)		P.	S.I.
Final Closed In Period	Minute	es	(G)	P.S.I.			
Final Hydrostatic Pressure			(H)	P.S.I.			

Diamond Testing shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.