

Kansas Corporation Commission Oil & Gas Conservation Division

1092486

Form ACO-1 June 2009 Form Must Be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	County:
Name:	Lease Name: Well #:
Wellsite Geologist:	Field Name:
Purchaser:	Producing Formation:
Designate Type of Completion:	Elevation: Ground: Kelly Bushing:
☐ New Well ☐ Re-Entry ☐ Workover	Total Depth: Plug Back Total Depth:
Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):	Amount of Surface Pipe Set and Cemented at: Feet Multiple Stage Cementing Collar Used? Yes No If yes, show depth set: Feet If Alternate II completion, cement circulated from: sx cmt
If Workover/Re-entry: Old Well Info as follows:	
Operator: Well Name:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth: Deepening Re-perf. Conv. to ENHR Conv. to SWD Conv. to GSW	Chloride content: ppm Fluid volume: bbls Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Permit #:	Operator Name:
Dual Completion Permit #:	Lease Name: License #:
SWD Permit #:	Quarter Sec TwpS. R
☐ ENHR Permit #: ☐ GSW Permit #:	County: Permit #:
Spud Date or Date Reached TD Completion Date or Recompletion Date	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY						
Letter of Confidentiality Received						
Date:						
Confidential Release Date:						
☐ Wireline Log Received						
Geologist Report Received						
UIC Distribution						
ALT I II III Approved by: Date:						

Side Two



Operator Name:				_ Lease N	lame:			Well #:		
Sec Twp	S. R	East	West	County:						
INSTRUCTIONS: Sh time tool open and clo recovery, and flow rate line Logs surveyed. A	osed, flowing and shu es if gas to surface te	t-in pressures, st, along with f	whether sh inal chart(s	nut-in press	ure reach	ed static level,	hydrostatic pres	ssures, bottom h	ole temp	erature, fluid
Drill Stem Tests Taker (Attach Additional S		Yes	No		Log	y Formation	n (Top), Depth a	nd Datum		Sample
Samples Sent to Geo	logical Survey	Yes	No		Name			Тор	I	Datum
Cores Taken Electric Log Run Electric Log Submitte (If no, Submit Copy	d Electronically	Yes Yes Yes	☐ No ☐ No ☐ No							
List All E. Logs Run:										
		Report all	CASING I		New	Used mediate, producti	on, etc.			
Purpose of String	Size Hole Drilled	Size Ca Set (In C	sing	Weigi Lbs. /	ht	Setting Depth	Type of Cement	# Sacks Used	, ,,	and Percent dditives
		AI	DDITIONAL	CEMENTIN	G / SQUE	EZE RECORD				
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Type of Co	ement	# Sacks	Used		Type and	Percent Additives		
Shots Per Foot	PERFORATI Specify I	ON RECORD - Footage of Each	Bridge Plugs Interval Perfo	s Set/Type orated			cture, Shot, Cemei mount and Kind of N		d 	Depth
TUBING RECORD:	Size:	Set At:		Packer At:		Liner Run:				
Date of First, Resumed	Production, SWD or EN		ducing Meth	od:		as Lift C	Yes No	0		
Estimated Production Per 24 Hours	Oil	Bbls.		Mcf	Water		ols.	Gas-Oil Ratio		Gravity
DISPOSITIO	ON OF GAS:		M	IETHOD OF	COMPLET	ION:		PRODUCTIO	ON INTER	VAL:
Vented Sold	Used on Lease	Open	Hole (Specify)	Perf.	Dually (nmingled mit ACO-4)			

Avery Lumber

MOUND CITY, KS 66056 {913} 795-2210 FAX {913} 795-2194

Customer Copy INVOICE

PLEASE REFER TO INVOICE NUMBER ON ALL CORRESPONDENCE

Page: 1				-	Invoice: 100)42902
Special :		<u></u>			Time: Ship Date:	18:16:38 08/06/12
Sale rep #: N	: MAVERY MIKE	TT JFA H H H H H	A A	cct rep code:	Invoice Date: Due Date:	08/06/12 09/05/12
C/O 510	NE JACK OIL CO LELAND JACKSON E. MAIN ST.	A COLUMN TO THE PROPERTY OF TH	•	LONE JACK OIL 510 E. MAIN ST. BLUE MOUND, K		
BLU	JE MOUND, KS 66010	i	(913) 756-2307		***************************************	

Customer #: 319625

Customer PO:

Order By:

•				-		,		
ORDER	SHIP	Ti	U/M	ITEM#	DESCRIPTION	Alt Price/Uom	popimg01 PRICE	EXTENSION
5.00	5.00	_:_		CPPC	PORTLAND CEMENT	9.4410 BAG	9.4410	47.2
5.00	3.00	<u> </u>	DAG	0110	TOTTEAND CEMENT	3.4410 BAG	0,7710	-T1.2
-								
		I .						
	800000000		Sarrase					
						/SE SEE .		
					TA 67 VAL 207 BUS	· James		
		<u> </u>		FILLED	CHECKED BY DATE SHIPPED DRIVER		Sales total	\$47.2
heck # 47	' 68		50	0.66			Sales IVIAI	ψ47.2
	•			SHIP VIA	Customer Pickup			
				ļ———	_ ·	xable 47.21		
						on-taxable 0.00	Sales tax	3.4
otal applied	[; .		50).66 X	Tax	x #	Caics tax	0.4

2 - Customer Copy



TOTAL \$50.66

Lone Jack Oil Company Blue Mound, KS

1-913-756-2307 1-620-363-0492

Lease:	<u>Gamlin</u>	Operator:	Lone Jack Oil	API#_15-0	01-30344-00-00
Contractor: Lone Jack Oil Company Date Started Total Depth: 586 feet Well # Surface Pipe: 20' 7" Surface Bit:			. <u>8/7/12</u>	Date Completed:	<u>8/9/12</u>
Total Depth	ı: <u>58</u>	<u>6 feet</u> Well #	10	Hole Size:	<u>5 5/8</u>
Surface Pip	Surface Pipe: <u>20' 7"</u> Surface Bit:			Sacks of Cement:	<u>5</u>
Depth of Se	at Nipple:	R	ag Packer At: _		
Length and	Size of Ca	sing: <u>575° 27/8</u>	<u> </u>	acks of Cement:	<u>75</u>
Legal Desci	ription:	R sing: 575' 2 7/8 SE NE NE SE Sec: 27	Twp: <u>23S</u>	Range: 21E (County: <u>Allen</u>
Thickness	Depth	Type of Formation	Core	Depth	Time
1	1	Top Soil	Thickne	ess	
2	3	Shale			
4	7	Lime			
4	11	Shale			
5	16	Lime			
1	17	Shale			<u> </u>
10	27	Lime			
3	30	Shale			
26	56	Lime			
156	212	Shale			
2	214	Lime		***************************************	
7	221	Shale			
6	227	Lime			
8	235	Shale			
10	245	Lime			
66	311	Shale			
16	327	Lime			
7	334	Shale			,
5	339	Lime			
41	380	Shale			
21	401	Lime			
9	410	Shale			
5	415	Lime			
154	569	Shale			
7	576	Black Sand (Slight Odor)			
8	584	Oil Sand (Good Bleed)			
2	586	Coal			
	586	TD			

Invoice

Lone Jack Oil Company 509 East Walnut Blue Mound, KS 66010

Date	Invoice #
8/10/2012	1512

Bill To	
Lone Jack Oil	
509 E Walnut St	Contract Con
Blue Mound, KS 66010	
	•

P.O. No.	Terms	Project
· I		

Quantity	Description	Rate	Amount	
. 1	Gamlin Lease 8/9/12, Well #10, circulated 80 sacks of cement to surface, pumped 146 gallons of water behind cement and shut in. Sales Tax	700.00 6.30%	700.00T 44.10	
. "				
		Total	\$744.10	

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

Payless Concrete Products, Inc.

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to deliver at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted direct for unloading trucks is 5-minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO CWMER

Failure of this contract can result in the filling of a mechanic's lien on the property which is the subject of this contract.

CARRI 60000 CUSTOMER CASH CUSTOMER LEMÉNACE DIL CO.
SEPTEMBLE DIL CO.
SEPTEMBLE DIL CO.
MELTO ABUN 1914 HARBING BORGON
ELITATARA MARCALLA DIL CO.
LE TRANSPORTORIO DE MARCONE DE MAR

			<u> </u>		THE ARMY SELECTION OF THE PROPERTY OF THE PROP	
4	TIME FORMULA:	LOAD SIZE	YARDS ORDERED	The spill on the	DRIVER/TRUCK	PLANT/TRANSACTION #
	11.007.5483 UFLI	0,00 ya	B. W. yd	10.00	15 × 1400	nuco
:	11707:48 HELL	A. Wa un	B www.yd	· 文 - 24 - 74	30 0,000	$M \cap \Omega$
	DATE	LOAD #	YARDŞ DEL.	BATCH#	WATER TRIM SLUMP	TICKET NUMBER
	100 - 10 - 10 Bullete		8.80 W	21609	6/yd 18.0 4.00 in	38329

WARNING
IRRITATING TO THE SKIN AND EYES
Contains Portland Cament. Wear Rubber Bools and Gloves, PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes, Fulsh Thoroughly With Water, If Irritation Persists, Get Medical
Attention, KEEP CHILDREN AWAY.

CONCRETE IS A PERISHABLE COMMODITY and BECOMES the PROPERTY Of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)
Dear Customer-The driver of this truck in presenting this RELEASE to
you for your signature is of the opinion that the size and weight of his
truck may possibly cause damage fo the premises and/or adjacent
prophry if it please the materials in this load where you desire it. It is
our wish to help you in every way that we can; but in order to do this
en driver is grounting that you sign this RELEASE relieving him an
fals supplier from any responsibility right any damage that may occur
to this forestenses and/or adjacent inproperty buildings, sidewalks,
otherways, curbs, stee, by the delivery of this material, and that you
also agree to help him remove mud from the wheated of his vehicle
so that he will not filter the putilo street. Further, as additional consideraion, the undersigned agrees to indemnly and hold harmses the officer
of this truck and this supplier for any and all damage to the premises
end/or adjacent property which may be claimed by stryone to have
estim out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

GAL X

WEIGHMASTER

DESCRIPTION UNIT PRICE EXTENDED PRICE QUANTITY CODE 有的目,所有 (1) " (1) 被比较 WELL (IN SACKS DER UNIT) 3 00 51.00 2.50 TRUCKING TRUCKING CHARGE 2:30 30.00 125.00 MIXAHAIL MIXING & HALLING 8. 中的 25 400 200.00 B. 90

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED 53	lotatwi k 733.00
			1, JOB NOT READY 8, TRUCK BROKE DOWN 2, SLOW POUR OR PUMP 7, ACCIDENT 3, TRUCK AHEAD ON JOB 8, CITATION	T	ik x 7.550 55.34 itu1 t 788.34
LEFT PLANT	ARRIVED JOB	START UNLOADING	CONTRACTOR BROKE DOWN OTHER ADDED WATER	TIME DUE	der # 788.34
110					ADDITIONAL CHARGE 1
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 2
					GRAND TOTAL