For KCC Use:

Effective	Date:

	~	Dato.	
District	#		

SGA?	Yes	No

Form

# CORRECTION #1

1092581

KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION** 

March 2010 Form must be Typed Form must be Signed All blanks must be Filled

Form C-1

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date:	Spot Description:
month day year	
OPERATOR: License#	feet from N / S Line of Section
Name:	feet from L E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: State: Zip: +	County:
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
Name:	Target Formation(s):
Well Drilled For:       Well Class:       Type Equipment:         Oil       Enh Rec       Infield       Mud Rotary         Gas       Storage       Pool Ext.       Air Rotary         Disposal       Wildcat       Cable         Seismic ;       # of Holes       Other         Other:	Nearest Lease or unit boundary line (in footage):
Original Completion Date: Original Total Depth:	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	( <b>Note:</b> Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?   Yes   No
	If Yes, proposed zone:

## **AFFIDAVIT**

The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.

It is agreed that the following minimum requirements will be met:

- 1. Notify the appropriate district office *prior* to spudding of well;
- 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;
- 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.
- 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;
- 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;
- 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.

Submitted Electroni	cally	ļ
---------------------	-------	---

For KCC Use ONLY	
API # 15	
Conductor pipe required	feet
Minimum surface pipe required	feet per ALT.
Approved by:	
This authorization expires:	
Spud date: Agent:	

#### Remember to:

- File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
- File Drill Pit Application (form CDP-1) with Intent to Drill;
- File Completion Form ACO-1 within 120 days of spud date;
- File acreage attribution plat according to field proration orders;
- Notify appropriate district office 48 hours prior to workover or re-entry;
- Submit plugging report (CP-4) after plugging is completed (within 60 days);
- Obtain written approval before disposing or injecting salt water.
- If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.
  - Well will not be drilled or Permit Expired Date: \_ Signature of Operator or Agent:

Mail to: KCC - Conservation Division. 130 S. Market - Room 2078, Wichita, Kansas 67202 For KCC Use ONLY

API # 15 - \_\_\_\_


## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R E 📃 W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



#### 165 ft.

## In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



1092581

CORRECTION #1

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form must be Typed

Form CDP-1 May 2010

**APPLICATION FOR SURFACE PIT** 

Operator Name:       License Number:         Operator Address:       Privene Number:         Cantact Person:       Privene Number:         Lesse Name & Well No::       Pri Location (OQGOQ);         Type of Pit:       Energency Pit         Emergency Pit       Dalling Pit         If Energency Pit       Dalling Pit         Workower Pit       Challend OP Pit         Workower Pit       East         Workower Pit       East Pite capacity:         (bbb)       Country         (bbb)       Cou	Submit in Duplicate				
Contact Person:       Phone Number:         Lease Name & Well No:       Pit Location (QOQO);         Type of Pit:       Pit is:	Operator Name:	Operator Name:		License Number:	
Lease Name & Well No:       Pit Leastion (QQQQ):         Type of Pit:       Pit is:         Image: Energiency Pit       But M Pit         Image: Energiency Pit       Diffining Pit         Image: Energiency Pit       Haul-Off Pit         Image: Energiency Pits       Haul-Off Pits         Image: Energiency Pits       Haul-Off Pits         Image: Energiency Pits       Head         Image: Energiency Pits       Haul-Off Pits         Image: Energiency Setting and Burn Pits ONLY:       Distance to nearest water well within one-mile of pit:         Image: Energiency Setting and Burn Pits ONLY:       Distance to nearest water well within one-mi	Operator Address:				
Type of Pit:       Pit is:	Contact Person:		Phone Number:		
Energency Pit Burn Pit   Setting Pit Dilling Pit   Workover Pit Haul-Off Pit   (WW Stower Pit Haul-Off Pit   (W Stower Pit Mainter   (W Stower Pit (W Stower Pit   (W Stower Pit (W Stower Pit   (W Stower Pit (	Lease Name & Well No.:			Pit Location (QQQQ):	
Setting Pit       Drilling Pit       If Existing, date constructed:	Type of Pit:	Pit is:			
Workover Pit Haul-Off Pit   (I'W Sigppy API No. or Veer Drilled) Pit capacity:	Emergency Pit Burn Pit	Proposed	Existing	SecTwpR East West	
(I'WP Supply API No. or Year_Diffect)       Pit capacity:		If Existing, date co	nstructed:	Feet from North / South Line of Section	
Is the pit located in a Sensitive Ground Water Area?       Yes       No       Chloride concentration:       mgrl         Is the pit located in a Sensitive Ground Water Area?       Yes       No       Chloride concentration:       mgrl         Is the bottom below ground level?       Artificial Liner?       How is the pit lined if a plastic liner is not used?       Pit dimensions (all but working pits):       Length (feet)       Width (feet)       N/A: Steel Pits         Depth from ground level to deepest point:       (feet)       No Pit       If the pit is lined give a brief description of the liner material, thickness and installation procedure.       Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.         Distance to nearest water well within one-mile of pit:       Depth to shallowest fresh water feet.       Source of information:		Pit capacity:		Feet from East / West Line of Section	
Image: control level in the integrity in the pit in the pit in the pit is pit is the pit is in the pit is pit is pit			(bbls)	County	
res No   Pit dimensions (all but working pits): Length (feet)   Depth from ground level to deepest point: (feet)   If the pit is lined give a brief description of the liner   material, thickness and installation procedure.   Distance to nearest water well within one-mile of pit: Gepth of water well Gepth of water well Producing Formation: Number of producing wells on lease: Does the slope from the tank battery allow all spilled fluids to frow into the pit? Yes in No Drill pits must be closed within 365 days of spud date. KCC OFFICE USE ONLY Liner Stell Pit RFAC RFAS	Is the pit located in a Sensitive Ground Water A	rea? Yes	No	0	
Depth from ground level to deepest point:			No	How is the pit lined if a plastic liner is not used?	
If the pit is lined give a brief description of the liner material, thickness and installation procedure.       Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.         Distance to nearest water well within one-mile of pit:       Depth to shallowest fresh water feet. Source of information:	Pit dimensions (all but working pits):	Length (fe	et)	Width (feet) N/A: Steel Pits	
material, thickness and installation procedure. liner integrity, including any special monitoring.     Distance to nearest water well within one-mile of pit: Depth to shallowest fresh water feet.   Source of information: feet  feet Depth of water well feet  feet Depth of water and Haul-Off Pits ONLY:	Depth fro	om ground level to dee	epest point:	(feet)  No Pit	
Source of information:  feet   Depth of water well  feet  feet  feet  feet  feet  feet					
Emergency, Settling and Burn Pits ONLY:   Producing Formation:   Mumber of producing wells on lease:   Barrels of fluid produced daily:   Does the slope from the tank battery allow all spilled fluids to flow into the pit?   Yes   No   Drill pits must be closed within 365 days of spud date.   KCC OFFICE USE ONLY     Liner   Steel Pit	Distance to nearest water well within one-mile of	of pit:			
Producing Formation:       Type of material utilized in drilling/workover:         Number of producing wells on lease:       Number of working pits to be utilized:         Barrels of fluid produced daily:       Abandonment procedure:         Does the slope from the tank battery allow all spilled fluids to flow into the pit?       Yes         No       Drill pits must be closed within 365 days of spud date.         Submitted Electronically       KCC OFFICE USE ONLY         Liner       Steel Pit       RFAS	feet Depth of water well	feet	measured	well owner electric log KDWR	
Number of producing wells on lease:	Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY:		over and Haul-Off Pits ONLY:		
Barrels of fluid produced daily:   Does the slope from the tank battery allow all spilled fluids to   flow into the pit?   Yes   No   Drill pits must be closed within 365 days of spud date.   Dirill pits must be closed within 365 days of spud date.   KCC OFFICE USE ONLY   Liner   Steel Pit   RFAS	Producing Formation: Type of material utilized in drilling/workover:		al utilized in drilling/workover:		
Does the slope from the tank battery allow all spilled fluids to flow into the pit?   Yes   No   Drill pits must be closed within 365 days of spud date.    Submitted Electronically   KCC OFFICE USE ONLY     Liner   Steel Pit   RFAS					
flow into the pit? Yes   Drill pits must be closed within 365 days of spud date.   Submitted Electronically   KCC OFFICE USE ONLY   Liner Steel Pit   RFAS			Abandonment	procedure:	
Submitted Electronically           KCC OFFICE USE ONLY           Liner         Steel Pit         RFAC         RFAS			Drill pits must be closed within 365 days of spud date.		
Liner Steel Pit RFAC RFAS					
Date Received: Permit Number: Permit Date: Lease Inspection: Yes No		КСС	OFFICE USE O		
	Date Received: Permit Num	ber:	Permi	it Date: Lease Inspection: Yes No	

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

CERTIFICATION OF COMPLIANCE WITH THE
KANSAS SURFACE OWNER NOTIFICATION ACT

**KANSAS CORPORATION COMMISSION** 

**OIL & GAS CONSERVATION DIVISION** 

CORRECTION #1

1092581

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #	Well Location:		
Name:			
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City:          Zip:            Contact Person:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:		
Phone: ( ) Fax: ( )			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 1:			
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City: State: Zip:+			

If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic Protection Borehole Intent), you must supply the surface owners and the KCC with a plat showing the predicted locations of lease roads, tank batteries, pipelines, and electrical lines. The locations shown on the plat are preliminary non-binding estimates. The locations may be entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.

#### Select one of the following:

- I certify that, pursuant to the Kansas Surface Owner Notice Act (House Bill 2032), I have provided the following to the surface owner(s) of the land upon which the subject well is or will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing in connection with this form; 2) if the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this form; and 3) my operator name, address, phone number, fax, and email address.
- □ I have not provided this information to the surface owner(s). I acknowledge that, because I have not provided this information, the KCC will be required to send this information to the surface owner(s). To mitigate the additional cost of the KCC performing this task, I acknowledge that I am being charged a \$30.00 handling fee, payable to the KCC, which is enclosed with this form.

If choosing the second option, submit payment of the \$30.00 handling fee with this form. If the fee is not received with this form, the KSONA-1 form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 will be returned.

## Submitted Electronically

I

I

API # 15 -


### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Birk Petroleum	Location of Well: County: Woodson	
Lease: Dale Adams		
Well Number: 38	3,960	feet from N / X S Line of Section feet from X E / W Line of Section S. R. <sup>15</sup> X E W
Field: Yates Center	Sec. 26 Twp. 25	S. R. 15K E 🔲 W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: _S2 _ S2 _ S2 _ SW	Is Section: Regular or	Irregular
	If Section is Irregular, locate Section corner used:	e well from nearest corner boundary.

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells;



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Mark Sievers, Chairman Thomas E. Wright, Commissioner Sam Brownback, Governor

September 04, 2012

Brian L Birk Birk, Brian L. dba Birk Petroleum 874 12TH RD SW BURLINGTON, KS 66839-9255

Re: Drilling Pit Application API 15-207-28283-00-00 Dale Adams 38 SW/4 Sec.26-25S-15E Woodson County, Kansas

Dear Brian L Birk:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

# If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.

# Summary of Changes

Lease Name and Number: Dale Adams 38

API/Permit #: 15-207-28283-00-00

Doc ID: 1092581

**Correction Number: 1** 

Approved By: Rick Hestermann 09/05/2012

Field Name	Previous Value	New Value
Depth Of Water Well		30
Depth to Shallowest Fresh Water		20
ElevationPDF	1052 Estimated	1048 Estimated
Feet to Nearest Water Well Within One-Mile of Pit	n/a	1610
Ground Surface Elevation	1052	1048
KCC Only - Approved By	Rick Hestermann 08/21/2012	Rick Hestermann 09/05/2012
KCC Only - Approved Date	08/21/2012	09/05/2012
KCC Only - Date Received	08/20/2012	09/04/2012
KCC Only - Lease Inspection	No	Yes
KCC Only - Regular Section Quarter Calls	N2 NE SE SE	S2 S2 S2 SW

Summary of changes for correction 1 continued

Field Name	Previous Value	New Value
LocationInfoLink	https://solar.kgs.ku.edu/ kcc/detail/locationInform	https://solar.kgs.ku.edu/ kcc/detail/locationInform
Nearest Lease Or Unit Boundary	ation.cfm?section=26&t 330	ation.cfm?section=26&t 165
Number of Feet East or West From Section Line	330	3960
Number of Feet East or West From Section Line	330	3960
Number of Feet North or South From Section Line	1155	165
Number of Feet North or South From Section Line	1155	165
Quarter Call 1 - Largest	SE	SW
Quarter Call 1 - Largest	SE	SW
Quarter Call 2	SE	S2
Quarter Call 2	SE	S2
Quarter Call 3	NE	S2
Quarter Call 3	NE	S2
Quarter Call 4 - Smallest	N2	S2

# Summary of changes for correction 1 continued

Field Name	Previous Value	New Value
Quarter Call 4 - Smallest	N2	S2
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=10 91245	//kcc/detail/operatorE ditDetail.cfm?docID=10 92581

# Summary of Attachments

Lease Name and Number: Dale Adams 38 API: 15-207-28283-00-00 Doc ID: 1092581 Correction Number: 1 Approved By: Rick Hestermann 09/05/2012

Attachment Name

Dale Adams 38 Corrected Plat

Fluid