

**WELL COMPLETION FORM**
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # _____

Name: _____

Address 1: _____

Address 2: _____

City: _____ State: _____ Zip: _____ + _____

Contact Person: _____

Phone: (_____) _____

CONTRACTOR: License # _____

Name: _____

Wellsite Geologist: _____

Purchaser: _____

Designate Type of Completion:

- New Well Re-Entry Workover
- Oil WSW SWD SIOW
- Gas D&A ENHR SIGW
- OG GSW Temp. Abd.
- CM (Coal Bed Methane)
- Cathodic Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____

Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____

- Deepening Re-perf. Conv. to ENHR Conv. to SWD
- Conv. to GSW
- Plug Back: _____ Plug Back Total Depth _____
- Commingled Permit #: _____
- Dual Completion Permit #: _____
- SWD Permit #: _____
- ENHR Permit #: _____
- GSW Permit #: _____

Spud Date or
Recompletion Date

Date Reached TD

Completion Date or
Recompletion Date

API No. 15 - _____

Spot Description: _____

_____-_____-_____- Sec. _____ Twp. _____ S. R. _____ East West_____ Feet from North / South Line of Section_____ Feet from East / West Line of Section

Footages Calculated from Nearest Outside Section Corner:

 NE NW SE SW

County: _____

Lease Name: _____ Well #: _____

Field Name: _____

Producing Formation: _____

Elevation: Ground: _____ Kelly Bushing: _____

Total Depth: _____ Plug Back Total Depth: _____

Amount of Surface Pipe Set and Cemented at: _____ Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set: _____ Feet

If Alternate II completion, cement circulated from: _____

feet depth to: _____ w/ _____ sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: _____ ppm Fluid volume: _____ bbls

Dewatering method used: _____

Location of fluid disposal if hauled offsite: _____

Operator Name: _____

Lease Name: _____ License #: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West

County: _____ Permit #: _____

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY Letter of Confidentiality Received

Date: _____

 Confidential Release Date: _____ Wireline Log Received Geologist Report Received UIC DistributionALT I II III Approved by: _____ Date: _____



Operator Name: _____ Lease Name: _____ Well #: _____

Sec. _____ Twp. _____ S. R. _____ East West County: _____

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Submitted Electronically <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(If no, Submit Copy)</i> List All E. Logs Run:	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum
---	---

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
_____ Perforate _____ Protect Casing _____ Plug Back TD _____ Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD: Size: _____ Set At: _____ Packer At: _____ Liner Run: Yes No

Date of First, Resumed Production, SWD or ENHR. _____ Producing Method:
 Flowing Pumping Gas Lift Other (Explain) _____


Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
-----------------------------------	-----------	---------	-------------	---------------	---------

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <i>(Submit ACO-4)</i> <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: _____ _____
---	---	--

REEDER OPERATING, LLC
Ronny Evans #1-36H
150' FSL & 1980' FWL
Section 36-T30S-R21W
Clark County, Kansas

- C (1.): Wellbore Diagram – attached
- C (2.): Plat Map – attached
- C (3.): Drilling Contactor
Atlas Drilling, L.L.C.
P.O. Box 1305
Woodward, OK 73802
580-256-8222
- C (4.): Casing and Cement
9 5/8" 36# J-55 casing set at 800' in 12 1/4" hole size
Cemented with 390 sx Common, 1.34 cu.ft./sx (100% excess)
- 7" 26# J-55 casing set at 5550' MD, 5240' TVD in 8 3/4" hole size
Cemented with 25 sx 60/40 POZ, 1.64 cu.ft./sx and 185 sx Common, 1.49 cu.ft./sx (35% excess), est. TOC 4000'
- 4 1/2" 11.6# N-80 casing set at 9780' MD, 5240' TVD in 6 1/8" hole size
Cemented with 50 sx 60/40 POZ, 1.64 cu.ft./sx and 410 sx Common, 1.24 cu.ft./sx (10% excess), est. TOC 4300'
- C (5.): Fracture Stimulation
The target formation will be fracture stimulated in 10 stages, approximately 5000 bbls treated water and 100,000 lbs proppant per stage. Number of stages and volumes subject to change based on formation evaluation.
- C (6.): Proposed Plugging Procedure
Set 7" cast iron bridge plug at 5000', cap with 20' cement
Cut 7" casing at 4000'+/- and recover, set 200' plug from 4000' – 3800'
Set 100' plug from 850' – 750'
10 sx plug at surface, 5 sx in rathole, 5 sx in mousehole
- D: Blowout Preventer
An 11" 3000 psi double ram and 11" 3000 psi annular preventers will be used during drilling operations


REEDER OPERATING, LLC
Ronny Evans #1-36H
150' FSL & 1980' FWL
Section 36-T30S-R21W
Clark County, Kansas



REEDER OPERATING, LLC
Ronny Evans #1-36H
150' FSL & 1980' FWL
Section 36-T30S-R21W
Clark County, Kansas

R:

T3:



Summary of Changes

Lease Name and Number: RONNY EVANS 1-36H

API/Permit #: 15-025-21536-01-00

Doc ID: 1093244

Correction Number: 1

Approved By: Deanna Garrison

Field Name	Previous Value	New Value
Approved Date	08/30/2012	09/11/2012

Summary of Attachments

Lease Name and Number: RONNY EVANS 1-36H

API: 15-025-21536-01-00

Doc ID: 1093244

Correction Number: 1

Attachment Name