

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

## **NOTICE OF INTENT TO DRILL**

Expected Spud Date:	Spot Description:
month day year	
OPERATOR: License#	(Q/Q/Q/Q) feet from N / S Line of Section
Name:	foot from   E /   M Line of Continu
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: State: Zip: +	
Contact Person:	Lease Name: Well #:
Phone:	
CONTRACTOR: License#	Field Name:  Is this a Prorated / Spaced Field?  Yes No
Name:	
vanie.	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile: Yes No
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: I III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	No Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR )
KCC DKT #:	
	If Yes, proposed zone:
	AFFIDAVIT
The undersigned hereby affirms that the drilling, completion and eventu	
The undersigned hereby affirms that the drilling, completion and eventu	
The undersigned hereby affirms that the drilling, completion and eventu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	al plugging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on	al plugging of this well will comply with K.S.A. 55 et. seq. each drilling rig;
The undersigned hereby affirms that the drilling, completion and eventu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i>	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that the drilling, completion and eventu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.
The undersigned hereby affirms that the drilling, completion and eventu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. e district office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either 16. If an ALTERNATE II COMPLETION, production pipe shall be cem	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either to If an ALTERNATE II COMPLETION, production pipe shall be cempor pursuant to Appendix "B" - Eastern Kansas surface casing ord	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date.  er #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either to the complete of the co	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either to If an ALTERNATE II COMPLETION, production pipe shall be cempor pursuant to Appendix "B" - Eastern Kansas surface casing ord	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date.  er #133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>The undersigned hereby affirms that the drilling, completion and eventult is agreed that the following minimum requirements will be met:         <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on</li> <li>The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in</li> <li>If the well is dry hole, an agreement between the operator and the</li> <li>The appropriate district office will be notified before well is either of the appropriate district office will be notified before well is either of the appropriate district office will be notified before well is either of the appropriate district office will be notified before appropriate to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be completed.</li> </ol> </li> </ol>	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date.  er #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either 16. If an ALTERNATE II COMPLETION, production pipe shall be cem Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall.	each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either of the appropriate district office will be notified before well is either of the appropriate district office will be notified before well is either of the appropriate district office will be notified before well is either of the appropriate district office will be notified before well is either of the appropriate district office will be notified before well is either of the appropriate district office will be notified before and the sum of the appropriate district office will be notified before well is either of the appropriate district office will be notified before and the sum of the appropriate district office will be notified before well is either of the appropriate district office will be notified before well is either of the appropriate district office will be notified before well is either of the appropriate district office will be notified before well is either of the appropriate district office will be notified before well is either of the appropriate district office will be notified before well is either of the appropriate district office will be notified before well is either of the appropriate district office.	each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cem Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be completed.  **The image is a specified before a specified before well is either a specified before	each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either of the appropriate district office will be notified before well is either of the appropriate district office will be notified before well is either of the appropriate district office will be notified before and the sufficient of the specific of the specific or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well should be completed.  In the sufficient of the sufficient	each drilling rig; set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation. district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either of the analyse of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed Electronically  For KCC Use ONLY	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and the state of the specified district office will be notified before well is either of the specified	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and the foundation of the specified district office will be notified before well is either of the specified of the specified or properties and the foundation of the specified or properties of the specified or the well shall be completed within 30 days of the spud date or the well shall be completed to the specified or the specified or the well shall be completed or the well shall be completed or the specified or the well shall be completed or the well shall be completed or the specified or the well shall be completed or the well shall b	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventult is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and the  5. The appropriate district office will be notified before well is either of the appropriate district office will be notified before well is either of the appropriate of the spuddate or the well shall be computed within 30 days of the spud date or the well shall be completed within 30 days of the spud date or the well shall be computed.  For KCC Use ONLY  API # 15	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the force of the specified district office will be notified before well is either of the appropriate district office will be notified before well is either of the specified of the specified or progressing or the specified of the specified or the well should be completed within 30 days of the spud date or the should be completed within 30 days of	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventult is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on  3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in  4. If the well is dry hole, an agreement between the operator and the strength of the specific district office will be notified before well is either of the appropriate district office will be notified before well is either of the specific or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well should be completed.  **The appropriate district office will be notified before well is either of the specific or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well should be completed.  **Description**  **The appropriate district office will be notified before well is either to the specific of the spud date or the well should be completed.  **Description**  **The appropriate district office will be notified before well is either to the specific of the spud date or the well should be completed.  **Description**  **The appropriate district office will be notified before well is either to the spud date or the well should be notified before well is either to the spud date or the well should be notified before well is either to the spud date or the well should be notified before well is either to the spud date or the well should be notified before well is either to the spud date or the well should be notified before well is either to the spud date or the well should be notified before well is either to the spud date or the well should be notified before well is either to the spud date or the well should be notified before well is either to the spud date or the spud date or t	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventu It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either of the appropriate district office will be notified before well is either of the appropriate of the complete of the spuddate or the well shall be computed to the well of the spuddate or the well shall be completed within 30 days of the spuddate or the well shall be completed.  Submitted Electronically  For KCC Use ONLY  API # 15	each drilling rig;  set by circulating cement to the top; in all cases surface pipe shall be set to the underlying formation.  district office on plug length and placement is necessary prior to plugging; blugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. er #133,891-C, which applies to the KCC District 3 area, alternate II cementing all be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202 Side Two



For KCC Use ONLY	
API # 15	

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:						_ Loc	cation of W	/ell: Coun	ity:				
_ease:									fee	et from	N /	S Line	of Section
Nell Number:									fee	et from	E /	W Line	of Section
ïeld:				_ Se	SecTwpS. R					W			
Number of Acres attr						13 (	Section:	Regu	lar or	Irregular			
							Section is	_	locate we			rner boun SW	dary.
			ell. Show i	_				-					
iease roa	aas, tank ba	aπeries, pi	pelines and			requirea b a separate		ired.	e Owner N	otice Act (i	House B	III 2032).	
				•••••			<b>•</b>	<b>- 445</b>		Well Lo Tank B Pipelin Electric Lease	ocation attery L e Locat c Line L	ocation	
			1	  2	: : : :		: : : : :		EXAMPLI : :				
	:			•••••	 : : :	· · · · · · · · · · · · · · · · · · ·						:	
					:					0			1980' FSL
	:				:				SEWARD CO.	3390' FEL		<u>:</u>	

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

093413

Form CDP-1 May 2010 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:		License Number:				
Operator Address:						
Contact Person:			Phone Number:			
Lease Name & Well No.:			Pit Location (QQQQ):			
Type of Pit:  Emergency Pit Burn Pit  Settling Pit Drilling Pit  Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit is:  Proposed  If Existing, date continued in the pit capacity:	Existing nstructed: (bbls)	SecTwp R East WestFeet from North / South Line of SectionFeet from East / West Line of Section County			
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?			
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits			
If the pit is lined give a brief description of the li material, thickness and installation procedure.	om ground level to dee	Describe proce	dures for periodic maintenance and determining any special monitoring.			
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:			
feet Depth of water well	feet	measured	well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all s flow into the pit?  Yes No  Submitted Electronically		Type of materia  Number of work  Abandonment p  Drill pits must b	over and Haul-Off Pits ONLY:  all utilized in drilling/workover:  king pits to be utilized:  procedure:  de closed within 365 days of spud date.			
KCC OFFICE USE ONLY						
Date Received: Permit Num	ber:		Liner Steel Pit RFAC RFAS  t Date: Lease Inspection: Yes No			



#### Kansas Corporation Commission Oil & Gas Conservation Division

1093413

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (CB-1)	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)					
OPERATOR: License #	Well Location:					
Name:	SecTwpS. R East					
Address 1:	County:					
Address 2:	Lease Name: Well #:					
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of					
Contact Person:	the lease below:					
Phone: ( ) Fax: ( )						
Email Address:						
Surface Owner Information:						
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional					
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the					
Address 2:	county, and in the real estate property tax records of the county treasurer.					
City:						
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.					
☐ I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be to CP-1 that I am filing in connection with this form; 2) if the form to form; and 3) my operator name, address, phone number, fax, at ☐ I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner(s).	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this					
task, I acknowledge that I am being charged a \$30.00 handling  If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1					
Submitted Electronically						

For KCC Use ONLY	
API # 15	

Operator: Cyclone Petroleum, Inc.

# IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Location of Well: County: Harvey

SEWARD CO. 3390' FEL

Lease: McCurry	CC4. County.
Well Number: 12-2	664 N / S Line of Section
Field: Burrton NE	feet from X E / W Line of Section
Field	Sec. 12 Twp. 23 S. R. 3 E W
Number of Acres attributable to well:	
QTR/QTR/QTR of acreage: NW - SE - NE - NE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW
_	
Show location of the well. Show footogo to the reserve	PLAT
lease roads, tank batteries, pipelines and electrical lines, as re	t lease or unit boundary line. Show the predicted locations of equired by the Kansas Surface Owner Notice Act (House Bill 2032).
You may attach a	separate plat if desired.
,	osparato piat il dedired.
	:
	LEGEND
	O Well Location
	Tank Battery Location
	Pipeline Location
	Electric Line Location
	Lease Road Location
	$\sim 10^{-10}$
	EXAMPLE : :
· · · · · · · · · · · · · · · · · · ·	
	: 1980'FSL
	:

NOTE: In all cases locate the spot of the proposed drilling locaton.

# In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections,
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells;
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

September 21, 2012

Larry Ressler Cyclone Petroleum, Incorporated 1030 W. MAIN JENKS, OK 74037

Re: Drilling Pit Application McCurry 12-2 NE/4 Sec.12-23S-03W Harvey County, Kansas

#### Dear Larry Ressler:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 72 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (316) 630-4000.