

For KCC	Use:					
Effective Date:						
District #						
SGA?	Yes No					

# Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

# **NOTICE OF INTENT TO DRILL**

COUNTRACTOR: License#   State:   Zip:   Stat	Expected Spud Date:				Spot Description:				
Contract Person		month	day	year	Sec Twp	S. R			
Name:	ODEDATOR: License#								
Is SECTION:   Regular   regular?						/ W Line of Sectio			
Moter Locate well on the Section Plat on reverse aidey					Is SECTION: Regular Irregular?				
County:									
Country   Coun					· ·	,			
Field Name:    Well Drilled For:   Well Class:   Type Equipment:   Target Formation(s):   Nearest Lease or unit boundary line (in footage):   Target Formation(s):   Nearest Lease or unit boundary line (in footage):   Geal Mark Storage   Pool Ext.   Air Rotary   Nearest Lease or unit boundary line (in footage):   Geal Mark Storage   Pool Ext.   Air Rotary   Nearest Lease or unit boundary line (in footage):   Geal Mark Storage   Pool Ext.   Air Rotary   Nearest Lease or unit boundary line (in footage):   Geal Mark Storage   Pool Ext.   Air Rotary   Nearest Lease or unit boundary line (in footage):   Geal Mark Storage   Pool Ext.   Air Rotary   Nearest Lease or unit boundary line (in footage):   Geal Mark Storage   Pool Ext.   Nearest Lease or unit boundary line (in footage):   Geal Mark Storage   Nearest Lease or unit boundary line (in footage):   Geal Mark Storage   Nearest Lease or unit boundary line (in footage):   Geal Mark Storage   Nearest Lease or unit boundary line (in footage):   Geal Mark Storage   Nearest Lease or unit boundary line (in footage):   Geal Mark Storage   Nearest Lease or unit boundary line (in footage):   Geal Mark Storage   Nearest Lease or unit boundary line (in footage):   Geal Mark Storage   Nearest Lease or unit boundary line (in footage):   Geal Mark Storage   Nearest Lease or unit boundary line (in footage):   Geal Mark Storage   Nearest Lease or unit boundary line (in footage):   Geal Mark Storage   Nearest Lease or unit boundary line (in footage):   Geal Mark Storage   Pool Ext.   Depth to bottom of the Air Storage   Pool Ext.   Depth to bottom of the Nates   Public of Pool Ext.   Depth to bottom of the Nates   Public of Pool Ext.   Depth to bottom of the Nates   Public of Pool Ext.   Depth to Bottom of Teah Nates   Public of Pool Ext.   Depth to Bottom of Teah Nates   Public of Pool Ext.   Depth to Bottom of Teah Nates   Public of Pool Ext.   Depth to Bottom of Teah Nates   Public of Pool Ext.   Depth to Bottom of Pool Ext.   Depth to Bottom of Pool Ext.   Depth to Bottom of Nat	•				, –				
Submitted Control   Spaced Field?   Spaced Field?   Start Final   Spaced Field?   Spaced Field Fie	Phone:								
Name: Well Drilled For: Well Class: Type Equipment: Name: Series of the Process o	CONTRACTOR: License#								
Well Drilled For:   Well Class:   Type Equipment:   Search   Sea					·				
Ground Surface Elevation:	varrie.								
Gas   Storage   Pool Ext.   Air Rotary   Water well within one-quarter mile:   Yes   Public water supply well within one mile:   Yes	Well Drilled For:	Well Class	: 7	ype Equipment:					
Gas   Slorage   Pool Ext.   Cable   Cable   Disposal   Wildcat   Cable   Depth to bottom of tresh water:   Depth to bottom of usable water:   Surface Pipe Planned to be set:   Length of Surface Pipe Planned to be set:   Length of Surface Pipe Planned to be set:   Length of Surface Pipe Planned to be set:   Depth to bottom of usable water:   Surface Pipe Planned to be set:   Length of Surface Pipe Planned to be set:   Length of Surface Pipe Planned to be set:   Length of Surface Pipe Planned to be set:   Depth to bottom of usable water:   Surface Pipe Planned to be set:   Length of Surface Pipe Planned to be set:	Oil Enh F	Rec Infield	ı	Mud Rotary					
Depth to bottom of usable water:   Depth to bottom of fresh water:   Depth to bottom of usable water   Depth to bottom of usable water:   Depth to bottom of usable water   Depth to bottom of usable water:   Depth to bottom of usable water:   Depth to bottom of usable water   Depth to bottom of usable water:   Depth to bottom of usable water:   Depth to bottom of usable water   Depth to bottom of usable water   Depth to bottom of usable water   Depth to bottom of usable water:   Depth to bottom of us	Gas Stora	ge Pool E	Ext.	Air Rotary	·				
Depth to bottom of usable water:    Depth to bottom of usable water:	Dispo	sal Wildca	at	Cable	Public water supply well within one mile:	Yes N			
Depth to bottom of usable water:  Surface Pipe by Alternate: It I I I I Length of Surface Pipe by Alternate: It I I I I Length of Surface Pipe by Alternate: It I I I I Length of Surface Pipe Planned to be set:  Length of Surface Pipe (if any):  Projected Total Depth: Promation at Total Depth: Promation	Seismic ;#	of Holes Other	'		·				
Length of Surface Pipe Planned to be set:    Length of Surface Pipe Planned to be set:	Other:				Depth to bottom of usable water:				
Operator:  Well Name: Original Completion Date: Original Total Depth:  Well Name: Original Completion Date: Original Compl					Surface Pipe by Alternate: III				
Projected Total Depth:	If OWWO: old well	information as follo	ows:		Length of Surface Pipe Planned to be set:				
Well Name: Original Completion Date: Original Total Depth: Formation at Total Depth: Formation at Total Depth: Formation at Total Depth: Water Source for Drilling Operations: Well Farm Pond Other: DWR Permit #:  ### DWR Pe	Operator:				Length of Conductor Pipe (if any):				
Water Source for Drilling Operations:   Water Source for Drilling Operation of Source for Drilling Operation   Water Source on	•				Projected Total Depth:				
Water Source for Drilling Operations:   Water Source for Drilling Operations of Source for Parmit with DWR   Water Source for Parmit with K.S.A. 55 et. seq.   Water Source for Parmit with K.S.A. 55 et. seq.   Water Source for Parmit with K.S.A. 55 et. seq.   Water Source for Parmit with K.S.A. 55 et. seq.   Water Source for Parmit with K.S.A. 55 et. seq.   Water Source for Parmit with K.S.A. 55 et. seq.   Water Source for Parmit with K.S.A. 55 et. seq.   Water Source for Parmit with K.S.A. 55 et. seq.   Water Source for Parmit with K.S	Original Completion Da	ate:	Original To	otal Depth:	Formation at Total Depth:				
Yes, true vertical depth:    DWR Permit #:   (Note: Apply for Permit with DWR   )   Will Cores be taken?   Yes									
Bottom Hole Location:	Directional, Deviated or Ho	rizontal wellbore?		Yes No	Well Farm Pond Other:				
Note: Apply for Permit with DWR   Yes   Will Cores be taken?   Yes   Will Cores be taken?   Yes   Will Cores be taken?   Yes   Yes   Will Cores be taken?   Yes   Will Cores be taken?   Yes   Yes   Will Cores be taken?   Yes	If Yes, true vertical depth: _								
If Yes, proposed zone:  AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Wemember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; File acreage attribution plat according to field proration orders; Notify appropriate district office at hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);									
AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  **Remember to:**  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Ompletion Form ACO-1 within 120 days of spud date;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);	KCC DKT #:				Will Cores be taken?	Yes No			
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Wemember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);					If Yes, proposed zone:				
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B". Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  While the complete of the KCC District office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);				Λ.	FID AV/IT				
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  Whinimum surface pipe required	The undersigned hereby	offirms that the d	r:11:na oon						
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.</li> <li>If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i>;</li> <li>The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date.         Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.</li> </ol> Por KCC Use ONLY API #15 - Conductor pipe required feet  Minimum surface pipe required feet per ALT. I I I I I File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);  This authorization expires:  **Compart of the underlying formation to the top; in all cases surface pipe shall be set through a provided in the district office on plug length and placement to necessary prior to plugging;  The minimum amount of 20 feet per ALT. I I I I I I I I I I I I I I I I I I I	-		_		ugging of this well will comply with K.S.A. 55 et. seq.				
2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ; 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  **Remember to:*  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File completion Form ACO-1 within 120 days of spud date; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);	It is agreed that the follow	ing minimum req	uirements	will be met:					
3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  While the complete complete is to the KCC Use ONLY  API #15 -									
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  White Electronically  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);	.,			·	0 0.				
4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> ;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  Which is a completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);					, ,	shall be set			
5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Bemember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);						ior to plugging:			
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Benember to:  For KCC Use ONLY  API # 15						or to plugging,			
must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  White the completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);				1 0	,	/S of spud date.			
### Conductor pipe required	Or pursuant to App	endix "B" - Easte	rn Kansas	surface casing order #	133,891-C, which applies to the KCC District 3 area, alter	nate II cementing			
For KCC Use ONLY  API # 15	must be completed	within 30 days o	f the spud	date or the well shall b	e plugged. In all cases, NOTIFY district office prior to a	iny cementing.			
For KCC Use ONLY  API # 15									
For KCC Use ONLY  API # 15									
For KCC Use ONLY  API # 15	ubmitted Electro	nically							
API # 15					Remember to:				
API # 15	For KCC Use ONLY				- File Certification of Compliance with the Kansas Surface	e Owner Notification			
Minimum surface pipe required feet per ALT. I I II	API # 15				•				
Minimum surface pipe requiredfeet per ALTIIIII    Approved by:    This authorization expires:    File Completion Form ACO-1 within 120 days of spud date;    File acreage attribution plat according to field proration orders;    Notify appropriate district office 48 hours prior to workover or re-entry;    Submit plugging report (CP-4) after plugging is completed (within 60 days);					,	; ;			
Approved by:									
This authorization expires:  - Submit plugging report (CP-4) after plugging is completed (within 60 days);	Minimum surface pipe red	uired	1	eet per ALT I II					
Inis authorization expires:	Approved by:				<ul> <li>Notify appropriate district office 48 hours prior to workey</li> </ul>	ver or re-entry:			
	Approved by.								

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Agent:

Spud date: \_

- If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.

Well will not be drilled or Permit Expired	Date:
Signature of Operator or Agent:	

Side Two



For KCC Use ONLY	
API # 15	-

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: _							_ Loc	cation of W	/ell: Coun	ty:			
Lease:							feet from N / S Line of Section						
Well Number:										feet from E / W Line of Section			
Field:	Field:						Se	SecTwpS. R E W					
Number of Acres attributable to well:							– ls 9	Is Section: Regular or Irregular					
QTR/QTR/	/QTR/QTR	of acreag	e:				_	3000011.		in of mogular			
								Section is ction corne		locate well from nearest corner boundary.  NE NW SE SW			
		ids, tank b		ipelines an	d electrica	the neare	required b		as Surfac	Show the predicted locations of e Owner Notice Act (House Bill 2032).			
		:		:		:	:	: : : :		LEGEND			
1225 ft			) )							O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location			
			: : : : :	1	 4 					EXAMPLE : : : : :			
		:		:									
										1980' FSL			
		:		:						SEWARD CO. 3390' FEL			

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

093487

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:		License Number:				
Operator Address:						
Contact Person:			Phone Number:			
Lease Name & Well No.:			Pit Location (QQQQ):			
Type of Pit:  Emergency Pit Burn Pit  Settling Pit Drilling Pit  Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)  Is the pit located in a Sensitive Ground Water A		Existing  nstructed:  (bbls)	SecTwpRBastWest West Bast West West Line of Section Feet from East / West Line of Section County County mg/l mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level?	Artificial Liner?  Yes  N	10	How is the pit lined if a plastic liner is not used?			
	Length (fee		Width (feet)			
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ilei		dures for periodic maintenance and determining scluding any special monitoring.			
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of inforr	west fresh water feet. nation:			
feet Depth of water well	feet	measured	well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover:				
Number of producing wells on lease:		Number of working pits to be utilized:				
Barrels of fluid produced daily:		Abandonment p	procedure:			
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	·	e closed within 365 days of spud date.			
Submitted Electronically						
	KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS					
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No			



## Kansas Corporation Commission Oil & Gas Conservation Division

1093487

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled


# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent)					
OPERATOR: License #	Well Location:					
Name:	SecTwpS. R East West County: Lease Name: Well #:  If filing a Form T-1 for multiple wells on a lease, enter the legal description of					
Address 1:						
Address 2:						
City: State: Zip:+						
Contact Person:	the lease below:					
Phone: ( ) Fax: ( )						
Email Address:						
Surface Owner Information:						
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional					
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the					
Address 2:	county, and in the real estate property tax records of the county treasurer.					
City: State: Zip:+						
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.					
I certify that, pursuant to the Kansas Surface Owner Notice Adowner(s) of the land upon which the subject well is or will be lo CP-1 that I am filing in connection with this form; 2) if the form b form; and 3) my operator name, address, phone number, fax, are	ct (House Bill 2032), I have provided the following to the surface potential:  1) a copy of the Form C-1, Form CB-1, Form T-1, or Form the being filed is a Form C-1 or Form CB-1, the plat(s) required by this end email address.  1) cknowledge that, because I have not provided this information, the					
KCC will be required to send this information to the surface ow	ner(s). To mitigate the additional cost of the KCC performing this fee, payable to the KCC, which is enclosed with this form.					
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.					
Submitted Electronically						

## BLUERIDGE PETROLEUM CORPORATION SCHOEN LEASE NW.1/4. SECTION 14. T6S. R25W GRAHAM COUNTY. KANSAS



#### **LEGEND**

O Well Location
Tank Battery Location
Pipeline Location
----- Electric Line Location
Lease Road Location

Elevations derived from National Geodetic Vertical Datum.

October 1, 2012

Controlling data is based upon the best maps and photographs available to us and upon a regular section of land containing 640 acres.

Approximate section lines were determined using the normal standard of care of olifield surveyors practicing in the state of Kansas. The section corners, which establish the precise section lines, were not necessarily located, and the exact location of the drilistic location in the section is not quaranteed. Therefore, the operator securing this service and accepting that part and all other parties relying thereon agree to hold Central Kansas ültilaid Services. Inc., list officers and employees hormless from all losses, costs and expenses and sold entities released from any Ilability.