

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1094180

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

### NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day year	Sec Twp S. R 🔲 E 🔲 V
DPERATOR: License#	(0/0/0/0) feet from N / S Line of Section
Name:	feet from E / W Line of Section
ddress 1:	Is SECTION: Regular Irregular?
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
State:	County:
Contact Person:	Lease Name: Well #:
hone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: II II
	Length of Surface Pipe Planned to be set:  Length of Conductor Pipe (if any):
Operator:	Projected Total Depth:
Well Name: Original Total Depth:	Formation at Total Depth:
Original Completion Bate Original Total Beptin	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	( <b>Note:</b> Apply for Permit with DWR)
CCC DK1 #:	Will Cores be taken?
CCC DKT #:	Will Cores be taken? Yes N  If Yes, proposed zone:
AFF	If Yes, proposed zone:
AFF The undersigned hereby affirms that the drilling, completion and eventual plu	If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual plu t is agreed that the following minimum requirements will be met:	If Yes, proposed zone:
AFF The undersigned hereby affirms that the drilling, completion and eventual plu	If Yes, proposed zone:  IDAVIT  aging of this well will comply with K.S.A. 55 et. seq.
AFF The undersigned hereby affirms that the drilling, completion and eventual plu t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	If Yes, proposed zone:  IDAVIT  IDAVIT
AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone:  IDAVIT  In gring of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  In sy circulating cement to the top; in all cases surface pipe shall be set underlying formation.
AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist	If Yes, proposed zone:  IDAVIT  In gring of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  In y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  In ict office on plug length and placement is necessary prior to plugging;
AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either plugg	If Yes, proposed zone:  IDAVIT  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  In y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  In ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in;
AFF The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1	If Yes, proposed zone:  IDAVIT  Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig; In y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  In ict office on plug length and placement is necessary prior to plugging; Indied or production casing is cemented in; If you have the interval of t
AFF The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	If Yes, proposed zone:  IDAVIT  Ingging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig; In y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  In ict office on plug length and placement is necessary prior to plugging; Indied or production casing is cemented in; If you have any usable water to surface within 120 DAYS of spud date.  If Yes, proposed zone:  In it Yes, proposed zone:  It yes, proposed zone:  It yes, proposed zone:  If Yes, proposed z
AFF The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1	If Yes, proposed zone:  IDAVIT  Ingging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig; In y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  In ict office on plug length and placement is necessary prior to plugging; Indied or production casing is cemented in; If you have any usable water to surface within 120 DAYS of spud date.  If Yes, proposed zone:  In it Yes, proposed zone:  It yes, proposed zone:  If Yes, proposed z
AFF The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone:  IDAVIT  Ingging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig; In y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  In ict office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plug length and p
AFF The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone:  IDAVIT  Ingging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig; In y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  In ict office on plug length and placement is necessary prior to plugging; Indied or production casing is cemented in; If you have any usable water to surface within 120 DAYS of spud date.  If Yes, proposed zone:  In it Yes, proposed zone:  It yes, proposed zone:  If Yes, proposed z
he undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone:  IDAVIT  In gring of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  In y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  In ict office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plugging;  In it office on plug length and placement is necessary prior to plug length and placement is necessary prior to plu
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY	IDAVIT gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  submitted Electronically  For KCC Use ONLY  API # 15 -	IDAVIT gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  submitted Electronically  For KCC Use ONLY  API # 15 -	IDAVIT aging of this well will comply with K.S.A. 55 et. seq.  drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  submitted Electronically  For KCC Use ONLY  API # 15	IDAVIT aging of this well will comply with K.S.A. 55 et. seq.  drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
AFF The undersigned hereby affirms that the drilling, completion and eventual plust is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  ubmitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	IDAVIT aging of this well will comply with K.S.A. 55 et. seq.  drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
AFF The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  Libmitted Electronically  For KCC Use ONLY  API # 15	IDAVIT gging of this well will comply with K.S.A. 55 et. seq.  drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
AFF The undersigned hereby affirms that the drilling, completion and eventual plusts agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each  3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  Ibmitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	IDAVIT aging of this well will comply with K.S.A. 55 et. seq.  drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;

Side Two



For KCC Use ONLY	
API # 15	-

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

ator:						_ LO	cation of vv	eli: Coun	ity:				
e:									fe	et from	N /	S Line	of Section
Number:									fe	et from	E /	W Line	of Section
<b>:</b>						_ Se	c	Twp		S. R		E	W
ber of Acres att	ributable to	well:				_ lo !	Section:	Regu	lar or	Irregular			
QTR/QTR/QTR	R of acreag	e:					Section.	Kegu	iai oi _	_ irregulai			
							Section is ection corne			NW		rner boun SW	dary.
				d electrica	al lines, as	required b a separate	r unit bound by the Kans plat if desi	as Surfac					
	:	: :	: :		800 It.	:	: :						
	:	:	:			:	:			LEGI	END		
••••		· · · · · · · · · · · · · · · · · · ·			Ţ			_ 1980	) ft. O	Well L	ocation		
	:		:		ψ	:	:	1300	, II. –		Battery L	ocation	
	:	:	:		:	:	:			_	ne Locat		
	:	:	:		:	:	:			•	ic Line L		
					:					<b>L</b> ease	Road L	ocation	
		:				:							
	:	:	:		:	:	:						
	:	:	:		:	:	:	Г	EXAMPL	E :		:	
	:	<u>.                                      </u>	:		:	:	:					:	
	:	:	5			:	•		:	:		:	
	:		:		:	:	:		:	:		:	
•••••		:		•••••		:						:	
	:	:	:		:	:	: :		:	:		:	
	:	:	:		:	:	:					:	 
	:	:	:		:	:	:			<b>?</b>		:	1980' FSL
	:		:		•	:	:		•••••	`  <b> </b>		•	
	·	:	· · · · · · · · · · · · · · · · · · · ·		·:	:	· ·					:	
	:	:	:		:	:		L	SEWARD CO.	3390' FFI	· 	•	
1					•				JEMAND GU.	ししつひし ドロし	_		

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 1094180

Form CDP-1 May 2010 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:		Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:  Emergency Pit Burn Pit  Settling Pit Drilling Pit  Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)  Is the pit located in a Sensitive Ground Water A		Existing nstructed: (bbls)	SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty  Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?  Yes  N	No	How is the pit lined if a plastic liner is not used?	
	Length (fee		Width (feet) N/A: Steel Pits No Pit	
If the pit is lined give a brief description of the li material, thickness and installation procedure.	illel		dures for periodic maintenance and determining any special monitoring.	
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:	
feet Depth of water well	feet	measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	al utilized in drilling/workover:	
Number of producing wells on lease:		Number of working pits to be utilized:		
Barrels of fluid produced daily:		Abandonment	procedure:	
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	·	be closed within 365 days of spud date.	
Submitted Electronically				
	KCC	OFFICE USE O	NLY  Liner Steel Pit RFAC RFAS	
Date Received: Permit Num	ber:	Permi	it Date: Lease Inspection: Yes No	



#### Kansas Corporation Commission Oil & Gas Conservation Division

1094180

Form KSONA-1
July 2010
Form Must Be Typed
Form must be Signed
All blanks must be Filled

## CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)				
OPERATOR: License #	Well Location:				
	County:				
Address 1:	Lease Name: Well #:				
Address 2:  City: State: Zip:+					
Contact Person:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:				
Phone: ( ) Fax: ( )					
Email Address:					
Surface Owner Information:					
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface				
Address 1:	owner information can be found in the records of the register of deeds for the				
Address 2:	county, and in the real estate property tax records of the county treasurer.				
City:					
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered of Select one of the following:   I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be ICP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax, at I have not provided this information to the surface owner(s). I a	acknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this				
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 vill be returned.				
Submitted Electronically					
	_				

#### Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

OPERATOR: License # 34192	Well Location:			
Name: SandRidge Exploration and Production LLC	N2 S2 NW NE Sec. 5 Twp. 33 S. R. 6 East West			
Address 1: 123 Robert S. Kerr Ave	County: Harper			
Address 2:	Lease Name: Connie 3206 Well #: 2-32H			
City: Oklahoma City State: OK Zip: 73102 + 6406 Contact Person: Tiffany Golay	If filing a Form T-1 for multiple wells on a lease, enter the legal description of			
Contact Person: Tiffany Golay	the lease below:			
Phone: ( 405 ) 429-6543 Fax: ( )				
Email Address:				
Surface Owner Information:  Name: Connie Sue Williams, Trustee				
Name: Connie Sue Williams, Trustee  Address 1: 196 NE 40 Road	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.			
Address 2:				
City: Anthony State: KS Zip: 67003 +	sound, and in the real estate property tax records of the county treasurer.			
the KCC with a plat showing the predicted locations of lease roads, tar	odic Protection Borehole Intent), you must supply the surface owners and nk batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.			
Select one of the following:	on the Form of Figure 1 of the Separate plat may be submitted.			
owner(s) of the land upon which the subject well is or will be	Act (House Bill 2032), I have provided the following to the surface located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.			
I have not provided this information to the surface owner(s). It is KCC will be required to send this information to the surface of task, I acknowledge that I am being charged a \$30.00 handling.	acknowledge that, because I have not provided this information, the wner(s). To mitigate the additional cost of the KCC performing this g fee, payable to the KCC, which is enclosed with this form.			
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP	g fee with this form. If the fee is not received with this form, the KSONA-1 -1 will be returned.			
I hereby certify that the statements made herein are true and correct to	o the best of my knowledge and belief.			
Date:Signature of Operator or Agent:	Title:			

TOPOGRAPHIC LAND SURVEYORS
6709 NORTH CLASSEN BLVD., OKIA. CITY, OKIA. 73116 \* LOCAL (405) 843-4847 \* OUT OF STATE (800) 654-3219
Certificate of Authorization No. LS-99, Exp. Dec. 31, 2013 HARPER \_ County, Kansas o <u>33S</u> Range <u>6W</u>P.M. 800'FNL - 1980'FEL \_ Section Township X= 2150093 Y= 203728 330 X= 2144852 Y= 203638 Bottom Hole 330 FNL-660 FEL NAD-27 (US Feet) 37-13 26.8 N 97-59 12.4 W 37.224110112 N 97.986784452 W X=2149438 Y=203386 330' HARDLINE 660 (1980') (2310 HARDLINE 330 HARDLINE 330 X= 2144899 Y= 198345 X= 2150169 Y= 198437 T325-R6W Township 7335-R6W 800' LOT 1 LOT 2 LOT 4 LOT 3 1980 (660') HARDLINE HARDLINE (1840') S/2-NE/4 330 S/2-NW/4 330' HARDLINE GRID Scale: = 1000' 500' 1000 Bottom Hole Information by Operator Listed, NOT Corner Coordinates are T from Points Surveyed in Distances shown in (parenthesis) are calculated based upon the Quarter Section being 2640 feet, those shown in Iprackets] are based on GLO (General Land Office) distances and have <u>NOT</u> been measured on the ground. Operator: SANDRIDGE EXPLORATION & PRODUCTION, LLC **ELEVATION:** 1381' Gr. at Stake Lease Name: CONNIE 3206 Well No.: 2-32H Topography & Vegetation Loc. fell in sloped terraced pasture Reference Stakes or Alternate Location Stakes Set None Good Drill Site? \_ Best Accessibility to Location \_ From North off county road Distance & Direction from Hwy Jct or Town From Anthony, KS, go 4.0 mi. North on St. Hwy. 14, then 3.0 mi. East to the NE Cor. of Sec. 5-T33S-R6W BLAKE

BLAKE

GENSES

SURVEY

BLAKE

BLAKE Revision X A Date of Drawing: \_ Sep. 13, 2012 DATUM: <u>NAD-27</u> LAT: <u>37'12'29.7"N</u> Invoice # 189575 Date Staked: Aug. 31, 2012 This information was ered with a GPS receiv th Sub-Meter accuracy. LONG: 97'59'28.1"W **CERTIFICATE:** LAT: \_37.208243569° I, Michael Blake Brown a Kansas Licensed Land Surveyor and an authorized agent of Topographic Land Surveyors, do hereby certify that the above described well location was surveyed and staked on the ground LONG: 97.991127997 STATE PLANE COORDINATES: (US Feet)
ZONE: KS SOUTH as shown herein. 2148205 197602

## Connie 3206 2-32H

## Harper County, KS

## Unit Description:

SandRidge has leases covering 477.4300 nma in E/2 of Section 32, Township 32 South, Range 06 West, the NE/4 of Section 05, Township 33 South, Range 06 and we intend to unitize this 477.4300 nma into the Connie Unit.

### Surface Owners:

Ferris Dean Williams, Trustee 196 NE 40 Road Anthony, KS 67003

Connie Sue Williams, Trustee 196 NE 40 Road Anthony, KS 67003

	30	א' א' 25 א'	<b>W</b> AYNE 3206 1-29H	≥' 28	27
	_RICHARD 3206 1-30H	X <sup>watt</sup> 1		x'	
x'		X TERRELL 1	32S 6W		
	PROUSE IA 1	OSSORNE 1			
	31 x <sup>NULIAMS</sup> 1 Harper	3	Connie Unit	33	WESTFALL 13434
↓ILLIAN 3206 2-31H	ДILLIAN 3206 1-31H Ж	FERRIS 1-5H	CONNIE 3205 2-32H	x'	
	6		SHL	4	3
Legend  Sandridge Wells	д носиль лит	X <sup>WLLIAMSA-1</sup> D <sup>1.5</sup>	33S 6W		IRELAND TRUST 1-3
Sandráge SVIO Mells  Competitor Wells  X. ABANDONED LOCATION  X. DEYHOLE, EUPOPRARLY ABANDONEE  32 GAS WELL  JUNGED AND ABANDONED WELL  WELL START  Sandráge Unit Outine	7	ADAMS (G) 1		9	10 CAROTHERS AND



September 21, 2012

Ferris Dean Williams, Trustee and Connie Sue Williams, Trustee 196 NE 40 Road Anthony, KS 67003

Re: KSONA-1 NOTIFICATION

Please find attached a draft copy of Intent to Drill currently pending with the KCC for approval. We plan to drill the Connie 3206 2-32H well located in Harper County, Kansas, and you are listed as the current surface owner.

This notice is being provided pursuant to the Kansas Surface Owner Notice Ace (House Bill 2032). If you have any questions, please contact Stacey Bryant at (405) 429-6127.

Sincerely,

Tiffany Golay

Regulatory Technician SandRidge Energy

123 Robert S Kerr Avenue Oklahoma City, OK 73102

T: 405.429.6543

E: tiffany.golay@sandridgeenergy.com

/file

Attach.

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1 July 2010 Form Must Be Typed Form must be Signed All blanks must be Filled

## CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1	(Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)				
OPERATOR: License # 34192  Name: SandRidge Exploration and Production LLC  Address 1: 123 Robert S. Kerr Ave	Well Location:  N2 S2 NW NE Sec. 5 Twp. 33 S. R. 6 Eas X West				
Address 1, 123 Robert S, Kerr Ave	County: Harper				
Address 2:	Lease Name: Connie 3206 Well #: 2-32H				
City: Oklahoma City State: OK Zip: 73102 + 6406					
Contact Person: Tiffany Golay	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:				
Phone: ( 405 ) 429-6543 Fax: ( )					
Email Address:					
Surface Owner Information: Name: Connie Sue Williams, Trustee	When filing a Form T-1 involving multiple surface owners, attach an additional				
Address 1: 196 NE 40 Road	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.				
Address 2:					
City: Anthony State: KS Zip: 67003 +					
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and a batteries, pipelines, and electrical lines. The locations shown on the plat in the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.				
owner(s) of the land upon which the subject well is or will be lo CP-1 that I am filing in connection with this form; 2) if the form beform; and 3) my operator name, address, phone number, fax, at I have not provided this information to the surface owner(s). I ad	cknowledge that, because I have not provided this information, the				
task, I acknowledge that I am being charged a \$30.00 handling	fee with this form. If the fee is not received with this form, the KSONA-1				
I hereby certify that the statements made herein are true and correct to					
Date: Signature of Operator or Agent:	Tille;				

TOPOGRAPHIC LAND SURVEYORS
6709 NORTH CLASSEN BLYD., OKLA. CITY, OKLA. 73116 • LOCAL. (405) 843-4847 • OUT OF STATE (800) 654-3219
Certificate of Authorization No. LS-99, Exp. Dec. J1, 2013 HARPER \_ County, Kansas o <u>33S</u> Range <u>6W</u>P.M. Section 5 Township 800'FNL - 1980'FEL X= 2150093 Y= 203728 330 X= 2144852 Y= 203638 Bottom Hole 330 FNL-660 FEL NAD-27 (US Feet) 37 13 26.8 N 9759 12.4 W 37.224110112 N 97.986784452 W X-2149438 Y=203386 330' HARDLINE (1980' (2310 HARDLINE 330" HARDLINE 330 X= 2144899 Y= 198345 X= 2150169 Y= 198437 T325-R6W Township Line+ 7335-R6W 800' LOT 1 LOT 4 LOT 3 LOT 2 (660') HARDUNE HARDLINE (1840') S/2-NE/4 S/2-NY/4 330 330 330' HARDUNE GRID Scale: = 1000' 500 1000 Bottom Hole Information Provided by Operator Listed, NOT Surveyed. Corner Coordinates are Taken from Points Surveyed in the Field. nces shown in (parenthesis) are calculated based the Quarter Section being 2640 feet, those shown rackets) are bosed on GLO (General Land Office) nces and have <u>NOT</u> been measured on the ground. Operator: SANDRIDGE EXPLORATION & PRODUCTION, LLC ELEVATION: 1381' Gr. at Stake Lease Name: CONNIE 3206 Well No.: 2-32H Topography & Vegetation Loc. fell in sloped terraced pasture Reference Stakes or Alternate Location Stakes Set None Good Drill Site? Best Accessibility to Location . From North off county road Distance & Direction from Hwy Jct or Town From Anthony, KS, go 4.0 mi. North on St. Hwy. 14, then 3.0 mi. East to the NE Cor, of Sec. 5-T33S-R6W BLAKE BLAKE STATE OF THE BLAKE S Date of Drawing: Sep. 13, 2012 DATUM: <u>NAD-27</u> LAT: <u>37'12'29.7"N</u> Invoice # 189575 Date Staked: Aug. 31, 2012 was receive suracy. LONG: 97'59'28.1"W **CERTIFICATE:** gathered with a GPS with Sub-Meter acc LAT: 37.208243569° Michael Blake Brown a Kansas Licensed Land LONG: 97.991127997 Surveyor and an authorized agent of Topographic Land Surveyors, do hereby certify that the above described well location was surveyed and staked on the ground as shown herein. STATE PLANE COORDINATES: (US Feet) ZONE: KS SOUTH X: 2148205 197602

## Connie 3206 2-32H

## Harper County, KS

## Unit Description:

SandRidge has leases covering 477.4300 nma in E/2 of Section 32, Township 32 South, Range 06 West, the NE/4 of Section 05, Township 33 South, Range 06 and we intend to unitize this 477.4300 nma into the Connie Unit.

### Surface Owners:

Ferris Dean Williams, Trustee 196 NE 40 Road Anthony, KS 67003

Connie Sue Williams, Trustee 196 NE 40 Road Anthony, KS 67003

	T			
30	א' א' 29 א'	_учүүне эгоэ 1-гэн 29	א <sup>י</sup> 28	27
_RICHARD 3203 1-30H	×min		x'	
X PROUSEMI	X TEAPEL1	32S 6W		
31 g' H <sup>WILW91</sup>	3		33	WESTIFILL LAIGH
- Сптим эхээ г-этн — Сптим эхээ г-этн	FERRIS 1-5H	Connio Un L	X <sup>P/ASO(IS1</sup>	
n' n			хіч лоны 1-8 вмр	
6	WILLWSAA	33S 6W	4	3
Legend  ✓ Sunstage VArs  ✓ Sunstage VArs  Competitor Wells  X ASUDOREDICCATOR  X CRITICE, IEWPORDETABLEGGED	N	1		IREWO JRUST 1:S
CONTROL ENPOQUENT ABMODISE  O CHYCLE ENPOQUENT ABMODISE  O CHYCLE  FOR CHYCLE  AMERICAN ABMODISED WELL  VALUE START  Sensiting Unit Outre	1 (10 swa) 6	ı	9	10 CANODHEARACA



September 21, 2012

Ferris Dean Williams, Trustee and Connie Sue Williams, Trustee 196 NE 40 Road Anthony, KS 67003

Re: KSONA-1 NOTIFICATION

Please find attached a draft copy of Intent to Drill currently pending with the KCC for approval. We plan to drill the Connie 3206 2-32H well located in Harper County, Kansas, and you are listed as the current surface owner.

This notice is being provided pursuant to the Kansas Surface Owner Notice Ace (House Bill 2032). If you have any questions, please contact Stacey Bryant at (405) 429-6127.

Sincerely,

Tiffany Golay

Regulatory Technician SandRidge Energy

123 Robert S Kerr Avenue Oklahoma City, OK 73102

T: 405.429.6543

E: tiffany.golay@sandridgeenergy.com

/file

Attach.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

October 18, 2012

Tiffany Golay SandRidge Exploration and Production LLC 123 ROBERT S. KERR AVE OKLAHOMA CITY, OK 73102-6406

Re: Drilling Pit Application Connie 3206 2-32H NE/4 Sec.05-33S-06W Harper County, Kansas

#### Dear Tiffany Golay:

District staff has inspected the location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has instructed that no earthen pits are to be used at this location. Steel pits are to be used. Please inform the Commission in writing as to which disposal well you utilized to dispose of the contents in the steel pits and the amount of fluid that was disposed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, within 30 days of fluid removal.

Should a haul-off pit be necessary please file form CDP-1 (April 2004), Application for Surface Pit, through KOLAR. This location will have to be inspected prior to approval of the haul-off pit application.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802

82-3-607.



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Mark Sievers, Chairman Thomas E. Wright, Commissioner Shari Feist Albrecht, Commissioner

# HAUL-OFF PIT APPLICATION FILING REQUIREMENTS

**DISPOSAL OF DIKE AND PIT CONTENTS.** 

(a)	Each operator shall perform one of the following when disposing of dike or
pit	
(1)	contents: Remove the liquid contents to a disposal well or other oil and gas operation approved by the commission or to road maintenance or construction locations approved by the department;
(2)	dispose of reserve pit waste down the annular space of a well completed according to the alternate I requirements of K.A.R. 82-3-106, if the waste to be disposed of was generated during the drilling and completion of the well;
or	
(3)	dispose of the remaining solid contents in any manner required by the commission. The requirements may include any of the following:  (A) Burial in place, in accordance with the grading and restoration requirements in K.A.R. 82-3-602 (f);  (B) removal and placement of the contents in an on-site disposal area approved by the commission;  (C) removal and placement of the contents in an off-site disposal area
on	
lease	acreage owned by the same landowner or to another producing
10400	or unit operated by the same operator, if prior written permission
from	the landowner has been obtained; or

	(D) removal of the contents to a permitted off-site disposal area	
approved		
	by the department.	
(b)	Each violation of this regulation shall be punishable by the following	:
(1)	A \$1,000 penalty for the first violation;	
(2)	a \$2,500 penalty for the second violation; and	
(3)	a \$5,000 penalty and an operator license review for the third violatic	n.

File Haul-Off Pit Application in KOLAR. Review the information below and attach all required documents to the pit application when submitting through KOLAR. This form will automatically generate and fill in from questions asked in KOLAR.

Haul-off pit will be located in an on-site disposal area:YesNo
Haul-off pit is located in an off-site disposal area on acreage owned by the same landowner:YesNo If yes, written permission from the land owner must be obtained. Attach written permission to haul-off pit application.
Haul-off pit is located in an off-site disposal area on another <b>producing</b> lease or unit operated by the same operator:YesNo If yes, written permission from the land owner must be obtained. Attach permission and a copy of the lease assignment that covers the acreage when the haul-off pit is to be located, to the haul-off pit application.