



KANSAS CORPORATION COMMISSION 1094815
OIL & GAS CONSERVATION DIVISION

Form ACO-1

June 2009

Form Must Be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # _____

Name: _____

Address 1: _____

Address 2: _____

City: _____ State: _____ Zip: _____ + _____

Contact Person: _____

Phone: (_____) _____

CONTRACTOR: License # _____

Name: _____

Wellsite Geologist: _____

Purchaser: _____

Designate Type of Completion:

- New Well Re-Entry Workover
- Oil WSW SWD SIOW
- Gas D&A ENHR SIGW
- OG GSW Temp. Abd.
- CM (Coal Bed Methane)
- Cathodic Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____

Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____

- Deepening Re-perf. Conv. to ENHR Conv. to SWD
- Conv. to GSW
- Plug Back: _____ Plug Back Total Depth _____
- Commingled Permit #: _____
- Dual Completion Permit #: _____
- SWD Permit #: _____
- ENHR Permit #: _____
- GSW Permit #: _____

Spud Date or Recompletion Date Date Reached TD Completion Date or Recompletion Date

API No. 15 - _____

Spot Description: _____

_____ - _____ - _____ Sec. _____ Twp. _____ S. R. _____ East West

_____ Feet from North / South Line of Section

_____ Feet from East / West Line of Section

Footages Calculated from Nearest Outside Section Corner:

- NE NW SE SW

County: _____

Lease Name: _____ Well #: _____

Field Name: _____

Producing Formation: _____

Elevation: Ground: _____ Kelly Bushing: _____

Total Depth: _____ Plug Back Total Depth: _____

Amount of Surface Pipe Set and Cemented at: _____ Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set: _____ Feet

If Alternate II completion, cement circulated from: _____

feet depth to: _____ w/ _____ sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: _____ ppm Fluid volume: _____ bbls

Dewatering method used: _____

Location of fluid disposal if hauled offsite: _____

Operator Name: _____

Lease Name: _____ License #: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West

County: _____ Permit #: _____

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

- Letter of Confidentiality Received
Date: _____
- Confidential Release Date: _____
- Wireline Log Received
- Geologist Report Received
- UIC Distribution
- ALT I II III Approved by: _____ Date: _____



1094815

Operator Name: _____ Lease Name: _____ Well #: _____

Sec. _____ Twp. _____ S. R. _____ East West County: _____

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach complete copy of all Electric Wire-line Logs surveyed. Attach final geological well site report.

| | |
|---|---|
| Drill Stem Tests Taken <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Submitted Electronically <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(If no, Submit Copy)</i> List All E. Logs Run: | <input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum |
|---|---|

| CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used | | | | | | | |
|---|-------------------|---------------------------|-------------------|---------------|----------------|--------------|----------------------------|
| Report all strings set-conductor, surface, intermediate, production, etc. | | | | | | | |
| Purpose of String | Size Hole Drilled | Size Casing Set (In O.D.) | Weight Lbs. / Ft. | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

| ADDITIONAL CEMENTING / SQUEEZE RECORD | | | | |
|--|------------------|----------------|--------------|----------------------------|
| Purpose: | Depth Top Bottom | Type of Cement | # Sacks Used | Type and Percent Additives |
| _____ Perforate _____ Protect Casing _____ Plug Back TD _____ Plug Off Zone | | | | |
| | | | | |

| Shots Per Foot | PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated | Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i> | Depth |
|----------------|---|--|-------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

TUBING RECORD: Size: _____ Set At: _____ Packer At: _____ Liner Run: Yes No

Date of First, Resumed Production, SWD or ENHR. _____ Producing Method:
 Flowing Pumping Gas Lift Other (Explain) _____

| | | | | | |
|-----------------------------------|-----------|---------|-------------|---------------|---------|
| Estimated Production Per 24 Hours | Oil Bbbs. | Gas Mcf | Water Bbbs. | Gas-Oil Ratio | Gravity |
|-----------------------------------|-----------|---------|-------------|---------------|---------|

| | | |
|--|--|---|
| DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i> | METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <i>(Submit ACO-4)</i> <input type="checkbox"/> Other (Specify) _____ | PRODUCTION INTERVAL: _____ _____ |
|--|--|---|

| | | |
|-----------------------------------|--------------------------------|---------------------|
| Lease: | Cayot | |
| Owner: | Bobcat Oilfield Services, Inc. | |
| OPR #: | 3895 | |
| Contractor: | DALE JACKSON PRODUCTION CO. | |
| OPR #: | 4339 | |
| Surface: 37' of 6" | Cemented: 8 sacks | Hole Size: 8 3/4 |
| Longstring 728' 2 7/8 8 rnd | Cemented: 92 sacks | Hole Size: 5 5/8 |

Dale Jackson Production Co.
Box 266, Mound City, Ks 66056
Cell # 620-363-2683
Office # 913-795-2991

| |
|------------------------------------|
| Well #: 16-12 |
| Location: SE-SW-SW-SE S24 T16 R21E |
| County: Miami |
| FSL: 165-167 |
| FEL: 2200-2339 |
| API#: 15-121-29161-00-00 |
| Started: 7/20/12 |
| Completed: 7/23/12 |

| | | |
|----------|--------------|----------|
| SN: 705' | Packer: | TD: 719' |
| Plugged: | Bottom Plug: | |

Well Log

| TKN | BTM Depth | Formation | TKN | BTM Depth | Formation |
|-----|-----------|---|-----|-----------|---|
| 2 | 2 | Top Soil | 2 | 711 | Oil Sand (Very Shaley) (Poor Bleed) |
| 28 | 30 | Clay | 5 | 716 | Oil Sand (Shaley) (Fair Bleed) (Some Water) |
| 3 | 33 | Light Shale | 2 | 718 | Sandy Shale (Oil Sand Streak) |
| 22 | 55 | Lime | 11 | 729 | Sandy Shale |
| 5 | 60 | Black Shale | TD | 739 | Shale |
| 11 | 71 | Lime | | | |
| 10 | 81 | Shale (Limey) | | | |
| 17 | 98 | Lime | | | |
| 19 | 117 | Shale | | | |
| 5 | 122 | Sand (Dry) | | | |
| 16 | 138 | Lime | | | |
| 7 | 145 | Shale | | | |
| 11 | 156 | Sandy Shale | | | |
| 11 | 167 | Sand (Dry) | | | |
| 64 | 231 | Shale | | | |
| 20 | 251 | Lime | | | |
| 7 | 258 | Shale | | | |
| 9 | 267 | Sand (Dry) | | | |
| 16 | 283 | Shale | | | |
| 5 | 288 | Lime | | | |
| 10 | 298 | Shale | | | |
| 5 | 303 | Shale (Limey) (Fractured) (Leaking Fluid) | | | |
| 12 | 315 | Sand (Dry) | | | |
| 15 | 330 | Lime | | | |
| 17 | 347 | Shale | | | |
| 25 | 372 | Lime | | | |
| 12 | 384 | Shale | | | Surface 7-20-12 Set Time 1:00pm Called 11:30am Alan |
| 20 | 404 | Lime | | | Longstring 728' 2 7/8 8 rnd 7-23-12 TD 739' |
| 4 | 408 | Shale | | | Set Time 12: 00am Called 10:45am Becky |
| 15 | 423 | Lime | | | |
| 158 | 581 | Shale | | | |
| 7 | 588 | Lime | | | |
| 41 | 629 | Shale | | | |
| 6 | 635 | Lime | | | |
| 4 | 639 | Sandy Shale (Oil Sand Streak) | | | |
| 13 | 652 | Shale | | | |
| 3 | 655 | Lime | | | |
| 26 | 681 | Shale (Limey) | | | |
| 5 | 686 | Lime | | | |
| 20 | 706 | Shale (Limey) | | | |
| 3 | 709 | Oil Sand (Some Shale) (Fair Bleed) | | | |



Dale Jackson Production Co.
 Box 266, Mound City, Ks 66056
 Cell # 620-363-2683
 Office # 913-795-2991

| |
|------------------------------------|
| Well #: 16-12 |
| Location: SE-SW-SW-SE S24 T16 R21E |
| County: Miami |
| FSL: 165 ¹⁶⁷ |
| FEL: 2200 ²³³⁹ |
| API#: 15-121-29161-00-00 |
| Started: 7/20/12 |
| Completed: 7/23/12 |

Core Run #1

| | |
|-------------|--------------------------------|
| Lease : | Cayot |
| Owner: | Bobcat Oilfield Services, Inc. |
| OPR #: | 3895 |
| Contractor: | DALE JACKSON PRODUCTION CO. |
| OPR #: | 4339 |

| FT | Depth | Clock | Time | Formation/Remarks | Depth |
|----|-------|-------|------|---|---------|
| 0 | 708 | 0:00 | 0 | Oil Sand (Some Shale) (Fair Bleed) | 709.00' |
| 1 | 709 | 1:00 | 1 | | |
| 2 | 710 | 3:00 | 2 | Oil Sand (Very Shaley) (Poor Bleed) | 711.00' |
| 3 | 711 | 5:30 | 2.5 | | |
| 4 | 712 | 8:00 | 2.5 | Oil Sand (Shaley) (Fair Bleed) (Some Water) | 716.00' |
| 5 | 713 | 10:00 | 2 | | |
| 6 | 714 | 12:30 | 2.5 | | |
| 7 | 715 | 15:00 | 2.5 | | |
| 8 | 716 | 17:00 | 2 | | |
| 9 | 717 | 19:30 | 2.5 | Sandy Shale (Oil Sand Streak) | 718.00' |
| 10 | 718 | 22:30 | 3 | | |
| 11 | 719 | 28:30 | 6 | Sandy Shale | |
| 12 | 720 | 33:30 | 5 | | |
| 13 | | | | | |
| 14 | | | | | |
| 15 | | | | | |
| 16 | | | | | |
| 17 | | | | | |
| 18 | | | | | |
| 19 | | | | | |
| 20 | | | | | |

Avery Lumber 913-795-2194
Avery Lumber
 P.O. BOX 66
 MOUND CITY, KS 66056
 (913) 795-2210 FAX (913) 795-2194

Customer Copy

INVOICE

PLEASE REFER TO INVOICE NUMBER ON ALL CORRESPONDENCE

| | |
|---|---|
| Page: 1 | Invoice: 10042290 |
| Special : Instructions : Sale rep #: MAVERY MIKE | Time: 17:06:22 Ship Date: 07/14/12 Invoice Date: 07/17/12 Due Date: 08/05/12 |
| Sold To: BOBCAT OILFIELD SRVC,INC C/O BOB EBERHART 30805 COLDWATER RD LOUISBURG, KS 66053 | Ship To: BOBCAT OILFIELD SRVC,INC (913) 837-2823 (913) 837-2823 |
| Customer #: 3570021 | Customer PO: Order By: |

ppplmg01 5TH T 27

| ORDER | SHIP | L | U/M | ITEM# | DESCRIPTION | Alt Price/Uom | PRICE | EXTENSION |
|--------|--------|---|-----|-------|----------------------|---------------|---------|-----------|
| 245.00 | 245.00 | L | BAG | CPPC | PORTLAND CEMENT | 8.8900 BAG | 8.8900 | 2178.05 |
| 280.00 | 280.00 | L | BAG | CPPM | POST SET FLY ASH 75# | 5.7900 BAG | 5.7900 | 1621.20 |
| 14.00 | 14.00 | L | EA | CPQP | QUIKRETE PALLETS | 17.0000 EA | 17.0000 | 238.00 |

*Coyot 11-12
7/23*

OKR Direct Delivery

INVOICE
913 837 4155

| | | | | | |
|---|------------|--------------|--------|-------------|-----------|
| FILLED BY | CHECKED BY | DATE SHIPPED | DRIVER | Sales total | \$4037.25 |
| SHIP VIA MIAMI COUNTY | | | | Freight | 100.00 |
| RECEIVED COMPLETE AND IN GOOD CONDITION | | | | Taxable | 4137.25 |
| X | | | | Non-taxable | 0.00 |
| | | | | Tax # | |
| | | | | Misc + Frgt | 100.00 |
| | | | | Sales tax | 312.36 |

TOTAL \$4449.61

2 - Customer Copy

